

CATID	QTY_IN_BIN	NAME	CAT_DESC
ACF875B	1	TAB	TAB, SEALING, QA 0, TAB, AIR PREHEATER; RADIAL SEALING, OUTER, FOR AIR PREHEATER CO
BXX261N	1	TAB	TAB, TYPICAL, QA 0, TAB, CIRCUIT BREAKER; RACK OUT, FOR GENERATOR FIELD BREAKER MODEL
BJR558P	20	TAB	TAB, TYPICAL, QA 3, TAB, ; PRINTED CIRCUIT GUIDE, FOR ALARM MONITOR ***
BBP574F	1	TACHOMETER	TACHOMETER, TYPICAL, QA 0, TACHOMETER, ELEC,SELF-GENERATING; HIGH PRECISION, OUTPUT 10 VAC AT
BWV635P	7	TACHOMETER	TACHOMETER, TYPICAL, QA 1, 0-1200 RPM/0-1 MADC, METER MOVEMENT: 250 DEG, TACH OUTPUT RANGE: 0 TO 5300 HZ,
AJW094N	2	TACHOMETER	TACHOMETER, TYPICAL, QA 0, DC, 1.9 V, ELEC,SELF-GENERATING; DC, PERMANENT MAGNET 1.9 VOLT, 1000
BBP574F	1	TACHOMETER	TACHOMETER, TYPICAL, QA 0, TACHOMETER, ELEC,SELF-GENERATING; HIGH PRECISION, OUTPUT 10 VAC AT
AJW094N	1	TACHOMETER	TACHOMETER, TYPICAL, QA 0, DC, 1.9 V, ELEC,SELF-GENERATING; DC, PERMANENT MAGNET 1.9 VOLT, 1000
ATW947J	4	TACHOMETER	TACHOMETER, TYPICAL, QA 0, SCALE, 0-225 DC, 0-8000 RPM, METER, SPECIAL SCALE; TACHOMETER RECEIVER,TYPE DB40,0-255VDC,SCALE
BJM544P	1550	TAG	TAG, IDENTIFICATION, QA 0, PLAIN, 3-1/8 IN, 6-1/4 IN, PINK, TAG, MARKER; PLAIN PINK, 3.125 X 6.25 IN, STYLE CT 35232, 13 PT, TAG
BEH512J	300	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; BLUE WITH WHITE CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO
BEH515C	200	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; RED WITH WHITE CORE, PHENOLIC,BLANK, J, FLEXIBLE, TWO
BEH513G	300	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; YELLOW WITH BLACK CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO
BQY107V	500	TAG	TAG, IDENTIFICATION, QA 0, 3-3/4 IN, 8 IN, RADIOACTIVE MATERIAL, TAG, MARKER; RADIOACTIVE MATERIAL, 3-3/4' X 8' SIZE, WITH LAMINATED
BKM689N	3	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; IMPRESS-O-TAG, ALUMINUM, PERMANENT ALL WEATHER TAG, 250
CAL329B	985	TAG	TAG, IDENTIFICATION, QA 0, 3-3/4 IN, 8 IN, STYRENE, YELLOW, MAGENTA, TAG, MARKER; YELLOW STYRENE, 3-3/4 IN X 8 IN, TWO SIDED PRINTING IN
CAE498J	1919	TAG	TAG, IDENTIFICATION, QA 0, CONDITIONALLY DEDICATED, TAG, STOCK MARKING; CONDITIONALLY DEDICATED MATERIAL TAGS. FURNISHED
BXF159M	600	TAG	TAG, IDENTIFICATION, QA 0, STOCK MARKING/TWO-SIDED, 2-3/8 IN, 3-3/4 IN, GREEN, BLACK, CONTAMINATION AND, RADIATION CLEARANCE, TAG, STOCK MAR
BXF160G	600	TAG	TAG, IDENTIFICATION, QA 0, STOCK MARKING/TWO-SIDED, 2-5/8 IN, 4-1/4 IN, WHITE, BLACK, CONDITIONAL RELEASE, TAG, STOCK MARKING; WHITE, 2 5/8
BXP290R	22	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; RATING,STAINLESS STEEL, DWG 66-1-11, IT 15, FOR 3/4 IN
BRY761M	500	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; ORANGE WITH BLACK LETTERS, FOR TAGGING CABLE REELS AND
BNR595Q	1999	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, BLANK TAG, G.I. DOG TAG ***
BNR592Y	4700	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#0-AIRS- 997, G.I. DOG TAG ***
BNR589K	500	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#0-ISLS- 997, G.I. DOG TAG ***
BNR588M	500	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#1-AIRS- 997, G.I. DOG TAG ***
BNR585V	1000	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#1-ISLS- 997, G.I. DOG TAG ***
BNR590E	3515	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; STAINLESS STEEL, TAG#20ISLS- 997, G.I. DOG TAG ***
BEH512J	96	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; BLUE WITH WHITE CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO
BLE605N	98	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; MARKER, GOLD, WITH BLACK CORE PHENOLIC, 0.125' THICK X
BEH515C	84	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; RED WITH WHITE CORE, PHENOLIC,BLANK, J, FLEXIBLE, TWO
BEH513G	92	TAG	TAG, IDENTIFICATION, QA 3, TAG, MARKER; YELLOW WITH BLACK CORE, PHENOLIC, BLANK, J, FLEXIBLE, TWO
AEX066F	610	TAG	TAG, WARNING, QA 0, HOLD ORDER, RED, BLACK, RECORD, RED HOLD ORDER TVA 6270
BKK349R	393	TAG	TAG, WARNING, QA 0, HOLD NOTICE, WHITE, FORM, PRINTED TVA 6269, 3000 EA PER BOX
BKK349R	93	TAG	TAG, WARNING, QA 0, HOLD NOTICE, WHITE, FORM, PRINTED TVA 6269, 3000 EA PER BOX
AVR132A	6	TAG	TAG, IDENTIFICATION, QA 0, PLASTIC, CLEAR, BLANK, WINDOW, CLEAR PLASTIC, FOR INFORMATION ON RECORDER,
BQL101V	95	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; LAMA, STYLE LTS, YELLOW WITH BLACK LETTERS ***
AXX660T	115	TAG	TAG, WARNING, QA 0, YELLOW, BLACK, CAUTION - UNSAFE, DO NOT USE, TAG, MARKER; ACCIDENT PREVENTION, SPECIAL, CAUTION, UNSAFE, DO NOT
AEX066F	6	TAG	TAG, WARNING, QA 0, HOLD ORDER, RED, BLACK, RECORD, RED HOLD ORDER TVA 6270
CAE498J	50	TAG	TAG, IDENTIFICATION, QA 0, CONDITIONALLY DEDICATED, TAG, STOCK MARKING; CONDITIONALLY DEDICATED MATERIAL TAGS. FURNISHED
AQP453J	72	TAG	TAG, IDENTIFICATION, QA 0, BLANK, POLYSTYRENE, 11/16 IN, YELLOW, 3/16 IN, TAG, MARKER; BLANK, POLYSTYRENE, YELLOW, ROUND, FLAME RETARDANT,
BQC242H	28000	TAG	TAG, IDENTIFICATION, QA 0, BLANK, 2-3/4 IN, 2-3/4 IN, PHENOLIC, 1/8 IN, TAG, MARKER; PHENOLIC BLANKS 2 3/4' X 2 3/4' X 1/8'. ***
BRD661H	2	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 100 LBS WITH FLOAT SWITCH, D.O.T.
BRD656A	4	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 50 LBS WITH FLOAT SWITCH D.O.T.
BRD656A	2	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 50 LBS WITH FLOAT SWITCH D.O.T.
BTL047G	2	TANK	TANK, TYPICAL, QA 0, TANK, PRESS-FEED,FINISHING; WITH AIR DRIVEN AGITATOR ***
BRD656A	2	TANK	TANK, STORAGE, QA 0, TANK, LIQUID STORAGE; REFRIGERANT, 50 LBS WITH FLOAT SWITCH D.O.T.
BPD243G	1	TAP	TAP, SCREW, QA 0, TAPERED, #10, 32, STARTER TAP
BGT145Q	8	TAPE	TAPE, INSULATING, QA 3, , ELEC, PLASTIC, BLACK, 0.010 THICK X 1 IN WIDE X 36 YARDS LONG, 600 V
BYF519B	24	TAPE	TAPE, BARRICADE, QA 0, WARNING, 2 IN, 180 FT, VINYL/PEERFERATED, YELLOW/MAGNETA, CAUTION, RADIO-ACTIVE MATERIAL, TAPE, WARNING; VINYL & PEER
BAM037H	29	TAPE	TAPE, LABELING, QA 0, IDENTIFICATION, 2 IN, 54 FT, YELLOW, VINYL, TAPE, IDENTIFICATION; MATERIAL: VINYL, TAPE SIZE: 2 IN X 18 YDS
BFQ629J	4	TAPE	TAPE, INSULATING, QA 2, SHIELDING/ELECTRICAL, 0.225 IN, 750 FT, 0.016 IN, NOMEX, , TIE, CLASS H, UNCOATED CSSC CLASS 1E HARSH ENVIRONMENT MO
AJX464K	44	TAPE	TAPE, TYPICAL, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, BLACK, TAPE, EMBOSING; MATERIAL: VINYL, TAPE SIZE: 1/2 IN, COLOR: BLACK
BRL036V	6	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1 IN, 216 FT, MYLAR, SILVER, TAPE, PRESS SENSITIVE ADH; COLOR: SILVER, TAPE SIZE: 1 IN W X 72 YD
BFW541C	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 0.162 IN, 54 FT, ORANGE, TAPE, PRESS SENSITIVE ADH; COLOR: ORANGE, TAPE SIZE: 0.162 IN X 18 YDS
BFW532D	7	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, BLUE, TAPE, PRESS SENSITIVE ADH; COLOR: BLUE, TAPE SIZE: 1/16 IN X 18 YDS
BFW508B	4	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, RED, TAPE, PRESS SENSITIVE ADH; COLOR: RED, TAPE SIZE: 1/16 IN X 18 YDS ***
BFW514F	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, WHITE, TAPE, PRESS SENSITIVE ADH; COLOR: WHITE, TAPE SIZE: 1/16 IN X 18 YDS
BFW516B	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, YELLOW, TAPE, PRESS SENSITIVE ADH; COLOR: YELLOW, TAPE SIZE: 1/16 IN X 18 YDS

BFW530W	20	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/32 IN, 54 FT, BROWN, TAPE, PRESS SENSITIVE ADH; COLOR: BROWN, TAPE SIZE: 1/32 IN X 18 YDS
BFW531F	19	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, BROWN, TAPE, PRESS SENSITIVE ADH; COLOR: BROWN, TAPE SIZE: 1/8 IN X 9 YDS ***
BFW513H	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, GREEN, TAPE, PRESS SENSITIVE ADH; COLOR: GREEN, TAPE SIZE: 1/80 IN X 9 YDS
ATL092J	1	TAPE	TAPE, BARRICADE, QA 0, 3 IN, 1000 FT, PLASTIC, YELLOW, TAPE, WARNING; PLASTIC BANNER, 3' WD X 1000' LG, YELLOW WITH BLACK
AJX564F	10	TAPE	TAPE, ADHESIVE, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, OPAQUE/GREEN, TAPE, EMBOSSING; MATERIAL: VINYL, TAPE SIZE: 1/2 IN, COLOR:
AJX664B	16	TAPE	TAPE, ADHESIVE, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, OPAQUE/RED, TAPE, EMBOSSING; VINYL, OPAQUE, RED, 0.5 IN WIDE X 144 IN LONG
BJQ622E	14	TAPE	TAPE, TYPICAL, QA 0, COVER/SEALBAR, 10 FT, FIBERGLASS, TAPE, ; FIBREGLASS, SEALBAR COVER, FOR AUDION SEALMASTER 10 FT ROLL
BLA387R	2	TAPE	TAPE, LABELING, QA 3, MARKER, IDENTIFICATION; POLYMER COATED CLOTH TAPE WITH INK RECEPTIVE
AYY352F	12	TAPE	TAPE, TYPICAL, QA 0, COMPUTER, 2-1/4 IN, TAPE, PAPER COMP MACH; WIDTH: 2.250 IN (2 1/4) ***
BND398Q	5	TAPE	TAPE, DATA, QA 0, CARTRIDGE, ; DATA, FOR HP9144A TAPE DRIVE, 600 FT LENGTH, 1/4 IN
BKB318E	3	TAPE	TAPE, SEALING, QA 3, TAPE, SEALING,WOVEN FIBER; WOVEN FIBER IMPREGNATED WITH A MINERAL
BBG934F	2	TAPE	TAPE, ADHESIVE, QA 1, TAPE, PRESS SENSITIVE ADH; 0.017 THICK X 2.0 IN WIDE X 5.0 FEET LONG
BTY558C	10	TAPE	TAPE, DATA, QA 0, MINI, 120 MB, CARTRIDGE, COMPUTER; MINI DATA, P/N DC 2120, 120 MBYTES, FOR COLORADO
ARY377X	5	TAPE	TAPE, HEAT, QA 0, 40 IN, 115, 145, TAPE, HEATING,ELECTRICAL; RAMA-FLEX, 145 WATT, 115 VOLT,40 IN LONG X
BGK803H	11	TAPE	TAPE, BARRICADE, QA 0, WARNING, 3 IN, 1000 FT, YELLOW/BLACK, ASBESTOS REMOVAL, DO NOT ENTER, TAPE, WARNING; YELLOW W/ BLACK LETTERS, 'ASBEST
AMG701H	3	TAPE	TAPE, HEAT, QA 0, FLEXIBLE, 60 FT, 120, 420, TAPE, HEATING,ELECTRICAL; HEATING, FLEXIBLE, EASY HEAT, 60 FT 120 V,
BRE038N	26	TAPE	TAPE, TYPICAL, QA 0, PAPER, COMP MACH; NAGASE, ELECTROSENSITIVE
CJA101D	7	TAPE	TAPE, TYPICAL, QA 2, CASCADE, SETPOINT TAPE FOR GEMAC CONTROLLER MODEL 50-540017JALH SCALE 0-20 X 10
AKX463F	28	TAPE	TAPE, ADHESIVE, QA 0, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK ***
BQL196L	2	TAPE	TAPE, BARRICADE, QA 0, LUMINOUS, 3 IN, 1000 FT, YELLOW/BLACK, ASBESTOS REMOVAL, DO NOT ENTER, TAPE, LUMINOUS; BARRIER TAPE, 3 IN X 1000 FT,
AKG105E	627	TAPE	TAPE, HEAT, QA 0, SELF REGULATING, **
BKN334P	67	TAPE	TAPE, INSULATING, QA 3, ELECTRICAL, 3/4 IN, 30 FT, 0.020 IN, 600 VOLTS, TAPE, INSULATION ELEC; 0.02 THICK X 0.75 IN WIDE X 30FT LONG, COLD
AYX249D	34	TAPE	TAPE, TYPICAL, QA 0, RECORDER, LOOSELEAF, BLANK, WHITE, FOR GE TERMI-NET 200 PRINTER,
AJX664B	44	TAPE	TAPE, ADHESIVE, QA 0, EMBOSSING, 1/2 IN, 12 FT, VINYL, OPAQUE/RED, TAPE, EMBOSSING; VINYL, OPAQUE, RED, 0.5 IN WIDE X 144 IN LONG
BTN736P	5	TAPE	TAPE, LABELING, QA 0, IDENTIFICATION, 2 IN, 180 FT, YELLOW, VINYL, TAPE, IDENTIFICATION; MATERIAL: VINYL, TAPE SIZE: 2 IN X 60 YDS
BKN334P	4	TAPE	TAPE, INSULATING, QA 3, ELECTRICAL, 3/4 IN, 30 FT, 0.020 IN, 600 VOLTS, TAPE, INSULATION ELEC; 0.02 THICK X 0.75 IN WIDE X 30FT LONG, COLD
BBV611F	2	TAPE	TAPE, DATA, QA 0, RECORDING/AUTO ELECTICAL, TAPE, SOUND RECORDING; MAGNETIC, 18 IN LONG, WITH PRE-RECORDED SCALE,
BGT145Q	1	TAPE	TAPE, INSULATING, QA 3, , ELEC, PLASTIC, BLACK, 0.010 THICK X 1 IN WIDE X 36 YARDS LONG, 600 V
ADY149M	1	TAPE	TAPE, BARRICADE, QA 0, LUMINOUS, 3/4 IN, 150 FT, VINYL COATED NYLON, ORANGE, ELECTRICAL HAZARD, SAFETY BARRIER, NYLON FILAMENT,VINYL COATED,
AXY798C	7	TAPE	TAPE, INSULATING, QA 0, ELECTRICAL, 2-1/2 IN, 10 FT (120 IN), 1/8 IN, RUBBER, ADHESIVE
AER933P	1	TAPE	TAPE, INSULATING, QA 0, 3/4 IN, 108 FT, 0.007 IN, COTTON, WHITE, TAPE, INSULATION ELEC; MATERIAL: COTTON, THICKNESS: 0.0070 IN, WIDTH:
BMX656G	2	TAPE	TAPE, MEASURING, QA 0, STEEL, MEASUREMENT LENGTH: 25 M
BMX662M	2	TAPE	TAPE, TYPICAL, QA 0, MOUNTING, MILD STEEL, FOR LIQUID QUANTITY INDICATOR, MODEL FMM760
BCX858V	5	TAPE	TAPE, BARRICADE, QA 0, TAPE, WARNING; YELLOW W/BLACK LETTERS, 'CAUTION OPEN TRENCH', PLASTIC
BFW539Y	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 0.162 IN, 54 FT, GREEN, TAPE, PRESS SENSITIVE ADH; COLOR: GREEN, TAPE SIZE: 0.162 IN X 18 YDS
BFW506F	14	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/32 IN, 54 FT, BLACK, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK, TAPE SIZE: 1/32 IN X 18 YDS
BFW507D	12	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, BLACK, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK, TAPE SIZE: 1/8 IN X 9 YDS ***
BFW525A	2	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, GOLD, TAPE, PRESS SENSITIVE ADH; COLOR: GOLD, TAPE SIZE: 1/8 IN X 9 YDS ***
BFW521J	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 54 FT, GREY, TAPE, PRESS SENSITIVE ADH; COLOR: GREY, TAPE SIZE: 1/8 IN X 18 YDS ***
BJL067V	60	TAPE	TAPE, SEALING, QA 1, ANTISEIZING, 1/2 IN, 25 FT, 0.005 IN, GRAPHITE, SELF-ADHESIVE, THREAD SEALANT, FLEXIBLE FOR CONDUIT AND GROUNDING
BPX616G	2	TAPE	TAPE, ADHESIVE, QA 0, DOUBLE FACED, 100 FT, FOAM, TAPE, PRESS SENSITIVE ADH; TAPE TYPE: DOUBLE COATED/FOAM, TAPE SIZE:
AYD904T	5	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1 IN, 72 FT, URETHANE FOAM, DOUBLE COATED
BAB942G	10	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 2-7/8 IN, 32 FT, TAPE, PRESS SENSITIVE ADH; BELZONA, REINFORCEMENT 2.875 IN WIDE X 32
ALG902D	3	TAPE	TAPE, HEAT, QA 0, FLEXIBLE, 9 FT, 120, 63, TAPE, HEATING,ELECTRICAL; HEATING, FLEXIBLE, EASY HEAT, 9 FT 120 V, 63
AKY372D	3	TAPE	TAPE, INSULATING, QA 0, THERMAL, 2 IN, 300 FT, ALUMINUM, INSULATION TAPE, THERMAL; MATERIAL: ALUMINUM, INSULATION WIDTH: 3.0
BEA281F	8	TAPE	TAPE, INSULATING, QA 3, ELECTRICAL, 3/4 IN, POLYESTER, CLEAR, TAPE, INSULATION ELEC; CLEAR POLYESTOR, 0.75 IN WIDE ***
CBD239A	80	TAPE	TAPE, SEALING, QA 3, CRINKLE, ADHESIVE BACKING, 1/2 IN, 25 FT, 0.010 IN, GRAPHITE
BJM969N	2	TAPE	TAPE, TYPICAL, QA 0, PURGE, 1 IN, 300 FT, WHITE, TAPE, PURGE; COLOR: WHITE, TAPE SIZE: 1 IN X 300 FT ***
ANW934L	1	TAPE	TAPE, TYPICAL, QA 0, TAPE, ; CASCADE, CONTROLLER SET POINT, MARKED 0-15 ***
ANW235F	2	TAPE	TAPE, TYPICAL, QA 0, TAPE, ; CASCADE, CONTROLLER SET POINT, MARKED 0-6 ***
ATL093G	1	TAPE	TAPE, BARRICADE, QA 0, 3 IN, 1000 FT, PLASTIC, YELLOW, TAPE, WARNING; YELLOW WITH BLACK LETTERS, 'CAUTION ACID HAZARD', 3' WD
BWL431C	1	TAPE	TAPE, TYPICAL, QA 3, TAPE, SOUND RECORDING; MAGNETIC, CASSETTE FOR RECORDER, MODEL SMA-3
BJL067V	2	TAPE	TAPE, SEALING, QA 1, ANTISEIZING, 1/2 IN, 25 FT, 0.005 IN, GRAPHITE, SELF-ADHESIVE, THREAD SEALANT, FLEXIBLE FOR CONDUIT AND GROUNDING
BDA217Y	4	TAPE	TAPE, INSULATING, QA 3, INSULATION TAPE, THERMAL; TYPE M20A, 4 WIDE X 0.25 IN THICK X 50 FT
AND921B	12	TAPE	TAPE, TYPICAL, QA 0, TAPE, LACING AND TYING; MATERIAL: FLAX, TREATMENT: WAX ***
BLA090K	17	TAPE	TAPE, TYPICAL, QA 3, IDENTIFICATION, 3/4 IN, 66 FT, VINYL/PLASTIC, BROWN, TAPE, IDENTIFICATION; VINYL PLASTIC, COLOR CODING,BROWN, 0.75 IN X
ADY448B	562	TAPE	TAPE, TYPICAL, QA 0, WARNING/RADIATION, 2 IN, 108 FT, MAGENTA/YELLOW, TAPE, WARNING; WARNING, CLOTH BACK, ADHESIVE BACKING, MAGENTA AND
ARA689H	56	TAPE	TAPE, ADHESIVE, QA 0, GENERAL USE, 1/2 IN, 180 FT, CREPED MANILA PAPER, NATURAL
AWK680E	60	TAPE	TAPE, INSULATING, QA 3, INSULATION TAPE, THERMAL; LAMINATED (COPPER) FABRIC, 6 IN WIDE X 350

BLA515B	9	TAPE	TAPE, INSULATING, QA 3, TAPE, SHIELDING ELEC; COPPER FOIL, 1 IN WIDE X 18 YARDS LONG, WITH
BQQ892B	16	TAPE	TAPE, ADHESIVE, QA 3, PRESSURE SENSITIVE, 2 IN, 108 FT, ALUMINUM, , THERMAL
BGF531C	2	TAPE	TAPE, ADHESIVE, QA 3, TAPE, PRESS SENSITIVE ADH; DOUBLE COATED, 2 IN WIDE, FOR MONITER
ADY848T	15	TAPE	TAPE, BARRICADE, QA 0, WARNING, 3/4 IN, 150 FT, YELLOW/MAGNETA, WARNING, TAPE, WARNING; WARNING, 0.75 IN WIDE, WITH ALTERNATING MAGENTA AND
BRJ364X	9	TAPE	TAPE, TYPICAL, QA 1, TAPE, STEAM TURBINE; ROULON, HPCI TURBINE, S/N 36416 ***
BQN071M	1	TAPPET	TAPPET, TYPICAL, QA 1, TAPPET, PUMP; TAPPET ASSY, OVERSPEED TRIP, FOR TOP MECHANISM THROTTLE
CDL055T	2	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 6 IN, 6 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASME SA234 GR WPB, STANDARD MILL FINISH, SEAMLESS, B
CEV382A	5	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: STRAIGHT; CONNECTION FIRST END: BUTT WELD; CONNECTION
CDT534Q	5	TEE	TEE, PIPE, QA 3, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462, 3000 LB
BJT731Y	6	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:
CAV043G	2	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 1/2 IN X 1/2 IN X 3/8 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH
BDE845C	1	TEE	TEE, TUBING, QA 1, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED
BLY737H	8	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, CARBON STEEL, ASME SA105, ***
BAH676C	3	TEE	TEE, TUBING, QA 1, CLASS 2, STRAIGHT, 1 IN, SS, COMPRESSION, ASME SA182 GR F316, STANDARD MILL FINISH
CDH214R	2	TEE	TEE, TUBING, QA 1, CLASS 2, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
BQP768H	2	TEE	TEE, PIPE, QA 0, REDUCING, 8 IN, 8 IN, 6 IN, MECHANICAL JOINT, MECHANICAL JOINT, MECHANICAL JOINT, IRON, ASPHALTIC, A21.11, 150 LB, CONCRETE
BDM054Y	23	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, FNPT, FNPT, CS, ASTM A105, FORGED, 2000 LB
BPG713M	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/8 IN, 3/8 IN, 3/8 IN, MECHANICAL JOINT, MECHANICAL JOINT, MECHANICAL JOINT, TEE, PIPE; FIRST END NOM SIZE: 00.3
CAE757L	7	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, B16.11, 3000 LB
CDN847P	3	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, 2 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, B16.11, 3000 LB
BVH260E	4	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:
BVH634K	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:
BTF204Y	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BWH994E	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
ALY288V	12	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 OUTSIDE
AQW913G	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 80S, STAINLESS STEEL ASME SA 403 WP 304
AHG897W	25	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED
BLV424N	8	TEE	TEE, PIPE, QA 1, TEE, PIPE; 1 X 1 X 1/2 IN, STAINLESS STEEL, SW, ASME SA182 F304, ASME
AJY588V	1	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 6000, CARBON STEEL ASME SA 105 K03504
CBJ690B	6	TEE	TEE, PIPE, QA 3, REDUCING, STD, 3 IN, 3 IN, 2 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, STANDARD MILL FINISH
CDD654H	5	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
CBT208K	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
CDG062J	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
CDF732D	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 08.000 IN (8), SECOND END NOM SIZE:
CEE300N	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 18.000 IN (18), SECOND END NOM SIZE:
BKR807P	10	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BLA189X	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
CEN021V	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; TYPE: REDUCING; PIPE SIZE: 2 IN X 2 IN X 1 IN; MATERIAL:
ADG174Y	1	TEE	TEE, TUBING, QA 0, MALE, 5/8 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN (5/8), SECOND END NOM SIZE:
BHN002M	2	TEE	TEE, TUBING, QA 0, SWIVEL, 1/4 IN, BRASS, FNPT, FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:
BBJ758Y	10	TEE	TEE, TUBING, QA 1, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600
BLP758D	1	TEE	TEE, TYPICAL, QA 1, TEE, ; TEE, FOR STANDBY DIESEL GENERATOR ENGINE, MODEL 20-645E4 ***
BTE245L	3	TEE	TEE, TYPICAL, QA 3, TEE, PLASTIC; 1/2 INCH, FLEXIBLE WITH 1/2 INCH PLUG ***
BRG450T	5	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:
BMD218V	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; TEE, PIPE, STRAIGHT, SCH 80, SOCKET TYPE, PVC, 2 INCH ***
BRW686K	11	TEE	TEE, TUBING, QA 1, FEMALE, 5/8 IN, COPPER, SOLDER, UNS C12200, B16.22
AFG195A	5	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 IN, 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
BKH333K	1	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304
BFD061Y	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***
BJB757R	3	TEE	TEE, TUBING, QA 0, 1/2 IN X 1/4 IN X 1/4 IN, STAINLESS STEEL, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; FIRST END NOM SIZE: 00.500 IN (1/
BFR349K	3	TEE	TEE, PIPE, QA 0, REDUCING, 3/4 IN, 3/4 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***
BFR321A	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, 1 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***
BLN631B	3	TEE	TEE, PIPE, QA 1, TEE, PIPE; PIPE, 0.125 IN FPT, FOR STANDBY DIESEL GENERATOR, MODEL
BKP028G	8	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BLA174B	6	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, BRASS, 125 LB, *** THREAD SERIES: NPT
BEQ767C	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, PVC, 80, *** THREAD SERIES: NPT
BNP340G	3	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, 150 LB
BBF358Y	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .625 IN SEAT TYPE 37
BBT217Q	28	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, ***

BGR751A	23	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000
BBF350T	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, ASSEMBLED FITTING, FIRST ID
BGJ688T	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, FNPT, FNPT, STAINLESS STEEL, ASME SA182 GR F316, 2000 LB, *** THREAD SERIES: NPT
ADG472N	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, WALL THICKNESS NOT RATED, STAINLESS STEEL AISI
BBF335B	15	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST IDENT END .25 IN
BBF323J	5	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST IDENT END .5 IN
ACG275Y	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 150 LB, ***
BWG471L	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
BDE690T	19	TEE	TEE, TUBING, QA 0, 1-1/2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
CET984J	2	TEE	TEE, PIPE, QA 3, STREET, 3/4 IN, 3/4 IN, 3/4 IN, FNPT, MNPT, FNPT, STAINLESS STEEL, STANDARD MILL FINISH
BBF334D	10	TEE	TEE, TUBING, QA 3, PIPE TO TUBE, 1/4 IN X 1/8 IN X 1/4 IN, BRASS, COMP X FNPT X COMP, STANDARD MILL FINISH
AWD611M	8	TEE	TEE, PIPE, QA 0, REDUCING, 5/8 IN, 1/2 IN, 1/2 IN, MNPT, FNPT, FNPT, BRASS, *** THREAD SERIES: NPT
CFD963P	1	TEE	TEE, PIPE, QA 3, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASTM A350 GR LF2, STANDARD MILL FINISH, FOR
ACG078P	7	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 150 LB, ***
AQT469K	12	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316L, STANDARD MILL FINISH
AQT440P	11	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316L, STANDARD MILL F
BKP037F	14	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:
BVT766K	1	TEE	TEE, PIPE, QA 3, REDUCING, 6 IN, 6 IN, 4 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, HOT DIPPED GALVANIZED, B16.9, 40
BRC827E	4	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
BVJ433Q	2	TEE	TEE, PIPE, QA 3, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, ALUMINUM, ASTM B247 6061 T6, B16.11, 3000 LB
CAV034H	5	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 3/8 IN X 3/8 IN X 1/4 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH
CAT976A	4	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 1/2 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH
BRC832M	6	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
BRW749M	10	TEE	TEE, TUBING, QA 1, FEMALE, 3/4 IN, COPPER, SOLDER, UNS C12200, B16.22
BRW667P	5	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:
BRW781R	8	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:
BRW736Y	10	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN (5/8), SECOND END NOM SIZE:
BRW760D	5	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END NOM SIZE:
BRW770A	2	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
BGA566J	1	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 IN, 1 1/2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, 150 LB, TEE, PIPE; FIRST END NOM
BFH863E	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 40, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN (1) S
BVJ624H	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
BJT731Y	6	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:
ACG771J	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB
BBY614R	11	TEE	TEE, TUBING, QA 0, 2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BTJ901Q	4	TEE	TEE, TUBING, QA 0, FEMALE, 1 IN X 1 IN X 1/2 IN, COPPER, SOLDER, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
ADG274T	7	TEE	TEE, TUBING, QA 0, FEMALE, 3/4 IN, COPPER, SWEAT, ***
BLA696C	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
BKP036H	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:
BKR820A	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BLA182C	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BKR756D	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
BKR373X	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BKR816M	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
AAG667R	4	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504
BBF360P	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, ASSEMBLED FITTING, FIRST ID
BBF246A	13	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT TYPE
ABG972E	4	TEE	TEE, PIPE, QA 0, REDUCING, 3.0 IN, 3.0 IN, 2 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, ***
ACG871E	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2 1/2 IN, 2 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ABG171H	5	TEE	TEE, PIPE, QA 0, REDUCING, 2-1/2 IN, 2 1/2 IN, 1 1/2 IN, FNPT, MNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ABG575Q	3	TEE	TEE, PIPE, QA 0, REDUCING, 4.0 IN, 4 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ACG470C	8	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ABG771Q	1	TEE	TEE, PIPE, QA 0, REDUCING, 3.0 IN, 3 IN, 2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
AWK517E	7	TEE	TEE, PIPE, QA 1, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, SS, ASME SA182 GR F316, STANDARD MILL FINISH, 3000 L
BEQ771M	6	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, PVC, 80, *** THREAD SERIES: NPT
AAG677N	6	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504
BCT728Q	6	TEE	TEE, PIPE, QA 0, REDUCING, 2.0 IN, 2 IN, 1 1/4 IN, FNPT, FNPT, FNPT, BRASS, 125 LB, *** THREAD SERIES: NPT
BLA173D	15	TEE	TEE, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, FNPT, BRASS, STANDARD MILL FINISH, 125 LB
BCN895R	5	TEE	TEE, PIPE, QA 0, REDUCING, 1/4 IN, 1/4 IN, 1/8 IN, FNPT, FNPT, FNPT, BRASS, *** THREAD SERIES: NPT

BRC816K	3	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB
BGW824R	10	TEE	TEE, TUBING, QA 0, 3/8 IN, PVC, PLAIN, *** SECOND END NOM SIZE: 00.375 IN (3/8), THIRD END NOM SIZE: 00.375
BGW820D	5	TEE	TEE, TUBING, QA 0, MALE BRANCH, 3/8 IN X 3/8 IN X 1/2 IN, PVC, PLAIN X PLAIN X MNPT, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.375 IN (3/8)
BGW823V	5	TEE	TEE, TUBING, QA 0, MALE, 3/8 IN, PVC, MNPT X PLAIN X PLAIN, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.375 IN (3/8) SECOND END NOM
BCM131N	10	TEE	TEE, TYPICAL, QA 0, HOSE, 1/4 IN, PLASTIC, COMPRESSION, TEE, HOSE; NOMINAL SIZE: 00.250 IN (1/4), MATERIAL: PLASTIC END TYPE:
BFD964W	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, CPVC, 80, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2) SECON
BGE624A	14	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 300 LB, ***
BDQ669J	2	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 1/2 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CPVC, 80, ***
BFD960G	4	TEE	TEE, PIPE, QA 0, REDUCING, 3/4 IN, 3/4 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CPVC, 80, ***
AYT097G	18	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, CPVC, 80, **
BKY570D	2	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, SCHEDULE 40S, STAINLESS STEEL ASME SA 403 WP 304
BTJ988G	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:
CAD968C	2	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH
CFN808N	60	TEE	TEE, TUBING, QA 3, UNION, 5/8 IN, SS, MNPT
BNV567K	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316, 3000 LB, ***
BNL946F	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASTM A182 GR F316, 3000 LB, *** THIRD END NOM
BNN368K	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, 3000 LB, **
BNM963A	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, 3000 LB, ***
BBT218N	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, ***
BRC845C	4	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB, TEE, PIPE; FIRST END NOM SIZE: 01.0
CEM387Y	10	TEE	TEE, TUBING, QA 0, FEMALE BRANCH, 1-1/2 IN, WROUGHT COPPER/BRONZE, SWEAT X SWEAT X FNPT, *** TEE, FEMALE REDUCING BRANCH, 1-1/2' NOM. SWEAT
CAT975C	6	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 1/2 IN X 3/8 IN X 1/2 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH
CEM389T	10	TEE	TEE, TUBING, QA 0, MALE BRANCH, 3/4 IN, WROUGHT COPPER/BRONZE, SWEAT X SWEAT X MNPT, *** TEE, 3/4' NOM. SWEAT X 3/4' NOM. SWEAT X 3/4' MALE
BFL798F	2	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 1 IN, CARBON STEEL, 150 LB, SARAN, TEE, PIPE; REDUCING, CLASS 150, CARBON STEEL, LINING MATL SARAN
BNN546M	7	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 3 IN, CARBON STEEL, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3) SECOND END NOM SIZE:
CEM380Q	25	TEE	TEE, TUBING, QA 0, FEMALE RUN, 1-1/2 IN, WROUGHT COPPER/BRONZE, COMP X FNPT X COMP, *** TEE, FEMALE RUN, 1-1/2' NOM. SWEAT X 1-1/2' FPT X 1-
BGA556M	3	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 2 IN, 1 1/2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, 150 LB, TEE, PIPE; FIRST END NOM SIZE
BKP028G	20	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BKP034M	12	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BKP034M	15	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BKP028G	19	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BVH028X	2	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB
BLD377D	1	TEE	TEE, PIPE, QA 1, TEE, PIPE; 0.25 FPT, FOR DIESEL GENERATOR ***
BEE858W	2	TEE	TEE, TUBING, QA 0, 1-1/2 IN, STAINLESS STEEL, COMPRESSION, AISI 316, *** SECOND END NOM SIZE: 01.500 IN (1 1/2), THIRD END NOM SIZE:
BNL956C	58	TEE	TEE, PIPE, QA 0, REDUCING, 1.0 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, *** SECOND END NOM SIZE: 00.250 IN (1/4)
BNN799P	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 40, TEE, PIPE; FIRST END NOM SIZE: 01.500 I
BPC398P	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, CS, **
BNV470E	225	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, STAINLESS STEEL, ***
CEM388W	25	TEE	TEE, TUBING, QA 0, 3/4 IN, WROUGHT COPPER/BRONZE, COMPRESSION, *** TYPE: STRAIGHT; TEE, 3/4' NOM. SWEAT X 3/4' SWEAT X 3/4' NOM.
BVT297W	1	TEE	TEE, TUBING, QA 1, CLASS 2, 1/2 IN, SS, SOCKETWELD, ASME SA182 GR F316, STANDARD MILL FINISH
BXF368C	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, FNPT, FNPT, FNPT, BRASS, *** STYLE: STREET
CEY266W	4	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316L, STANDA
BTJ922F	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END NOM SIZE:
BNV558L	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, ***
CGM610M	1	TEE	TEE, PIPE, QA 3, REDUCING, STD, 24 IN, 24 IN, 16 IN, BUTT WELD, BUTT WELD, BUTT WELD, CHROME MOLY STEEL, ASTM A234 GR WP11 CL 2, STANDARD MI
CFA260M	3	TEE	TEE, TUBING, QA 3, STRAIGHT, 2 IN, COPPER, SOLDER JOINT, STANDARD MILL FINISH, B16.22, *** USED WITH SILVER BRAZING, C X C X C, WROT COPPER
BVJ328M	3	TEE	TEE, TUBING, QA 3, TEE, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8), SECOND END NOM SIZE:
BBF315H	13	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600
BBF359W	9	TEE	TEE, TUBING, QA 3, TEE, TUBE; STAINLESS STEEL AISI 316 S31600, STANDARD MILL FINISH
BFK924A	6	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, BLACK, B16.3, 150 LB
BKP038D	14	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:
BVT769D	10	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/2 IN, 1-1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, 150 LB
BVT791L	6	TEE	TEE, PIPE, QA 3, REDUCING, 2 IN, 1-1/2 IN, 2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB
ALG785M	6	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504
BVW150W	6	TEE	TEE, PIPE, QA 3, REDUCING, 1 IN, 1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB
BTY258Q	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM
BVT842X	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BKR374V	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BLA183A	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM

BKP031V	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
BKR809K	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
BKR815P	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
CFM768C	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; TYPE: REDUCING; PIPE SIZE FIRST END: 24 IN; PIPE SIZE
BEM167L	2	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, CARBON STEEL, ASTM A234 GR WPB, 150 LB, P
BFK923C	17	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON, OUTSIDE BLACK
BBF397L	8	TEE	TEE, PIPE, QA 3, REDUCING, 1/2 IN, 3/8 IN, 1/2 IN, MNPT, FNPT, MNPT, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600,
AFG495X	3	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
AQG073P	25	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CARBON STEEL, BLACK, FORGED, 3000 LB, ***
AAG687K	19	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504
BVT771T	7	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/2 IN, 1-1/2 IN, 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB
BVT796A	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BVT844R	5	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BVT848H	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BVT851W	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BVT852T	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BTY378E	4	TEE	TEE, TUBING, QA 3, FEMALE, 1-1/2 X 1-1/2 X 1 IN, COPPER ALLOY, SOLDER, B16.22
BVT692N	16	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB
BTH115J	3	TEE	TEE, PIPE, QA 3, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, ALUMINUM, ASTM B247 6061 T6, 150 LB, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN
BKR810D	7	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
BKP029E	5	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:
BFV649W	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, CPVC, ASTM D1784, 80, TEE, PIPE; FIRST EN
BBY514X	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, BUTT WELD, BUTT WELD, BUTT WELD, NICKEL ALLOY, ASTM B366, 40, ***
BCB652D	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, NICKEL ALLOY, ASTM B464 CARPENTER, 80, TEE, PIPE; FIRST EN
BCB895J	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASME SB462 CARPENTER, 3000 LB, ***
ATN283A	1	TEE	TEE, PIPE, QA 0, STRAIGHT, PLASTIC, ***
CEA727R	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BCB651F	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, SOCKET TYPE, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B464 CARPENTER, 80, TEE, PI
BBW907M	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, BUTT WELD, BUTT WELD, BUTT WELD, NICKEL ALLOY, ASTM B366, ***
BCB650W	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, NICKEL ALLOY, ASTM B464 CARPENTER, 80, TEE, PIPE; FIRST EN
CEP647L	2	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, NICKEL ALLOY, ASTM B366 ALLOY 20 (UNS N08020), STANDARD MILL FINI
CEA728P	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
CEA729M	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN (4), SECOND END NOM SIZE:
CEA740D	2	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 06.000 IN (6), SECOND END NOM SIZE:
BKM812J	12	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
CDG046G	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 20.000 IN (20), SECOND END NOM SIZE:
CDG047E	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 24.000 IN (24), SECOND END NOM SIZE:
CDG055F	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 24.000 IN (24), SECOND END NOM SIZE:
CDG057B	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 32.000 IN (32), SECOND END NOM SIZE:
CDG052M	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 12.000 IN (12), SECOND END NOM SIZE:
CDG064E	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 20.000 IN (20), SECOND END NOM SIZE:
CDG065C	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 20.000 IN (20), SECOND END NOM SIZE:
CDG056D	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 24.000 IN (24), SECOND END NOM SIZE:
BFW005W	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, CARBON STEEL, ASTM A105, FORGED, 2000 LB, ***
BDQ063E	10	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, 1/8 IN, FNPT, FNPT, FNPT, CARBON STEEL, ASTM A105, FORGED, 3000 LB, ***
BNP435R	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, ***
BKG228M	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, ALUMINUM, ASTM B247 6061 T6, 3000 LB, TEE, PIPE; STRAIGHT
BKG229K	2	TEE	TEE, PIPE, QA 0, REDUCING, 2.0 IN, 2 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, ALUMINUM, ASTM B247 6061 T6, 3000 LB, ***
ACG171B	12	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ABG777C	24	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, 1/8 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ABG678E	27	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/8 IN, 3/8 IN, 3/8 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***
ATY196V	9	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CPVC, ASTM F439, 80, ***
AYP882M	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, CPVC, ASTM D1784, 80, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3) SECOND EN
BTT273H	5	TEE	TEE, TYPICAL, QA 0, TEE, PLASTIC; CPVC, 1 1/4 IN ***
BCP365J	20	TEE	TEE, TUBING, QA 0, 1/4 IN, BRASS, SCKTWLD X SCKTWLD X MNPT, STANDARD MILL FINISH, TEE, PIPE TO TUBE; THIRD END NOM SIZE: 00.250 IN (1/4), M
BBY614R	4	TEE	TEE, TUBING, QA 0, 2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BNB752B	12	TEE	TEE, TUBING, QA 0, 3/8 IN, SS, COMPRESSION, *** SECOND END NOM SIZE: 00.375 IN (3/8), THIRD END NOM SIZE: 00.375
ADG374N	9	TEE	TEE, TUBING, QA 0, FEMALE, 1-1/8 IN, COPPER, SWEAT, ***
BJL519V	12	TEE	TEE, TUBING, QA 0, FEMALE, 5/16 IN, COPPER, FNPT, TEE, TUBE; FIRST END NOM SIZE: 00.312 IN (5/16) SECOND END NOM SIZE:

BAW387T	2	TEE	TEE, TUBING, QA 0, 1-1/2 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 01.500 IN (1 1/2) SECOND END NOM SIZE:
BAW477R	5	TEE	TEE, TUBING, QA 0, 1-1/2 X 1-1/2 X 1 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
BAW476V	9	TEE	TEE, TUBING, QA 0, 1-1/4 X 1-1/4 X 1/2 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM
BEF399X	4	TEE	TEE, TUBING, QA 0, 2 IN X 2 IN X 1-1/2 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BGF317E	5	TEE	TEE, TUBING, QA 0, FEMALE BRANCH, 1/4 IN X 1/4 IN X 1/8 IN, BRASS, COMP X COMP X FNPT, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.250 IN (1/
BTJ901Q	3	TEE	TEE, TUBING, QA 0, FEMALE, 1 IN X 1 IN X 1/2 IN, COPPER, SOLDER, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
BEN084A	3	TEE	TEE, TUBING, QA 0, FEMALE, 1/4 IN X 1/4 IN X 1/8 IN, BRASS, FNPT X TUBE X TUBE, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECO
BQM883V	12	TEE	TEE, TUBING, QA 0, FEMALE, 3/4 IN, COPPER, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END NOM SIZE:
BEL563H	90	TEE	TEE, TUBING, QA 0, MALE BRANCH, 1/4 IN X 1/4 IN X 1/8 IN, BRASS, COMP X COMP X MNPT, ***
BGF319A	4	TEE	TEE, TUBING, QA 0, MALE RUN, 1/4 IN X 1/8 IN X 1/4 IN, BRASS, COMP X MNPT X COMP, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SE
BEL564F	93	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, BRASS, COMP X COMP X MNPT, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END
BPG714K	14	TEE	TEE, TUBING, QA 0, TEE, TUBE; MULLER THREE WAY, FLARE TO FLARE, FLARE SIZE 1/4 INCH ***
BGE678J	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***
BDQ567T	5	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, 1/8 IN, FNPT, FNPT, FNPT, STAINLESS STEEL, ASTM A182 GR F316, 150 LB, *** THREAD SERIES: NPT
BFE441Q	6	TEE	TEE, TUBING, QA 0, FEMALE, 3/4 IN, COPPER, SWEAT, ***
ADG370A	4	TEE	TEE, PIPE, QA 0, STRAIGHT, 6 IN, 6 IN, 6 IN, FLNG-CHAMFERED COMP, FLNG-CHAMFERED COMP, FLNG-CHAMFERED COMP, IRON, CAST, 125 LB, SARAN, TEE
CDY311Q	8	TEE	TEE, PIPE, QA 1, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BKM814E	8	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
CFB888M	5	TEE	TEE, TUBING, QA 3, STRAIGHT, 1/8 IN, COPPER, SOLDER, STANDARD MILL FINISH, B16.22, *** TUBING SIZES NOMINAL
CDL055T	3	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 6 IN, 6 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASME SA234 GR WPB, STANDARD MILL FINISH, SEAMLESS, B
BFR320P	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, ***
CBB464D	8	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 2 IN, 2 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, B16.11, 3000 LB
CAE771T	2	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, 2 IN, FNPT, FNPT, FNPT, CS, ASME SA105, STANDARD MILL FINISH, FORGED, B16.11, 3000 LB
CEJ843E	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: REDUCING; PIPE SIZE: 1-1/2 X 1-1/2 X 3/4 IN;
CEJ826E	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: REDUCING; PIPE SIZE: 2 IN X 2 IN X 1-1/4 IN;
CEJ832K	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; TYPE: STRAIGHT; PIPE SIZE: 1-1/4 IN; MATERIAL: SS; RATING:
BTL608C	18	TEE	TEE, PIPE, QA 1, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM SIZE:
BGR555A	2	TEE	TEE, PIPE, QA 3, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197 GR F22, BLACK, B16.3, 150 LB, TEE, PIPE
BGR546B	24	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.125 IN (1/8), SECOND END NOM SIZE:
BKR808M	15	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
BTJ880G	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
BKR791B	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM
BKR799T	19	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN (1 1/2), SECOND END NOM
BKM813G	6	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BKR804X	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BLA190Q	20	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BLE640Y	7	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN (2), SECOND END NOM SIZE:
BKP032R	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN (2 1/2), SECOND END NOM
BLE641H	12	TEE	TEE, PIPE, QA 3, TEE, PIPE; FITTINGS MALLEABLE IRON, ASTM A197, 150 LB WSP, THREADED
BKR807P	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BKR818H	4	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BKT072X	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BGR659X	9	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
CAT940B	2	TEE	TEE, TUBING, QA 1, CLASS 2, FEMALE BRANCH, 1/4 IN, SS, COMP X COMP X FNPT, ASME SA182 GR F316, STANDARD MILL FINISH
CAT934T	4	TEE	TEE, TUBING, QA 1, CLASS 2, FEMALE RUN, 1/2 IN X 3/8 IN X 1/2 IN, SS, COMP X FNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH
CAV043G	1	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 1/2 IN X 1/2 IN X 3/8 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH
CAV033K	5	TEE	TEE, TUBING, QA 1, CLASS 2, MALE BRANCH, 1/4 IN, SS, COMP X COMP X MNPT, ASME SA182 GR F316, STANDARD MILL FINISH
CAT972J	2	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 3/8 IN X 1/4 IN X 3/8 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH
BBF229A	2	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .25 IN SEAT
BBF343C	1	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST/IDENT END 0.375
BBF375Y	3	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; CARBON STEEL, STANDARD MILL FINISH, ASSEMBLED
BRD566B	4	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.750 IN (3/4), SECOND END
BJD376V	8	TEE	TEE, TUBING, QA 3, TEE, TUBE; COPPER, FIRST ID 0.5 IN, END STYLE SOLDER, SECOND ID 0.5
CFW095Q	2	TEE	TEE, TUBING, QA 3, UNION, 1 IN, STAINLESS STEEL, ***
CEJ862A	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; PIPE SIZE: 1/8 IN; MATERIAL: SS; RATING: 3000 LB;
BJT731Y	6	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:
CAT974E	1	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 3/8 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINISH
CBN870L	1	TEE	TEE, TUBING, QA 2, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE:
BGE174F	6	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, FIRST ID .187 IN END STYLE THREADED INTERNAL

BGE175D	6	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, FIRST ID .187 IN END STYLE THREADED INTERNAL
BBY895N	44	TEE	TEE, TUBING, QA 3, TEE, TUBE; CARBON STEEL, STANDARD MILL FINISH, FIRST ID .375 IN END
ACG771J	12	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB
AHG897W	23	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED
AEY353G	12	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASTM A 105 K03504
AGG297V	12	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 6000, STAINLESS STEEL ASME SA 182 GR F304
ANY474J	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, ASME SA-182, GRADE F304, STAINLESS
AHG897W	38	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED
AAJ763K	10	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F316
AAN763Y	15	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 6000, CARBON STEEL ASME SA 105 K03504, OUTSIDE
AAN783Q	15	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 6000, CARBON STEEL ASME SA 105 K03504, OUTSIDE
AAF784T	5	TEE	TEE, PIPE, QA 1, TEE, PIPE; PLAIN, CLASS 6000, STAINLESS STEEL ASME SA 182 GR F316
AJY588V	8	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 6000, CARBON STEEL ASME SA 105 K03504
AHG098J	13	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, SCHEDULE 40S, STAINLESS STEEL, FIRST/IDENT END
ADG174Y	5	TEE	TEE, TUBING, QA 0, MALE, 5/8 IN, COPPER ALLOY, SWEAT, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN (5/8), SECOND END NOM SIZE:
BGF304Q	1	TEE	TEE, TUBING, QA 1, 3/4 IN, SS, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED
BGF304Q	80	TEE	TEE, TUBING, QA 1, 3/4 IN, SS, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED
BXX345G	511	TEE	TEE, PIPE, QA 3, TEE, PIPE; 1' X 1' X 1' STRAIGHT TEE, 150 LB MALLEABLE IRON, ASTM A47
BNB775Y	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 8 IN, 8 IN, 8 IN, CARBON STEEL, BLACK, 300 LB, TEE, PIPE; FIRST END NOM SIZE: 08.000 IN (8) SECOND END NOM SIZE:
AMY581P	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 40, CARBON STEEL ASME SA 234 GR WPB
BLH856C	20	TEE	TEE, TUBING, QA 3, TEE, TUBE; COPPER, 1.00 IN ,SOLDER JOINT,(CXCXC) TVA CLASS H ***
BVY442R	6	TEE	TEE, TUBING, QA 0, 3/8 IN X 1/4 IN, CS, TEE, TUBING,AIR; PIPE TO TUBE, 3/8" TUBE TO X 1/4" PIPE, CARBON STEEL,
BYT500L	1	TEE	TEE, PIPE, QA 3, TEE, SPECIAL; DUCTILE IRON, CEMENT LINED, EQUAL TO ENAMELINE, OUTSIDE
CAC069B	2	TEE	TEE, PIPE, QA 3, TEE, SPECIAL; DUCTILE IRON, CEMENT LINED, EQUAL TO ENAMELINE, OUTSIDE
BLH588B	5	TEE	TEE, PIPE, QA 0, REDUCING, 1-1/4 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, CARBON STEEL, ASME SA105, 3000 LB, ***
BBY416X	2	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, CARBON STEEL, ASTM A105, FORGED, 2000 LB, ***
BPN076H	3	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, CARBON STEEL, ASTM A105, 6000 LB, ***
BBY471M	1	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, BUTT WELD, BUTT WELD, BUTT WELD, STAINLESS STEEL, ASTM A403 WP 316L, 40, ***
CDJ921T	3	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, B16.11, 6000 LB
CBW681D	19	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, FNPT, MNPT, FNPT, SS, ASME SA182 GR F316
ALY488K	1	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, STANDARD MILL FINISH, FORGED, B16.
AQW798M	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504
AQF190D	3	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 OUTSIDE
ARG506N	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 OUTSIDE
AQF195P	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 160, CARBON STEEL ASME SA 234 GR WPB
AHG997Q	2	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 40S, STAINLESS STEEL, FIRST/IDENT END
AQW799K	4	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304
CBL033H	3	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN (3), SECOND END NOM SIZE:
BKP026L	19	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
AQF197K	1	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 80, CARBON STEEL ASME SA 234 GR WPB
CDG053K	1	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 16.000 IN (16), SECOND END NOM SIZE:
CAK178B	5	TEE	TEE, TUBING, QA 1, CLASS 2, UNION, 3/8 IN, SS, COMPRESSION, ASME SA182 GR F316, , STANDARD MILL FINISH
BFM835Y	54	TELEPHONE	TELEPHONE, COMMUNICATION, QA 0, TOUCH TONE, IVORY, DESK, TELEPHONE, ; DESK SET, TOUCH TONE, STRIGHT LINE RINGER, COMMON BATTERY
BDE456P	6	TELEPHONE	TELEPHONE, COMMUNICATION, QA 0, TELEPHONE, ; DESK SET, TOUCH-TONE, PLASTIC BEIGE ***
BLV784P	2	TERMINAL	TERMINAL, TYPICAL, QA 3, TERMINAL, ; DISPLAY, FOR ANNUNCIATOR. ***
CEM640Q	2	TERMINAL	TERMINAL, MICROPROCESSOR, QA 0, REMOTE UNIT (RTU), TELEGYR 5700 EQUIPPED AS FOLLOWS:
BVR330A	4	TERMINAL	TERMINAL, TYPICAL, QA 3, TERMINAL, RECORDER; FOR JYC HR-2500E RECORDER MODEL 3880 ***
BVR332T	4	TERMINAL	TERMINAL, TYPICAL, QA 3, TERMINAL, RECORDER; FOR JYC HR-2500E RECORDER MODEL 3880 ***
BTW939A	132	TERMINAL	TERMINAL, TYPICAL, QA 0, TERMINAL, RELAY; BASE, RX 4, COMBIFLEX, GRAY PLASTIC ***
BNA281X	1095	TERMINAL	TERMINAL, TYPICAL, QA 1, TERMINAL, ; CONNECTORS ***
AWH294J	2	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION
AWH294J	4	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION
BKT474J	1	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, FOR RECORDER, HR 2500.
AWH294J	4	TERMINATOR	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION
BJY560N	2	TESTER	TESTER, TYPICAL, QA 0, SMOKE DETECTOR, TESTER, SMOKE DETECTOR; MODEL NO TM-I3,FOR AIR DUCT DETECTOR TYPE SA-31
APT740H	7	TESTER	TESTER, TYPICAL, QA 0, BATTERY, 0-160 DEG F, SPECIFIC GRAVITY 1100 TO 1300
APT144N	6	TESTER	TESTER, TYPICAL, QA 0, SYRINGE, 1 - 1.3, BATTERY ELECT SOLUTI; SYRINGE, EXIDE TYPE V-2-B, COMPLETE,
BVN655H	1	TESTER	TESTER, TYPICAL, QA 0, TESTER, FUEL INJECTOR; ENGINE FUEL,FOR NEW,REBUILT OR USED
BPJ856L	1	TESTER	TESTER, TYPICAL, QA 0, WATER FLOW, 110-1600 GPM, 40-160 PSI, TESTER, ; WATER FLOW TEST KIT, UL CLASSIFIED, 110 TO 1600 GPM, 40 TO

ART518T	30	TESTER	TESTER, TYPICAL, QA 1, TEST POINT, ; RED, FOR RADIATION MONITORING SYSTEM ***
BQM992N	5	TESTER	TESTER, TYPICAL, QA 0, TESTER, ; TEST LEADS, KELVIN CLIP WITH GOLD PLATED JAWS, 5 FT LONG ***
CBP690H	1	THERMISTOR	THERMISTOR, ELECTRONIC, QA 0, THERMISTOR, ANALYZER; WITH CAP ASSEMBLY, FOR 43H SO2 ANALYZERS (CEMS)
BAP293X	1	THERMISTOR	THERMISTOR, ELECTRONIC, QA 0, THERMISTOR ASSY, ; AIR, FOR DISSOLVED OXYGEN ANALYZER ***
BKV921E	3	THERMISTOR	THERMISTOR, ELECTRONIC, QA 0, THERMISTOR ASSY, ; HEATER CONTROL, FOR THERMAL CONDUCTIVITY ANALYZER
AFX927P	4	THERMISTOR	THERMISTOR, ELECTRONIC, QA 0, GENERAL PURPOSE, 10 KOHMS, *** FOR BAILEY METER CO 721 COMBUSTION CONTROL SYSTEM, UNIT 3 AT
BEH952M	4	THERMISTOR	THERMISTOR, ELECTRONIC, QA 0, THERMISTOR, SILICON; DISK, SILICON, TWO RADIAL LEADS, 25 OHMS AT 25
APX904K	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 2, THERMOCOUPLE, CONTACT; CHROMEL/ALUMEL, (UNIVERSAL), 18 GA WIRE, 347
BVT130D	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 99 FT, COPPER CONSTANTAN, REACTOR VESSEL SKIN TEMPERATURE.
AWJ066H	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, ASSEMBLY, 13-1/2 IN, COPPER CONSTANTAN/SS, THERMOCOUPLE ASSY, ; COPPER CONSTANTAN, WITH STAINLESS STEEL PROBE
AWJ064M	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 11-1/8 IN, COPPER CONSTANTAN/SS, THERMOCOUPLE, CONTACT; COPPER CONSTANTAN, WITH STAINLESS STEEL PROBE
AWJ065K	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 11-3/4 IN, COPPER CONSTANTAN/SS, THERMOCOUPLE, CONTACT; COPPER CONSTANTAN, WITH STAINLESS STEEL PROBE
BEN614G	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, TYPE T, FOR FEEDWATER
BEN615E	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; IRON-CONSTANTAN, TYPE J, FOR FEEDWATER CONTROL
BHR228K	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, TRIPLEX, GROUNDED SHIELDED METAL, FOR
BBL308M	11	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, TRIPLEX, GROUNDED, SHIELDED ***
BHD298V	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, TRIPLEX, GROUNDED, SHIELDED METAL, FOR
BWE950X	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, REPAIR PART; INPUT CLASS 8000, FOR SQUARE D SERVICE
BRB815T	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, ; TYPE:T,SHEALTH MTL:COPPER,THERMOCOUPLE MTL:COPPER/
CDH947D	8	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CAST IRON HEAD; TYPE T, COPPER-CONSTANTAN, 6-WIRE
BXP214Y	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE: T, SHEALTH MTL: COPPER, THERMOCOUPLE
BXE949W	13	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER/CONSTANTAN, WITH 240' LONG
AYG938Q	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 0.188 IN, 15-1/2 IN, THREADED, COPPER CONSTANTAN/SS, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, SINGLE
BVF458P	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 1/4 IN, 10-1/4 IN, 0-600 DEG F, GROUNDED, COPPER CONSTANTAN, 0 - 600 DEG F CALIBRATED RANGE, STAINLESS STEEL
BYT086E	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, REPAIR PART; FOR WATER CHILLER MOTOR BEARING ***
BBL620X	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; FOR PROXIMATE ANALYZER (ASH), (MAC-400
AGX018E	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 0.188 IN, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, SINGLE ELEMENT, 316
AGX118K	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 0.188 IN, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, SINGLE ELEMENT, 316
AYN632J	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 43-1/4 IN, IRON CONSTANTAN/SS, SINGLE ELEMENT GROUNDED TO TIP, ELEMENT LENGTH 43.25 IN, 14 AWG WIRE,
APX912K	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; IRON CONSTANTAN, DUPLEX, GROUNDED JUNCTION ***
BVV413G	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, KIT/REPAIR, 3/8 IN, 13-1/2 IN, STAINLESS STEEL, THERMOCOUPLE ASSY, REPAIR PART; HEAD AND WELL, HEAVY DUTY MOISTU
AVN250Y	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/4 IN, 6 IN, CERAMIC, THERMOCOUPLE, CONTACT; CERAMIC, 000.375 OD X 006.000 IN LG, FOR SULFUR
ANX610M	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 138 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 0.187 IN OD STAINLESS STEEL
ANX710H	8	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 162 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 0.187 IN OD STAINLESS STEEL
ANX011P	6	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 222 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 222 IN LENGTH, 0.187 IN OD
ANX211Q	5	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 270 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 270 IN LENGTH, 0.187 IN NPT
ALW392B	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 5/16 IN, 48 IN, STAINLESS STEEL, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL SHEATH, 0.312 IN OD, 48 IN
ANX110A	7	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 114 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 114 IN LENGTH, 0.187 IN OD
ANX810D	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 19-1/4 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 186 IN LENGTH, 0.187 IN OD
ANX111W	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 246 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 246 IN LENGTH, 0.187 IN OD
ANX311L	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 294 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 294 IN LENGTH, 0.187 IN OD
ANX411G	7	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 318 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 318 IN LENGTH, 0.187 IN OD
ANX511C	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 342 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 342 IN LENGTH, 0.187 IN OD
ANX911V	7	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 366 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 366 IN LENGTH, 0.187 IN OD
ANX012M	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 396 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 396 IN LENGTH, 0.187 IN OD
ANX112T	10	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 438 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 438 IN LENGTH, 0.187 IN OD
ANX212N	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/16 IN, 558 IN, CHROMEL-ALUMEL/SS, THERMOCOUPLE, CONTACT; CHROMEL ALUMEL, 558 IN LENGTH, 0.187 IN OD
AKW690L	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 1/8 IN, 12 IN (1 FT), SS, IRON CONSTANTAN, 24 GAGE, ENCLOSED IN 1/8 IN OD TYPE 316 SS TUBE
ADX817B	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 1/8 IN, 39 IN, IRON CONSTANTAN, AEROPAK, HIGH PURITY MAGNESIA INDUSTRIAL GRADE,
AKW790G	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 13 IN, IRON CONSTANTAN, THERMOCOUPLE, CONTACT; IRON CONSTANTAN, 013.000 IN LG, 14 GAGE, WITH
AKW699N	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 0.225 IN, 15-1/4 IN, IRON CONSTANTAN/SS, STD HIGH SPEED, SILVER CONTACT PLUG SIZE 0.225 IN OD, STAINLES
BQY072A	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 1/4 IN, 25 FT, STAINLESS STEEL, THERMOCOUPLE, SHEATH TYPE; 1/4' STAINLESS SHEATH TYPE K, 25 FT LONG
BJH545A	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, 3/8 IN, 6 IN, CERAMIC, THERMOCOUPLE, CONTACT; CERAMIC BODY, TWO WIRE, 0.375 IN OD X 6 IN
CBW124E	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE ASSY, REPAIR PART; HEATER & THERMOCOUPLE ASSY, FOR THE
AAX511N	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 3/16 IN, 24 IN, THREADED, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, STANDARD 304 STAINLES
AYQ899Y	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 1/4 IN, 7-1/2 IN, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, STANDARD 304 STAINLESS
AVT879D	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 4-1/2 IN, 0-600 DEG F, SOCKET WELD, COPPER CONSTANTAN, THERMOCOUPLE, CONTACT; TEMPERATURE ELEMENT, COPPER CO
BWP258G	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 105 FT, COPPER CONSTANTAN, IMMERSION; FOR REACTOR WATER RECIRCULATION SYSTEM.
BCB774Y	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN ***

BCB775W	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN ***
BTR454J	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, T, 6 IN, 0-600 DEG F, THREADED, COPPER CONSTANTAN, THERMOCOUPLE, ; THERMOCOUPLE WITH CONNECTION HEAD ASSEMBLY
AYQ107W	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; OUTBOARD BEARING, 10 FT LONG, FOR TURBINE, GE
CAB247V	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER CONSTANTAN, SPRING LOADED
BHN923G	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TEMPERATURE ELEMENT, UPPER CAVITY, FOR BYRON
BXG454E	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG461H	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG470V	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG472C	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG473A	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG479X	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG487Y	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
BXG490M	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; 304 STAINLESS STEEL, TIP PROBE 0.125 IN WITHOUT
AYQ100N	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; JOURNAL BEARING NO 8, 7, 5, AND 3, 10 FT LONG
CAB718E	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER CONSTANTAN, SPRING LOADED
BXE949W	11	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE T, COPPER/CONSTANTAN, WITH 240' LONG
BND935Q	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; TYPE T, REF W NEG NO C001-0142. ***
BWA541Q	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; SURFACE TYPE, TYPE K, CHROMEL-ALUMEL, REF DATA
BWA553H	2	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; SURFACE TYPE, TYPE T, COPPER CONSTANTAN REF
BNE735V	57	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, CONTACT; FEMALE JACKS WITH RUBBER
ACX115J	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; CU-CONSTANTAN, PREMIUM GRADE, WELDED GROUNDED
AYN286B	3	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 2, CONTACT, 0.188 IN, 12.130 IN, COPPER CONSTANTAN/SS, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, SINGLE ELEMENT, 3
AWF645R	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, CONTACT, 1/4 IN, 6-7/8 IN, 0-700 DEG F, COPPER CONSTANTAN/SS, THERMOCOUPLE, CONTACT; COPPER-CONSTANTAN, 6.875 I
ACX914K	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; CU-CONSTANTAN, PREMIUM GRADE, WELDED GROUNDED
BTJ805L	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, REPAIR PART; & PECKERHEAD ASSEMBLY ***
BYX352D	1	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, T, 59 FT, 0-600 DEG F, COPPER CONSTANTAN, CONTACT; RANGE 0 TO 600 DEG F,LENGTH 59 FT,STAINLESS
BLR458F	4	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 1, THERMOCOUPLE ASSY, REPAIR PART; THERMOCOUPLE TYPE: TYPE K
AXA613T	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, GAS BULB; -40 TO 160 DEG F,50 FT CAPILLARY LENGTH, FLUSH
BBL171M	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 0-400 DEG F, BACK, THERMOMETER, BIMETALLIC; 0-400 DEG F, 4.5 IN DIAL, BACK CONNECTIO
BPW203G	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 140 DEG F, 5 IN HEAD DIAMETER, 0.5 IN
BEE850Q	19	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; SELF-IND, 50 TO 400 DEG F, 5 IN DIAL, 0.5 IN
BVC696N	18	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2 IN, 0-150 F, DUAL MAGNET, THERMOMETER, BIMETALLIC; TEMPERATURE, DUAL-MAGNET, FOR FLAT FERROU
BEX721B	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2 IN, 100-220 DEG F, 1/2 IN MPT, THERMOMETER, BIMETALLIC; 100 TO 220 DEG F, 2 IN DIAL, 0.5 IN
BDG849R	11	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2 IN, 6 IN, 50-550 DEG F, REAR, THERMOMETER, BIMETALLIC; 50 TO 550 DEG F, 5 DEG DIV, 2 IN DIAL
AVW693H	12	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 2-1/2 IN, 0-200 DEG F, 1/2 IN, GLASS, THREADED, THERMOMETER, BIMETALLIC; 0 TO 200 DEG F
AWD324Q	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 2-1/2 IN, 20-240 DEG F, 1/2 IN THREADED, STAINLESS STEEL, BOTTOM, THERMOMETER, BIMETALLI
AVF147G	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 9-1/4 IN, 0-250 F/18-123 DEG C, THERMOMETER, BIMETALLIC; 0 TO 250 DEG F, 18 TO 123 DEG C
BCR249A	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 3-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR234P	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR235M	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR236K	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR237H	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR239D	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR241T	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 5-1/2 IN, 20-220 DEG F, STAINLESS STEEL, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 4
BCR233R	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 6 IN, 20-220 DEG F, THERMOMETER, BIMETALLIC; 20 TO 220 DEG F, 2 DEG DIV, 4.5 IN DIAL
BAY665E	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, LIQUID, 5 IN, 0-160 DEG C, GLASS, SURFACE, THERMOMETER, LIQUID IN GLASS; 0-160 DEG C, 5.0 IN DIAL, SURFACE
BHP803N	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, RED SPIRIT FILLED, 305 MM, -20 TO 110 DEG C, GLASS, THERMOMETER, LIQUID IN GLASS; MINUS 20 DEG C TO PLUS 1
BVA194R	4	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, THERMOMETER, BIMETALLIC; 0-200 DEG F ***
ATY527Y	6	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 220 DEG F, 2 DEG DIV, 5 IN DIAL, 0.5 IN
BLD778T	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 20 TO 240 DEG F, 4.5 IN CASE, ALUMINUM
ATN622E	4	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, ADJUSTABLE, 3-1/2 IN, BRONZE, 100-300 DEG F, THERMOMETER, IND,CAP TUBE & BULB; 100 TO 300 DEG F, 5-2-1 DE
BBL171M	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 0-400 DEG F, BACK, THERMOMETER, BIMETALLIC; 0-400 DEG F, 4.5 IN DIAL, BACK CONNECTIO
BYT165V	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 3 IN, 9 IN, 20-120 DEG F, 1/2 IN THREADED, BACK, THERMOMETER, BIMETALLIC; 20 - 120 DEG F, 3 IN
BFE464C	2	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, INDICATING/CAP TUBE/BULB, 2-1/2 IN, 0-250 DEG F/0-120 DEG C, THERMOMETER, IND,CAP TUBE & BULB; 0 TO 250 D
ANW696A	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, LIQUID, 405 MM, -10 TO 260 DEG C, THERMOMETER, LIQUID IN GLASS; GENERAL LABORATORY MERCURY, 405 MM
CJA848L	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, RED SPIRIT FILLED, 3-1/2 IN, 30-240 DEG F, 1-1/4 IN SWIVEL NUT, PLASTIC CRYSTAL, THREADED, STRAIGHT, 9 IN
BPM298D	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, THERMOMETER, BIMETALLIC; 35 TO 60 DEG C, SPECIAL, FOR SILICA ANALYZER
ANW595G	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, LIQUID, 305 MM, -20 TO 110 DEG C, GLASS, THERMOMETER, LIQUID IN GLASS; MINUS 20 TO 110 DEG C, 0 TO 230 DEG
BFF712E	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, THERMOMETER, BIMETALLIC; 20 TO 120 DEG C, FOR THERMAL INDICATOR, MODEL

AWB538F	1	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, 4-1/2 IN, 120 IN, STAINLESS STEEL, 30-240 DEG F, THERMOMETER, IND,CAP TUBE & BULB; 30 TO 240 DEGREE F, 2
AKX018V	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 1, BIMETALLIC, 3 IN, 3-5/16 IN, 50-300 DEG F, 1/2 IN
BEG327J	1	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, ASSEMBLY, 12 FT, STAINLESS STEEL, 0-250 DEG F, THERMAL ASSY, ; WITH 12 FT LIQUID-FILLED STAINLESS STEEL C
BQN346H	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 5 IN, 6 IN, 25-125 DEG F, 1/2 IN NPT/BOTTOM, ANY ANGLE, THERMOMETER, BIMETALLIC; SELF-IND, 25
BPX183M	4	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, BIMETALLIC, 5 IN, 6 IN, 0-200 DEG F
BPX169F	6	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 250 DEG F, 5 IN DIAL, 2.5 INCH STEM ***
BPX171W	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 30 TO 130 DEG F, 5 IN DIAL, 4 INCH STEM ***
BPX166M	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 5 INCH DIAL, BI-METAL, RANGE 0-200 DEG. F
BPX184K	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 50 TO 400 DEG F, 5 IN DIAL, 6 INCH STEM ***
BPX188B	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 50 TO 400 DEG F, 5 IN DIAL, 9 INCH STEM ***
BPX176J	4	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 30 TO 130 DEG F, 5 IN DIAL, 6 INCH STEM ***
BPX174N	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 50 TO 400 DEG F, 5 IN DIAL, 4 INCH STEM ***
BJM397A	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, 5 IN, 6 IN, 20-240 DEG F, 1/2 IN NPT, STAINLESS STEEL, ADJUSTABLE ANGLE, THERMOMETER, BIMETALLIC; 20 TO 24
BVF460G	1	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, THERMOMETER, IND,CAP TUBE & BULB; CAPILLARY TUBE AND BULB, 30 TO 240
BPY315R	6	THERMOMETER	THERMOMETER, REMOTE READING, QA 0, INDICATING/CAP TUBE/BULB, 3-1/2 IN, 1/2 IN THEADED, 0-200 DEG F, THERMOMETER, IND,CAP TUBE & BULB; 0 TO 2
BPW203G	1	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 140 DEG F, 5 IN HEAD DIAMETER, 0.5 IN
BTX275X	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, LIQUID, 3-1/2 IN, 3-1/2 IN, -10 TO 120 DEG C, THERMOMETER, LIQUID IN GLASS; 3 1/2 IN DIAL, RANGE -10 TO +1
BCQ690D	9	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4 IN, 30-130 DEG F, 1/2 IN THREADED, LOWER, THERMOMETER, BIMETALLIC; 30 TO 130 DEG F, 3 IN CAS
AVB547L	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 60 TO 220 DEG F, 2 DEG DIV, 3 IN STEM
BND852W	3	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 0-120 DEG C, BRONZE, BACK, THERMOMETER, BIMETALLIC; 0 TO 120 DEG C, 5 IN, 0.375 IN BACK
ATY527Y	5	THERMOMETER	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 220 DEG F, 2 DEG DIV, 5 IN DIAL, 0.5 IN
AXG069F	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 2-1/2 IN, 30-220 DEG F, 1/2 IN THREADED, BACK, THERMOMETER, BIMETALLIC; DUAL RANGES 30 TO 220
ARG580L	2	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, THERMOMETER, BIMETALLIC; OIL TEMP,0 TO 120 DEG C,COMES WITH PROBE AND
BVQ662A	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP,NON-INDICATING; 100 TO 240 DEGREES F,CONVERTIBLE
BWF012H	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, THERMOSTAT, ENGINE; FOR FIRE PROTECTION CUMMINS ENGINE ***
BEJ152H	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP,INDICATING; ANALOG, SETPOINT, TYPE T, FOR HIGH AND LOW
AWC293E	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 0-250 DEG F, 115, 10, CONTROL, TEMP,INDICATING; SCALE 0 TO 250 DEG F, RELAY RATING 010.000
AVY674B	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 0-800 DEG F, 120/240, 10/5, SPDT, CONTROL, TEMP,INDICATING; THERMOCOUPLE SENSING, SERIES 550
BDL811Y	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 105/130, 7.4, DIFFERENTIAL, CONTROL, TEMP,INDICATING; DIFFERENTIAL, 105 TO 130 VOLTS, 7.4 AMPERES
AWH868T	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 60-110 DEG F, UNION, CONTROL, TEMP,INDICATING; TYPE 21A, 60-110 DEG F, C/W UNION BULB, FOR
ARM037V	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING/REFRIGERATION, 20-60 DEG F, 250, 20 FT (240 IN), 2-WIRE, OPEN ON FALL
ATL021A	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-250 DEG F, 125/250, 15, B, REMOTE MOUNTED, 3/8 IN X 4-15/32 IN, 6 FT, CONTROL, TEMP,NON-INDICAT
BBJ356K	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-70 DEG F, 120/208/240, 10/6.9/5, 4-SPDT/3 EACH STAGE, 3/8 IN X 4 IN, 15 FT, CONTROL, TEMP,NON-I
BEJ151K	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -200 TO 600 DEG F, INTEGRAL/THERMOCOUPLE, CONTROL, TEMP,NON-INDICATING; SINGLE CHANNEL LO, AUTOMA
CAW781F	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP,INDICATING; 32 TO 99 DEGREES FAHRENHEIT, SOLID STATE, 7
BXP102B	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROLLER, TEMPERATURE; C/W CAPILLARY, LENGTH 180.000 IN, 50 TO 200
ART624V	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-210 DEG F, 115 AC/32 DC, 1, CONTROL, TEMP,NON-INDICATING; 0 TO 210 DEG F, 1 AMP, 115 VAC, 1 AMP
BFN199V	10	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP,INDICATING; 115 VDC, 2 VERTICAL PLUGS ON ONE END, OVEN
AFN740P	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -100 TO 600 DEG F, 115/230, 10/5, CONTROL, TEMP,NON-INDICATING; MINUS 100 TO 600 DEG F, 115/ 230
BFJ862B	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, REGULATOR, TEMPERATURE; 2 IN, FLANGE, SET TEMPERATURE 20 DEG F, BRONZE
BTT320E	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, REGULATOR, TEMPERATURE; BRONZE BODY, 00.500 IN, UNION COUPLING, 105 TO
BJG448D	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, PROPORTIONAL; THERMOSTAT, DIAL TWO SIDED, MINUS 10 TO 124
BXN055L	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP,INDICATING; 20 TO 80 DEG F ***
CDP036F	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, CHILLER; ELECTRONIC CHILLER CONTROLLER FOR CENTRIFUGAL
ARM013A	4	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP,INDICATING; 003.500 IN DIAL, TEMPERATURE RANGE 50-100
BXV491F	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP,INDICATING; IMMERSION SENSOR, 35 TO 55 DEG F RANGE, FOR
BFW216P	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT, FLOW CONTROL; FOR COMPRESSOR, RECIPROCATING, AIR, WATER
AFN049D	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 100-200 DEG F, 120/240, 4/2, #2, SPDT/ADJUSTABLE, CONTROL, TEMP,NON-INDICATING; 100 TO 200 DEG F
AHY461T	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 50-300 DEG F, 120/240, 10/5, CONTROL, TEMP,NON-INDICATING; 50 TO 300 DEG F, 250 DEG F PERFULL TUR
AHY461T	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 50-300 DEG F, 120/240, 10/5, CONTROL, TEMP,NON-INDICATING; 50 TO 300 DEG F, 250 DEG F PERFULL TUR
AFN140G	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -100 TO 400 DEG F, 115/250, 10/5, CONTACTS OPENS ON TEMPERATURE RISE, BRASS HEAD & SHELL, FOR BAI
AGN143Q	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 240-385 DEG F, 120/240 AC/DC, 7.4/5.1, 20 FT, CONTROL, TEMP,NON-INDICATING; 240 TO 385 DEG F, 116
AGN042M	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 63-87 DEG F, 24/30, 3-WIRE, CONTROL, TEMP,INDICATING; SCALE RANGE 63 TO 87 DEG F, 17 TO 87 DEG C
AGN343G	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 66-94 DEG F, 120, 16, SPDT, CONTROL, TEMP,INDICATING; 66 TO 94 DEG F, 120 VAC, 16 AMPS FULL LOAD
AGN042M	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 63-87 DEG F, 24/30, 3-WIRE, CONTROL, TEMP,INDICATING; SCALE RANGE 63 TO 87 DEG F, 17 TO 87 DEG C
AWM392X	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 200-360 DEG F, REMOTE, 400 DEG F, CONTROL, TEMP,NON-INDICATING; ADJUSTABLE WITHIN RANGE 200 TO 36
AGN441G	11	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 50-80 DEG F, 120/240 AC, SPDT, THERMOSTAT, CONTROL; TYPE: INDICATING; VOLTS: 120/240 AC; RANGE: 50-80
BCC803E	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 0-300 DEG F, 120/240, 4-20 MA, CONTROL, TEMP,INDICATING; SUPPLY, 120/240 VAC, 60 HZ, 1 PH, RANGE 0 TO
BPX794P	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT ASSEMBLY, HEATING SYSTEM; 4-2T-35050 (GUT-ONLY). ***

BPX796K	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT ASSEMBLY, HEATING SYSTEM; THERMON E4-35235 (GUT ONLY) FOR
BWF012H	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, THERMOSTAT, ENGINE; FOR FIRE PROTECTION CUMMINS ENGINE ***
BHL025J	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, NON-INDICATING; 3.5 X 4.75 IN BLACK RECTANGULAR BOX WITH
AYH982G	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 0-150 DEG F, 277, 22, CONTROL, TEMP, INDICATING; THERMOSTAT, CLASS 304, SERIES FW627G8
AMD737A	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 25-225 DEG F, 120, 6, SPDT, 3/8 IN 3 IN, 10 FT, CONTROL, TEMP, INDICATING; 25 TO 225 DEG F, SPDT, FIXE
BAY634R	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 300-420 DEG F, 2 NO 2 NC, 480 DEG F, 11/16 IN X 3-5/8 IN, 6 FT, CONTROL, TEMP, INDICATING; 300 TO 420
APM843M	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 120/208/240, 30/26, #9, 3/16 IN X 11-3/8 IN, 7FT, CONTROL, TEMP, NON-INDICATING; THERMAL CUTOUT, W
BXD276V	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -200 TO 700 DEG F, 700 DEG F, CONTROL, TEMP, NON-INDICATING; TWO SPDT SWITCHES, SWITCH 'A' SET AT
BLA849D	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP, INDICATING; 0 TO 225 DEG F, MINUS 15 TO 105 DEG C, MAX
AGN672W	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 600 DEG F, 115/ 230 VOLTS
BTT425L	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROLLER, ; TEMPERATURE, AMBIENT COMPENSATED, 0 TO 70 DEGREES F ***
CDX396T	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, INDICATING; FOR INCORE INST RM CHILLER MODEL 44-2066
BDA219T	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, INDICATING; 100 TO 140 DEG F, SIZE 06, TYPE ST, WITH 1
ARM013A	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, INDICATING; 003.500 IN DIAL, TEMPERATURE RANGE 50-100
BTL347D	12	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, INDICATING, 0-225 DEG F, 125/250, 15, BLIND INTERNAL ADJUSTMENT, CONTROL, TEMP, INDICATING; 0 TO 225 DEG F, MINUS
BGB081W	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, CONTROL, TEMP, INDICATING; OIL HEATER, THERMOSTAT, FOR CHILLER, MODEL
BCE458R	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, THERMOSTAT, ; PRESET 145 DEG F, FOR CARBON MONOXIDE ANALYZER ***
BHD256C	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 600 DEG F, 120/240 VAC
ATB236C	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 1/4 IN, 50-250 DEG F, 5-1/2 IN, 120/208/240, 30/26, #4, SINGLE PHASE, 7 FT X 3/32 IN, CONTROL, TE
AEN149Q	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, -100 TO 400 DEG F, 230/115, 5/10, CONTROL, TEMP, NON-INDICATING; MINUS 100 TO 400 DEG F, 230/ 115
BEN812C	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 2, CONTROL, TEMP, NON-INDICATING; 50 TO 250 DEG F, SINGLE PAHSE, 250 VAC
BGE019J	7	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, FLOW/PNEUMATIC, 65-85 DEG F, 36 IN, REMOTE, 3 FT, THERMOSTAT, FLOW CONTROL; 65 TO 85 DEG F, TEMPERATURE SENSOR
AXT673M	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 40-180 DEG F, 120/240, SWIMMING POOL/AQUASTAT, 240 DEG F, 66 IN, CONTROL, TEMP, INDICATING; 120/240 VA
AMD737A	5	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 25-225 DEG F, 120, 6, SPDT, 3/8 IN 3 IN, 10 FT, CONTROL, TEMP, INDICATING; 25 TO 225 DEG F, SPDT, FIXE
BHT223Q	7	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 85-245 DEG F, PROPORTIONAL, 6 FT, CONTROL, TEMP, INDICATING; 85 TO 245 DEG F, 30 TO 120 DEG C, RANGE A
BVQ662A	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROL, TEMP, NON-INDICATING; 100 TO 240 DEGREES F, CONVERTIBLE
CBC861X	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, CHILLER; TEMPERATURE CONTROLLER, INTEGRAL BULB, NEMA 1
ARA545A	2	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, CONTROLLER, PROPORTIONAL; THERMOSTAT, DIAL (TWO-SIDED), MINUS 10 TO
BHP733G	3	THERMOSTAT	THERMOSTAT, CONTROL, QA 1, THERMOSTAT, CONTROL; TYPE: NON-INDICATING; VOLTS: 125/250 AC/DC; AMPS:
ARQ490C	1	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 120/277, 25, SPST/SNAP-ACTION SWITCH, CONTROL, TEMP, NON-INDICATING; 120 VOLTS, 100 WATTS, INCOLOY
BLA219F	7	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 0-400 DEG F, 120, 10, DPDT, CONTROL, TEMP, INDICATING; THERMOCOUPLE SENSING, SERIES 550, 0 TO 400
AKD925M	8	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 1/4 IN, GALVANIZED STEEL, STANDARD PATTERN
AKD825R	12	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 1/4 IN, SS, HEAVY DUTY
AKD026F	13	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 5/16 IN, SS, HEAVY DUTY
BTD778M	2	THRESHOLD	THRESHOLD, DOOR, QA 3, THRESHOLD, DOOR; THRESHOLD, ALUMINUM, CAST, ABRASIVE, 4' WIDE X 36'
AVB762G	13	THROAT	THROAT, TYPICAL, QA 0, THROAT PIECE, CIRCUIT BREAKER; INSULATION, LEFT, REF NO 7, FOR
CHL897R	4	TIE	TIE, CABLE, QA 0, 0.184 IN, NYLON, RED, STANDARD PACKAGE 1000 EACH
BYC377L	4000	TIE	TIE, CABLE, QA 3, STRAP, 0.184 IN, 7.8 IN, NYLON, 1.75 IN, NATURAL
BBD578T	13382	TIE	TIE, CABLE, QA 3, NYLON, BLACK, STRAP, TIEDOWN ELEC CMPNT; NYLON, SELF-CLINCHING, BLACK, 4.0 IN BUNDLE
BHM208F	104	TIE	TIE, CABLE, QA 3, STRAP, TIEDOWN ELEC CMPNT; TEFLON, WITH STAINLESS STEEL LOCKING
BYC509Y	1200	TIE	TIE, CABLE, QA 3, STRAP, 0.091 IN, 7 IN, NYLON, 1-1/2 IN, NATURAL
BCY400K	92	TIE	TIE, CABLE, QA 3, STRAP, TIEDOWN ELEC CMPNT; STAINLESS STEEL, TYPE 302, 4.0 IN BUNDLE
BYD082R	500	TIE	TIE, CABLE, QA 3, STRAP, 0.184 IN, 11.400 IN, NYLON, 3 IN, NATURAL
BEJ208H	1215	TILE	TILE, CONSTRUCTION, QA 0, FLOOR, 12 IN (1 FT), 12 IN (1 FT), 1/8 IN, VINYL, MOON DUST, COLOR LOT 52044.02
AKK480E	310	TILE	TILE, CONSTRUCTION, QA 0, FLOOR, 12 IN (1 FT), 12 IN (1 FT), 1/8 IN, RUBBER, RUBBER
AKK580A	68	TILE	TILE, CONSTRUCTION, QA 0, FLOOR, 12 IN, 12 IN, 3/16 IN, RUBBER, GRAY, TILE, RUBBER; TYPE: FLOOR, THICKNESS: 00.187 IN, SIZE: 12 X 12 IN
BVV693F	2	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 2, 115, TIMER, INTERVAL; CONTROLLER, 34 TERMINALS, WITH HIGH Z AMP, 115 VAC
BKQ932Q	1	TIMER	TIMER, ELECTRICAL, QA 1, TIMER, INTERVAL; 120 VAC, 20/15 AMPS, RANGE 0 TO 24 HOURS, FOR 125
ALV337Q	5	TIMER	TIMER, ELECTRICAL, QA 2, TIMER, INTERVAL; RANGE 0.1 TO 30 SECONDS, SOLIDSTATE, FOR SOLID STATE
BTR689N	8	TIMER	TIMER, ELECTRICAL, QA 0, 40, 24 HR, 240, TIMER, ; 24 HOUR, 40 AMP, 240 VOLTS, TYPE DPST ***
ATQ569D	5	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 10/5/0.25, 0-6 MIN, 120/240/125, TIMER, INTERVAL; RANGE 0-6 MIN, NON-INDUCTIVE, 10A-120 VAC, 5A-240
BGY645F	4	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 3-20, 240, 8, TIMER, INTERVAL; 240 VAC, DPDT, 8 WATTS, 0.5 RPM, 3 VA TO 20 VA
BCY778L	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, INTERVAL; CAM, FOR DRY CLEANING UNIT ASSEMBLY, 2208/230 VAC
BLV612M	3	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; BODY ASSEMBLY, WITH 3 POLE SWITCH AND 50% CAM ***
BQD511B	1	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; RESET ***
BYP703A	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 24 HR, 115, 60, TIMER, INTERVAL; RANGE 24 HOURS, 115 VAC, 60 HZ, WITHOUT ENCLOSURE
BXV459B	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 1, 8 MIN, 288, TIMER, INTERVAL; SHORT CYCLE, 8 MINUTES, 1 AMP MAX, 288 VAC, FOR
BXV453P	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL/OFF-DELAY, 1 HR, 120, TIMER, INTERVAL; 1 HOUR RANGE, DPDT, 120 VAC, OFF DELAY, TIMING MOTOR
ADP369B	2	TIMER	TIMER, PNEUMATIC, QA 0, TIME DELAY, FOR RELAY, 300 VAC, 10 AMPS,

ADP369B	14	TIMER	TIMER, PNEUMATIC, QA 0, TIME DELAY, FOR RELAY, 300 VAC,10 AMPS,
BED082W	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL/OFF-DELAY, 0-10 MIN, 120, TIMER, INTERVAL; 120 VAC, 0 TO 10 MINUTES, OFF-DELAY, REVERSE CLUTCH
AJV639L	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL/RESET, 1-30 MIN, 120, INTERVAL; PLUG-IN, CYCL-FLEX, RESET
BEQ404J	1	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 10 MIN, 120, TIMER, INTERVAL; 120 VAC, 10 MINUTES RANGE ***
AEF073T	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER ASSY, ; FOR GAS DRYING INC DEHYDITROL AIR DRYER, SIZE 20, TYPE
AJV833Q	1	TIMER	TIMER, ELECTRICAL, QA 0, 20, 125, 60, TIMER, ; 20 AMP, FOR NUCLEAR MEASUREMENT CORP AIR MONITORS, MODEL
BXQ412M	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, PROGRAMMABLE; RESET, EAGLE SIGNAL DIV # BRS003A6U ***
BGY645F	8	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 3-20, 240, 8, TIMER, INTERVAL; 240 VAC, DPDT, 8 WATTS, 0.5 RPM, 3 VA TO 20 VA
BLJ388E	1	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, INTERVAL; PRESET, 4 TO 6 DIGIT ADD OR SUBTRACT, MODEL NO
BKF635D	2	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; 24 VDC, 0.3 TO 30 SECOND RANGE, FOR REHEAT
AVH554Q	1	TIMER	TIMER, ELECTRICAL, QA 2, TIMER, INTERVAL; SOLID STATE,TIME DELAY 0.100 TO 30
ABP588B	2	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; INTERNAL DELAY 0 TO 28 SECONDS, WITH MOTOR
BEX396V	2	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, INTERVAL; 7 CIRCUIT, FOR DISHWASHER, MODEL 24 ***
CAJ856X	1	TIMER	TIMER, PNEUMATIC, QA 1, SEQUENCER, AIR COMPRESSOR; MECHANICAL, SCALE RANGE 10 IN/80 PSIG
BKF788K	19	TIMER	TIMER, ELECTRICAL, QA 1, TIMER, INTERVAL; SOLID STATE,1E MILD,RANGE 115 TO 145 SECONDS,TYPE
AVL868H	2	TIMER	TIMER, ELECTRICAL, QA 3, TIMER ASSY, FIRE PROTECTION; INTERVAL,0.250 RPM,2.7 W,115 VAC,FOR CO 2
AVK055P	5	TIMER	TIMER, ELECTRICAL, QA 3, TIMER, INTERVAL; 14 HOUR,20 AMP,125/250 VAC, W/115 VAC,60 HZ ***
AXA291N	2	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 2-180 SEC, 115 DC, TIMER, INTERVAL; 2-180 SECONDS, 115.000 VOLTS DIRECT CURRENT, 105201-D
BKQ932Q	2	TIMER	TIMER, ELECTRICAL, QA 1, TIMER, INTERVAL; 120 VAC, 20/15 AMPS, RANGE 0 TO 24 HOURS, FOR 125
ACV134Q	6	TIP	TIP, TYPICAL, QA 0, PIPETTE, 9.50 MM, 140 MM, PLASTIC, TIP, PIPET; PLASTIC, CLEAR, DISPOSABLE, 9.5 DIA X 140 MM LONG, 500 PER
ARQ756L	10	TIP	TIP, TYPICAL, QA 0, TIER, ; BURNER, MC 70 DEG, STAINLESS STEEL, FOR MODEL C-200, OIL
CDD987M	4	TIP	TIP, TYPICAL, QA 0, TIP, CONDENSER; BASKET, 304 STAINLESS STEEL WITH 3/4 INCH SCH 80 PLAIN
ALF637A	5	TIP	TIP, BURNER, QA 0, TIP, BOILER; BURNER BODY, FAHRITE, DWG B-779-177-4, FOR COMBUSTION
BBV756L	52	TIP	TIP, TYPICAL, QA 0, CANE/CRUTCH, 7/8 IN, RUBBER, TIP, CANE AND CRUTCH; RUBBER, BLACK, 0.875 IN DIA X 1.875 IN OVERALL
BVC201E	25	TIP	TIP, TOOL, QA 0, TIP, TOOL,REMOVAL; CORKSCREW,FOR F&S,2&3 ***
BLM414Q	286	TIP	TIP, TYPICAL, QA 0, TIP, ; STANDARD, FOR 12 AND 18 IN TONGS, ON PORTABLE SPOT WELDER
ALF833A	3	TIP	TIP, NOZZLE, QA 0, TIP, BURNER NOZZLE; * * DO NOT SUBSTITUTE * * TIP, BURNER NOZZLE, 2
AXE014K	37	TIP	TIP, TYPICAL, QA 0, TIP, FILTER; PLASTIC, 054.875 X 001.562 X 000.625 IN, SCRAPER, WHITE
BYV967H	2	TIP	TIP, BURNER, QA 0, SPARKING TIP, IGNITOR FOR UNIT 7-10 LOW NOX BURNER (4300)
BXY748L	10	TIP	TIP, TYPICAL, QA 0, ATOMIZER, FOR IGNITERS
BMT986A	5	TIP	TIP, TYPICAL, QA 0, TIP, IGNITER; ADAPTER, PROBE, DWG D2569, FORUNIT 2 IGNITER ***
BMT975F	1	TIP	TIP, TYPICAL, QA 0, TIP, IGNITER; MODULAR ASSY, DWG C5509, FOR IGNITERS ON UNIT 2
BMT985C	9	TIP	TIP, TYPICAL, QA 0, TIP, IGNITER; PROBE, DWG D2569, FOR IGNITERS ON UNITS 1 & 3 (COLBERT)
ALF434Q	3	TIP	TIP, BURNER, QA 0, TIP, ; AIR, BURNER, AUX OUTLET, FAHRITE, DWG C-766-050-2, FOR
ALF236W	10	TIP	TIP, NOZZLE, QA 0, BURNER, FOR (QC) OIL GUN, FOR CEINC MAIN STEAM BOILERS
AMF327K	3	TIP	TIP, BURNER, QA 0, TIP, BURNER; BURNER, ATOM 4150A, FOR OIL LIGHTER ATOMIZER .9375 X
BMT985C	4	TIP	TIP, TYPICAL, QA 0, TIP, IGNITER; PROBE, DWG D2569, FOR IGNITERS ON UNITS 1 & 3 (COLBERT)
CBF734M	6	TIP	TIP, TYPICAL, QA 0, CIRCUIT BREAKER, 4160, 3000, TIP, CIRCUIT BREAKER; ELEC, ARCING, FOR GE MAGNEBLAST AIR CIRCUIT
ALK009B	10	TIP	TIP, TOOL, QA 0, SNAPPER, ; TIP BREAKING TOOL, FOR DISSOLVED 02 TEST KIT, MODEL 0-12
BWH668V	6	TIP	TIP, TYPICAL, QA 3, TIP, PRESSURE STATIC; 4 IN INSERTION LENGTH, FOUR EACH RADIALLY
ACV134Q	500	TIP	TIP, TYPICAL, QA 0, PIPETTE, 9.50 MM, 140 MM, PLASTIC, TIP, PIPET; PLASTIC, CLEAR, DISPOSABLE, 9.5 DIA X 140 MM LONG, 500 PER
AXN660Y	2	TIP	TIP, TYPICAL, QA 0, PIPETTE, 5 MM, CLEAR PLASTIC, TIP, PIPET; PLASTIC, CLEAR, 5 MM DIA, DISPOSABLE, 1000 PER BOX ***
AXN661H	3	TIP	TIP, TYPICAL, QA 0, PIPETTE, 7 MM, PLASTIC, TIP, PIPET; PLASTIC, YELLOW, 7 MM DIA, DISPOSABLE, 1000 PER BOX ***
AQR377X	32	TISSUE	TISSUE, CLEANING, QA 0, EYE GLASS, 4-3/4 IN, 8 IN, 760 SHEETS, HEAVY DUTY, FOR PLASTIC POLYCARBONATE LENS
ATQ023H	1	TONER	TONER, COPIER, QA 0, TONER, PRINTER/COPIER; TYPE: CONCENTRATE, CONTAINER SIZE: 8.0 OZ ***
AWX633Q	15	TONGS	TONGS, GRIPPING, QA 0, TONGS, LABORATORY; STAINLESS STEEL JAWS, C/W FIBERGLASS SLEEVES
BLM412W	1	TONGS	TONGS, GRIPPING, QA 0, WELDING, 12 IN (1 FT), TONGS, WELDING; STANDARD, 12 IN, FOR PORTABLE SPOT WELDER, MODEL
BNC255L	1	TONGS	TONGS, GRIPPING, QA 0, TONGS, WELDING; COPPER ***
CAP988J	2	TOOL	TOOL, SPECIAL, QA 0, MACHINE, TUBE CLEANING; RAM-4X-60, REAM-A-MATIC HEAVY DUTY TUBE
CEK123C	2	TOOL	TOOL, TYPICAL, QA 0, INSPECTION/INSTALLATION, *** SUPERGRIP COUPLING BOLT TOOL ADAPTER, FOR HIGH PRESSURE TURBINE
BNP808D	20	TOOL	TOOL, TYPICAL, QA 0, PLANET, POWER TOOL; S/A, FOR IMPACT TOOL ***
BRC301N	6	TOOL	TOOL, SPECIAL, QA 0, TOOL, INSTALLATION; SENSOR BELLOW SPACER ASSEMBLY, SPECIAL TOOL FOR
BND829P	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, ; INSTRUMENT PORT COLUMN LOWER GASKET REMOVAL ***
BPQ873M	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METAL, FOR CONTROL ROD DRIVES ***
CDH217K	1	TOOL	TOOL, DISCONNECT/TD, QA 0, TOOL, SPECIAL PURPOSE; SLIPRING FAN DISMANTLING, ITEM 09006, ID
BPC811A	2	TOOL	TOOL, TYPICAL, QA 0, TOOL, ; UNDERCUTTING, FOR MAXIBOLT ANCHORS, 1.25 IN ***
BQB165E	1	TOOL	TOOL, SPECIAL, QA 0, MACHINE, TUBE CLEANING; INCLUDING AIR DRIVE UNIT, 15 FOOT WATER SUPPLY
BKR467L	2	TOOL	TOOL, SPECIAL, QA 0, REMOVAL/CARTRIDGE, 36 IN, W/ NON STANDARD JAW, TOOL, REMOVAL; CARTRIDGE, POSIGRIP, 36 IN, WITH NON-STANDARD JAW, FOR
BLR452V	7	TOOL	TOOL, TYPICAL, QA 0, CREVICE, 2-1/2 IN, 14-1/2 IN, TOOL, ; CREVICE, 2-1/2 IN DIA X 14-1/2 IN, ATTACHMENT FOR HEPA VACUUM.

BRC322D	1	TOOL	TOOL, SPECIAL, QA 0, TOOL, INSTALLATION; SENSOR BELLOWS WRENCH, SPECIAL TOOL FOR RVLIS,
BPQ679H	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; CONTACT, FOR USE ON CONTROL ROD DRIVE ***
BPQ687J	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; CONTACT, FOR USE ON CONTROL ROD DRIVE ***
BRN919M	2	TOOL	TOOL, TYPICAL, QA 0, TOOL, REMOVAL; CONNECTOR REMOVER ***
BJP987A	2	TOOL	TOOL, TYPICAL, QA 0, TOOL, VALVE, ; BRASS, FOR AUXILIARY CLAPPER VALVE ADJUSTMENT, ON 4 IN
BPQ668N	2	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***
BPQ675R	4	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***
BPQ864N	1	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***
BPQ867G	2	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***
BPQ871R	2	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***
BPQ855P	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVE ***
BPQ857K	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVE ***
BPQ683T	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVES ***
BPQ853V	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVES ***
BCV366V	4	TOOL	TOOL, TYPICAL, QA 0, TOOL, QUICK CONNECTIO, ; WIRE TERMINATING, COMCODE 102 803 160, FOR
AYH941Y	1	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION & REMOVAL; CONTACTS, ELECTRICAL CONNECTORFOR STEAM
BLQ205K	5	TOOL	TOOL, TYPICAL, QA 3, TOOL, ; CAST STEEL, BACK UP, INSTALLATION STAND OFF ***
AJA272Y	2	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, G-1 & G-2, INNER & OUTER, FOR TURBINE
AJA870M	6	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-3, T-5 & T-7 (GE), FOR TURBINE, S/N
AJA072X	1	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-3, T-5 & T-7,(GE), FOR TURBINE, S/N
AJA371W	9	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-4 & T-8, (GE&TE), FOR TURBINE, S/N
BKC269V	13	TORCH	TORCH, CUTTING, QA 0, TORCH, WELDING; HEAD ANGLE: VARIABLE ***
BNC256J	1	TORCH	TORCH, CUTTING, QA 0, WELDING MACHINE, ARC; DUTY CYCLE, 50%, 115V, 60 HZ, 1.5 KVA ***
CBM563P	1	TOTALIZER	TOTALIZER, ELECTRONIC, QA 3, TOTALIZER, KILOWATT HOUR; TRANSDATA INC MODEL 10WHT104 ***
AFD022G	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***
AFD122M	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***
AFD222H	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***
AFD222H	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***
AFD322D	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***
AFD322D	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; OUTER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***
BFJ600N	3	TRACK	TRACK, TYPICAL, QA 0, TRACK, TERMINAL BOARD; SPARE PART: SPAREPART ***
APC091G	12	TRACK	TRACK, TYPICAL, QA 0, W/BACKET RX-20A
ADP317Y	138	TRACK	TRACK, TYPICAL, QA 3, TRACK, TERMINAL BOARD; TERMINAL BOARD, 9-1/8' LONG, FOR CR151A318
AFD022G	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR CONTROL BAY ELEVATOR ***
AFD122M	1	TRACK	TRACK, TYPICAL, QA 0, TRACK, ; INNER, HATCH DOOR, FOR REACTORBUILDING ELEVATOR ***
ATA588H	2	TRANSDUCER	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE
CDV882V	4	TRANSDUCER	TRANSDUCER, PRESSURE, QA 1, TRANSDUCER, PRESSURE; LUCAS MODEL L, 0-2500 PSI WITH SNUBBER, 1/4'
CDN355D	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, ELECTRO-PNEUMATIC; BOOM LENGTH ***
BBT869C	2	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, LINEAR VARIABLE DIF; FOR FEEDWATER CONTROL, SYSTEM 46 ***
BHV470D	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, PRESSURE; FOR RCT POST ACCIDENT SAMPLING SYSTEM, MODEL
BBF594J	3	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, PRESSURE; INPUT 0 TO 5000 PSIG, 10 VOLTS EXCITATION 10
BCM235A	1	TRANSDUCER	TRANSDUCER, VOLTAGE, QA 0, TRANSDUCER, VOLTAGE; ISOLATION, VDC TO VDC, FOR PROTECTIVE DRAWER, WTA
BTH275V	2	TRANSDUCER	TRANSDUCER, WATTAGE, QA 0, 0-5 A, 120 VAC INPUT, 0-100 MILL/VOLT OUTPUT ***
BHE209H	1	TRANSDUCER	TRANSDUCER, CURRENT, QA 1, 4-20 MA, , 0 TO 1 VDC INPUT, AGM, FOR MODEL K-IIIM ANALYZER
CKJ354Y	12	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 3, NPT, PRESSURE RANGE: 1500 PSIG, 3 WIRE 4-20MA, +/- 5%, MODEL STJE
BYH054A	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, FOR CEMS CO2 ANALYZER MODEL 41H
ARE179L	3	TRANSDUCER	TRANSDUCER, WATTAGE, QA 0, DIGILOGIC, 720 COUNTS/HOUR OUTPUT, 5 AMPS, 120 VAC
BCD728V	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, PRESSURE; FLOW, RANGE 0 TO 3000 GPM, STAINLESS STEEL, WITH
BXM213B	5	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 1, TRANSDUCER, ELECTRO-PNEUMATIC; INPUT 10-50 MADC, OUTPUT 6-30 PSIG
AKC262H	1	TRANSDUCER	TRANSDUCER, VOLTAGE, QA 0, TRANSDUCER, VOLTAGE; RATE, COMPLETE CHASIS, 110/220 VAC, 45-65HZ, 3.5
BJY057B	1	TRANSDUCER	TRANSDUCER, WATTAGE, QA 0, 2-ELEMENT, 3-PHASE, 3-WIRE, 120 VAC, 5 AMPS, 12 POINTS
AVN448X	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, MOTIONAL PICKUP; DIFFERENTIAL PRESSURE TRANSDUCER, FIVE
AYN624H	2	TRANSDUCER	TRANSDUCER, TEMPERATURE, QA 0, TRANSDUCER, MOTIONAL PICKUP; ROTARY POSITION, 0 TO 85 DEG MECHANICAL
BYH054A	2	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, FOR CEMS CO2 ANALYZER MODEL 41H
AYN624H	2	TRANSDUCER	TRANSDUCER, TEMPERATURE, QA 0, TRANSDUCER, MOTIONAL PICKUP; ROTARY POSITION, 0 TO 85 DEG MECHANICAL
ACW971C	3	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, MOTIONAL PICKUP; NON-CONTACT, SIGNAL, CALIBRATED, FOR
AEW329P	2	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, PRESSURE; INDUSTRIAL, CALIBRATED 0 TO 10.8 PSIG EQUALS 180
BQB334H	1	TRANSDUCER	TRANSDUCER, DIFFER. PRESSURE, QA 3, TRANSDUCER, PRESSURE; DIFFERENTIAL PRESSURE, MODEL #223BD-01000 ACU
BQC557P	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 3, ELECTRO-PNEUMATIC, 10-50 MADC, 3-15 PSI

ABB917G	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER ASSY, STEAM TURBINE; FOR ACTUATOR, BULLETIN 33710 ON THE
ATA592T	1	TRANSDUCER	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE
ATA598E	1	TRANSDUCER	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE
ATT869N	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, LINEAR VARIABLE DIF; 3000 HZ ***
BYM801L	2	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, ELECTRO-PNEUMATIC, 4-20 MADC/185 OHMS, 3-15 PSIG, 20 PSIG, TERMINAL BLOCK, TRANSDUCER, ELECTRO-PNEUMATIC; TYPE G
BPX977F	1	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, TRANSDUCER, ; PRESSURE, WITH BRACKET AND SCREWS, FOR BETA AEROSOLS
BTH265Y	2	TRANSDUCER	TRANSDUCER, FREQUENCY, QA 0, TRANSDUCER, ; FREQUENCY, 0-2 MA OUTPUT, 55-65 HZ INPUT ***
BMF208M	1	TRANSDUCER	TRANSDUCER, FREQUENCY, QA 0, TRANSDUCER, FREQUENCY; RANGE MINUS 55 TO 65 HZ, OUTPUT 0.2 MA, 0 TO 5
ARL167W	1	TRANSDUCER	TRANSDUCER, ELECTRONIC, QA 2, TRANSDUCER, CURRENT-PNEUMATIC; INPUT 10 TO 50 MA, OUTPUT 3 TO 15 PSI
BWE626V	1	TRANSDUCER	TRANSDUCER, WATTAGE, QA 1, INPUT-POWERED, 120 AC/5 A/60 HZ, 0-1 MADC, MODIFIED TERMINAL MARKING, TRANSDUCER, WATT; INPUT 120 VAC/5 AMP/60 HZ
CAW571T	2	TRANSDUCER	TRANSDUCER, PRESSURE, QA 0, ELECTRONIC, 4-20/10-50, 3-15 PSI, TRANSDUCER, ELECTRO-PNEUMATIC; MODEL T5200-4, INPUT 4-20/10-50 MA,
BVT399L	18	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, ELECTRICAL RATING: 15
BQC581T	2	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; SAE 10823 (F5268) ***
CHD024H	8	TRANSFORMER	TRANSFORMER, TYPICAL, QA 3, LVDT, 1, SCHAEVITZ SENSOR MODEL 2000 HCA, W/ BENDIX CONNECTOR PT06A-10-6S
BBG162B	2	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 2, CONSTANT, 5, ASSY, C/O 1 EA
BCV260P	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, STEP-DOWN, 190/260-380/520, 120/240, 43.500/21.800, TRANSFORMER, POWER; PRIMARY VOLTAGE: 190/260-380/520, SECONDAR
BNQ029N	3	TRANSFORMER	TRANSFORMER, CONTROL, QA 2, TRANSFORMER, CONTROL; SENSING DW T3 ***
CAE982D	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 3, TRANSFORMER, CONTROL; ISOLATING ***
BCF564M	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 460, 24, 0.055, 1, 105 DEG C, TRANSFORMER, POWER; 460 VAC MAX PRIMARY, 0.055 KVA/24 VAC SECONDARY, 1
AYN248K	6	TRANSFORMER	TRANSFORMER, POWER, QA 0, 480, 120/240, 0.8, 3/1.500, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE:
BBA748B	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, DRY, 480, 120/208, 30, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE:
BKN028M	2	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; 117 VAC PRIMARY, 25.2 VAC SECONDARY, 1 AMP
BXW091H	2	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; 15 KVA, FOR HYDROGEN IGNITER SYSTEM ***
AVQ906G	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 3, TRANSFORMER ASSY, ; PHASE SHIFTING, TYPE MC-63, 120 VAC, 3 PHASE, 3
BQM538D	3	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 0, 480, 120, 1.5, CONTROL
BBG168Y	2	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 0, CONSTANT, 15, ASSY, POWER TYPE, C/O 1
BBQ177L	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 2.375 OD X 2.250 IN LONG ***
BHM650A	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, WELDING MACHINE; MAIN ASSY, FOR POW-CON WELDINGMACHINE
BHM657G	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, WELDING MACHINE; MAIN ASSY, FOR POW-CON WELDINGMACHINE
BKK585D	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR RECORDER, MODEL 4081 ***
BBG168Y	1	TRANSFORMER	TRANSFORMER, VOLTAGE, QA 0, CONSTANT, 15, ASSY, POWER TYPE, C/O 1
BAT526H	60	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 480 VOLTS, 1000 WATTS, CORE AND COIL, WITH
ACQ643J	4	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, METER; FOR REPUBLIC FLOWMETER ***
APQ937W	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 220/480 VAC, SECONDARY VOLTAGE:
BRF715A	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, INDOOR, 75:5, 15, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, ELECTRICAL RATING: 15
ALQ037B	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, IGNITION, 240, 10000, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240 VAC, SECONDARY VOLTAGE: 10000
BBQ265P	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; KVA RATING: 0.250 KVA, PHASE: 1 PH ***
AMQ043A	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, STEP-DOWN, 240/480, 120, 3, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:
AQY789C	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR TYPE 0-2, CLASS 45 SERVO LINE RECORDER ***
AXW485C	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 120, 17, 5, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120 VAC, SECONDARY VOLTAGE: 17
BKJ098L	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, AUDIO FREQUENCY; 70.7 LINE VOLTS, 30/20/10/5 PRIMARY
AMQ449N	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 117, 24, 200 MA, TRANSFORMER, POWER; 117.000 VAC, 024.000 VCT, 200.000 MA SECONDARY ***
ANQ538H	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, CONTROLLER; FOR LEEDS AND NORTHRUP CONTROL UNIT 10864-K
BBY985M	3	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, RECORDER, 120/220/240, 24/40, 500/800 MA, TRANSFORMER, RECORDER; STEP-DOWN, 120/220/240 VAC PRIMARY, DUAL
APQ830T	2	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR LEEDS AND NORTHRUP SPEEDOMAX W COMPUTER
APQ532P	2	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR LEEDS AND NORTHRUP SPEEDOMAX W RECORDER ***
BDT565L	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, ASSEMBLY/HARNESS, HARNESS POWER, 100 MM, FOR WESTRONICS RECORDER, MULTIPLE
BYW485Y	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, MAIN, TRANSFORMER, MAIN (END ITEM); FOR CEMS.
BAH856A	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, ALARM; FOR ALARM MODULE, CAT 7080-03-208 ***
BAR790G	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 13 LEADS, WITH CONNECTOR, FOR STEAM TEMPERATURE
AMQ040V	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, RECORDER, FOR LEEDS & NORTHRUP SPEEDOMAX M RECORDER, TYPICAL S/N
AXG441Y	2	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; 16 CONNECTORS NUMBERED FROM ONE TO 16, FOR
CKD293J	4	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, 50/60, SCR AMMONIA VAPORIZER
ANQ140T	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120 VAC, TYPE: ADJUSTABLE ***
BJC809W	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, 120, 5000, 0.15, 0.020, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120 VAC, SECONDARY VOLTAGE: 5000
AYM959N	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, BATTERY CHARGER, 120, 120 DC, 10, TRANSFORMER, BATTERY CHARGER; FOR EMERGI-LITE BATTERY CHARGER, 120
BKL295H	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, BATTERY CHARGER; AUXILIARY, FOR BATTERY CHARGERMODEL
BKK584F	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR RECORDER, MODEL 4081 ***
AMQ847A	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, MONITOR; FOR IRD MODEL SP-700, PHASE ANGEL MONITOR ***

ATW232W	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 118 VAC, SECONDARY VOLTAGE: 40
ATW231Y	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 118 VAC, SECONDARY VOLTAGE: 5.00
ADQ148N	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, IGNITER, 120, 10000, 23 MA, 0.25, TRANSFORMER, IGNITER; TYPE HPF, PRIMARY 120 VAC 250 VA, SECONDARY
AWG440J	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, 0-360, 120, 3.500/5, TRANSFORMER, POWER; PLATE WINDING 120.000 MADC, 360-0-360 VAC, FILTER
BAX913T	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, ADJUSTABLE, 120, 0/132, 1, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120 VAC, SECONDARY VOLTAGE: 0-132
BAX914Q	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 117 VAC, SECONDARY VOLTAGE: 520
BDT565L	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, ASSEMBLY/HARNESS, HARNESS POWER, 100 MM, FOR WESTRONICS RECORDER, MULTIPLE
ANQ538H	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, CONTROLLER; FOR LEEDS AND NORTHRUP CONTROL UNIT 10864-K
AMY962B	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; T-7A, PRIMARY 460.000 VOLTS, SECONDARY 024.000
ACQ544L	2	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, FILAMENT, 117, 50/60, TRANSFORMER, FILAMENT; FILAMENT, PRIMARY 117 V, 50/60 CY, WALTER KIDDE
ARE454Q	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, MONITOR; TRANCEIVER, T1 AND/OR T2, FOR OPACITY MONITOR
AFQ733Y	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, 220/240-240/480, 110/120, 0.13, TRANSFORMER, POWER; PRIMARY VOLTAGE: 220/240-240/480, SECONDARY
AGQ131M	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER ASSY, CONTROL SYSTEM; FOR BAILEY METER CO 721 CONTROL
BHY140K	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, RECTIFIER, 460, 65700, 126, 274, 1, 1, 50 DEG C MAX, TRANSFORMER, POWER; RECTIFIER, 1 PH, 126 KVA, 460 VAC PRIMARY
AFQ838G	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, CONTROL; FOR 721 AND 760 COMBUSTION CONTROL SYSTEM UNIT 3
AGQ231H	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, CONTROL; FOR SIGNAL INVERTER 6618550-1 AND 2, 721 AND 760
BQX848L	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, RECORDER, FOR YOKOGAWA RECORDER, MODEL 4354
BTG810G	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POTENTIOMETER; FOR POTENTIOMETER, MODEL 631 ***
BTG815T	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; WITH VIBRATOR, FOR TRANSMITTER T101, RADIO
AGQ338Y	3	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, STEP-UP/IGNITION, 115, 10000, 0.25, 1:2, 250 VA, 115/10000 VOLTS, STEP-UP, IGNITION,
BYH379N	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, RECTIFIER, 480, 400, 82, 171, 60, 1, 50 DEG C, TRANSFORMER, RECTIFIER POWER UNIT; SILICONE RECTIFIER POWER UNIT,
AMQ243B	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, MONITOR, FOR LEAR SIEGLER MONITOR
ARE455N	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, MONITOR; SO2 REMOTE CONTROL UNIT, FOR LEAR SIEGLER
AWL848H	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120/240, 5, 1, TRANSFORMER, POWER; CLASS 1100, 240/480 VAC PRIMARY, 120/240 VAC
BQJ773J	4	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; 3 KV, 190-208/120, FOR ECCS ATU INVERTER. ***
BAH647K	9	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, LIGHTING; FOR EMERGENCY EGRESS LIGHTING SYSTEM ***
BXG828Y	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; SYNCHRONOUS ***
BMV822L	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120/230 VAC, SECONDARY VOLTAGE:
CDP044G	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 1, TRANSFORMER, VOLTAGE; LOW VOLTAGE SUPPLY TO OPERATE CONTROL EQUIPMENT
CJA720T	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 1, POWER, 1, REFERENCE DRAWING NUMBER 021021-XFMF-03
BXA611P	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 3, TRANSFORMER, CONTROL; AC TO DC TRANSFORMER ASSY, FOR BATTERY CHARGER
BXA500D	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; FOR WALTER KIDDE CON, INC. CABLE TRAY FIRE
BXN323Y	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, 120/240, 12/24, 500, 10, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120/240 VAC, SECONDARY VOLTAGE:
CDL419P	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, SECURITY SYSTEM; ISO STEP DOWN 230/115 VAC. ***
ABQ446T	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, ANNUNCIATOR; ROCHESTER INSTRUMENT ANNUNCIATOR SYSTEM ***
BTR622P	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; POWER TRANSFORMER FOR TRANSMATION CURRENT
BTR623M	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; POWER TRANSFORMER FOR TRANSMATION CURRENT
BTR631N	1	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; POWER TRANSFORMER FOR TRANSMATION CURRENT
ACQ843A	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, 115/230, 12, 8, TRANSFORMER, POWER; PRIMARY VOLTAGE: 115/230 VAC, SECONDARY VOLTAGE:
ANQ446N	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 230/460, 145, 0.35, 55 DEG C RISE, TRANSFORMER, POWER; 145 V SECONDARY 55 DEG C RISE 230/460V 0.350KVA
AMQ835H	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 230/460-240/480, 110/115/120, 0.5, TRANSFORMER, POWER; PRIMARY VOLTAGE: 230/460/240/480, SECONDARY
ALQ033K	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 460, 120, 18.75, 40, 60, TRANSFORMER, POWER; 60 HZ, FOR GE MOTOR GENERATOR SET, MODEL
CAD867J	5	TRANSFORMER	TRANSFORMER, POWER, QA 0, DUAL, 110/220, 12, TRANSFORMER, SECURITY SYSTEM; POWER DUAL PRIMARY 110/220 VAC.
CAD869E	5	TRANSFORMER	TRANSFORMER, POWER, QA 0, DUAL, 110/220, 24, TRANSFORMER, SECURITY SYSTEM; POWER DUAL PRIMARY 110/220 VAC
ADQ245Q	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, FILAMENT, 115, 26.800, 1, TRANSFORMER, POWER; PRIMARY VOLTAGE: 115 VAC, SECONDARY VOLTAGE: 26.8
APQ343T	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, PHASE CONVERSION, 120, 50/60, TRANSFORMER, POWER; POWER, PHASE CONVERSION, INDOOR, TYPE MC-63 120 V
AFQ045B	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 0.500 KVA, 50/60 HZ ***
ABQ854B	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 117.000 VAC, FOR FLOOD CONTROL ALARM, WITH 303
ALQ943L	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 117.000 VAC, STEP DOWN ***
AFQ835N	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR DIRECT READING CONDUCTIVITY METER, SOLU MODEL
CBG282R	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR GE/MAC CONTROLLER, TYPE 540 SERIES ***
CBG278G	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR POWER SUPPLY 948 ON LUNDELL RECORD ALARM
AJQ240F	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; T2, ***
AKQ147K	4	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; MAGNETEK CORP ***
BPW169L	2	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; PRIMARY 120 VAC, 50/60 HZ, SECONDARY 24 VAC, 40.00
BVH718D	4	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, PULSE; FOUR WOUND FOR PRINTER, MODEL LA-120, FOR CHEM LAB
BJQ125W	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; KVA RATING: 9.00 KVA ***
AGQ331D	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, FOR 721 COMBUSTION CONTROL SYSTEM, UNIT 3 (52)
AFQ639N	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, TRANSFORMER, CONTROL; FOR 721 COMBUSTION CONTROL SYSTEM, UNIT 3, (52)

BTQ823J	5	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; FOR MODEL MA-2400 FIRE ALARM SYSTEM ***
BXA506M	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, INSTRUMENT; FOR WALTER KIDDE CO, INC, CABLE TRAY FIRE
CBG283P	5	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR GE/MAC CONTROLLER, TYPE 540 SERIES ***
APQ643E	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; GE MODEL 138A1057P001 ***
AFQ245C	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; T3, SAE-10918, REV 0, FOR NEUTRON MONITORING
BXN327N	16	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, SERVICE (END ITEM); POWER TRANSFORMER FOR THE ION CHAMBER
BXN417M	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, SERVICE (END ITEM); POWER TRANSFORMER, CONSISTS OF
BXN409M	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, SERVICE (END ITEM); POWER TRANSFORMER, PRIMARY 230VAC
BXT179N	6	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, PULSE; MINIATURE, 1 TO 1 RATIO ***
BQP433H	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, DRY, 220/440-230/460-240/480, 110/115/120, 0.15, 60, 1
ATF226T	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:
CDX377Y	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; FOR DIESEL GENERATOR ***
ARW256L	1	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, 240/480, 120/240, 15, 60, 8, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:
AVT802J	1	TRANSFORMER	TRANSFORMER, DISTRIBUTION, QA 2, TRANSFORMER, POWER; DISTRIBUTION,SINGLE PHASE, HV 7200/12470,LV
ALT445T	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; T1, FOR THYRISTOR CONTROLLED CONSTANT POTENTIAL
AGQ647H	4	TRANSFORMER	TRANSFORMER, CONTROL, QA 2, TRANSFORMER, POWER; 230/460-575 VOLTS PRIMARY, 115/95 VAC, 000.050 KVA
BBW528W	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 2000:5, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 2000 TO 5
BBW521B	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 300:5, 8.7, TRANSFORMER, CURRENT; ELECTRICAL RATING: 8.7 KV, AMP RATIO: 300 TO 5
BBW529T	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 3000:2, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 3000 TO 2
BBW527Y	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 400:5, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 400 TO 5
ACQ439H	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, INDOOR, 3000:5, 0.6, BUSHING TYPE: JCB-0
BBQ335W	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, INVERTER; FOR INVERTER, MODEL SV12050/ AC341TSMB ***
AQQ576W	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; INPUT, FOR STATIC PRODUCTS SOLID STATE
ARJ629T	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ISOLATION,230/460-115/230,3000VA,60 HZ,TYPE
ARV247T	5	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; MODEL 48 ***
AGQ647H	4	TRANSFORMER	TRANSFORMER, CONTROL, QA 2, TRANSFORMER, POWER; 230/460-575 VOLTS PRIMARY, 115/95 VAC, 000.050 KVA
ADQ631K	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, INDOOR, 4000:5, 15, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, ELECTRICAL RATING: 15
ANQ545L	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 120, 25, 100, 50/60, TRANSFORMER, POWER; PRIMARY 120.000 VOLTS, 50/60 HZ, SECONDARY 25 V
BLD374K	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120, 300, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:
BHN727G	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; STEP-DOWN, 550/600 VAC PRIMARY6 VOLTS, 1 VA
BWF652M	1	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; PRIMARY VOLTAGE: 120 VAC, SECONDARY VOLTAGE: 12/24
AXG441Y	1	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; 16 CONNECTORS NUMBERED FROM ONE TO 16, FOR
BBH002L	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, CURRENT; AMP RATIO: 1200 TO 5 AMPS ***
ALQ935K	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120/240, 1, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:
ADQ047K	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, ISOLATION, 115/230, 115, 0.005, TRANSFORMER, POWER; PRIMARY VOLTAGE: 115/230 VAC, SECONDARY VOLTAGE:
BLE678R	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; SECONDARY VOLTAGE: 12 VAC, SECONDARY AMPS: 4.0 ***
BDY493Y	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; 115 VAC PRIMARY, 760 HZ, 18 VOLTS CENTER TAP ***
AJQ247M	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ELECTRICAL ***
AMY561X	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; FOR MODEL 66-BC-0H, STYLE D, ELECTRONIC CONSOTROL
BCD407H	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 5600:2, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 5600 TO 2
ABQ557H	2	TRANSFORMER	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; 230/460 VAC PRIMARY, 0.5 KVA, 115 VAC SECONDARY
BBW677B	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 3, TRANSFORMER, CURRENT; 2 LEADS, FOR DIESEL GENERATOR SYSTEM 82 ***
ARY778B	2	TRANSFORMER	TRANSFORMER, POWER, QA 0, 240/480, 120/240 AC/DC, 3, 1, TRANSFORMER, POWER; PRIMARY VOLTAGE: 240/480 VAC, SECONDARY VOLTAGE:
BEE752D	3	TRANSFORMER	TRANSFORMER, POWER, QA 3, TRANSFORMER, POWER; 7 LEADS, WIRE HARNESS, FOR KEYCARD READER, MODEL
BAG042J	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, AMP RATIO: 2000 TO 5
APQ348G	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 1, TRANSFORMER, POWER; 480/120 VAC, 000.500 VAR, CONTROL, T2, TYPE MTC
ARH809Y	3	TRANSFORMER	TRANSFORMER, CURRENT, QA 2, TRANSFORMER, CURRENT; PRIMARY INPUT 480VAC,NO LOAD 7.5V,OUTPUT
BGW154D	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; 115 VAC PRIMARY, 14 VAC, 1 AMPSECONDARY, FOR
AXW075N	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; DRIVER, FOR CONTROLLER, MODEL 62H AND 67H ***
APQ547A	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ELECTRICAL ***
ARL224B	6	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; FOR MANUAL LOADING STATION 542-08 ***
BAJ081X	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; FOR SIGNAL CHARACTERIZER MODULE 66NC-OH ***
AGQ445X	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; INPUT AND OUTPUT 10-50 MA, 118 VAC, 50/60 HZ, FOR
AWV759C	5	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; INPUT, FOR 66GC-OW VOLTAGE TO CURRENT CONVERTER
AXW074Q	2	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; INPUT, FOR CONTROLLER, MODEL 62H AND 67H ***
BBV754Q	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; STEP-DOWN, 120 VAC PRIMARY, 16VOLTS SECONDARY, FOR
BBX942D	1	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; STEP-DOWN, 230 VAC PRIMARY 115 VAC 2.17 AMPS
BWH806B	2	TRANSFORMER	TRANSFORMER, CONTROL, QA 3, TRANSFORMER, CONTROL; POWER,MACHINE TOOL,TYPE MTA,5 KVA,480/230
BHX806H	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, STEP-DOWN, 6900, 277/480, 225

BCV276W	2	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 800:5, 15, TRANSFORMER, CURRENT; 15 KVAC, 800 TO 5 AMP RATIO ***
BHX805K	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, 6900, 277/480, 225
BDK094W	2	TRANSFORMER	TRANSFORMER, DISTRIBUTION, QA 0, 6900, 297/480, 225, 3, TRANSFORMER, POWER; PRIMARY VOLTAGE: 6900 VAC, SECONDARY VOLTAGE:
BCV270L	4	TRANSFORMER	TRANSFORMER, POWER, QA 0, CURRENT REGULATOR, 480, 120, 5, 12/42, 1, 34 IN X 17 IN X 14-1/2 IN, TRANSFORMER, POWER, CURRENT RGLT; 480 VAC, 12
BGD858M	3	TRANSFORMER	TRANSFORMER, POWER, QA 0, DRY, 480, 480, 15, 12 IN X 20 IN X 25 IN, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE: 480
BDD421G	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, CHOKE, ***
AYG562C	8	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; 120 VAC, FOR GE MAC RECORDES TYPE 520, 521, 530
AQQ577T	1	TRANSFORMER	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; OUTPUT, FOR STATIC PRODUCTS SOLID STATE
APQ847X	3	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; ELECTRICAL ***
BMF693J	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; CROSS REFERENCE LIST ECG169 PHILLIPS/SYLVANIA ***
ANQ575B	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
BXG364F	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; FOR BIRD-EYE DETECTION SYSTEM ***
BXG381F	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; NPN, SILICON ***
BXG389Y	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, PNP, HIGH VOLTAGE, AF POWER, TO-39
CEW174C	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, *TYPICAL; TYPE: MOS/FET *** DUAL P-CHANNEL ENHANCEMENT
ACQ381N	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, NPN, AF MEDIUM POWER, TO-39 PKG, THREE
AFQ289P	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
BXY712A	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 1, TRANSISTOR, SILICON; SILICON, NPN, AF DRIVER/OUTPUT TO-39, THREE
AWC531Q	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, NPN ***
BCC338E	20	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, BIPOLAR, PNP, BVCEO 60 VOLTS, BVEBO 5 VOLTS, IC
ARJ181D	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPN THREE UNINSULATED WIRE
BRK191X	21	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 1, TRANSISTOR, ; PNP, HIGH VOLTAGE/HIGH CURRENT AMPLIFIER, TO-39 CASE ***
BWL032H	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ELECTRONIC; MATCHED PAIR, FOR FOXBORO CONTROLLER, MODEL
ACR003A	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
CEM037H	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, NPN/SILICON, 3 UNINSULATED LEADS, , AUDIO OUTPUT, DRIVER, FOR AMPLIFIER AND SWITCHING APPLICATIONS,
ADQ984H	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
AYF443R	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, JUNCTION CONTACT, NPN HERMETICALLY SEALED
AYF444P	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, JUNCTION CONTACT, NPN HERMETICALLY SEALED
AYF441X	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, POWER, PNP, GENERAL PURPOSE, 80 VOLTS
ADQ689K	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, NPNTHREE
ACQ086F	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, AF PREAMPLIFIER, DRIVER SWITCH
ADQ782X	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, POWER, HERMETICALLY SEALED CASE
AAR503B	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, RF, AM, FM, TV VHF, TO-92 PKG
ACQ886P	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, UNIJUNCTION, 35 VOLTS INTERBASE
AEQ685M	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, AF MEDIUM POWER PREAMP/DRIVER
BAC340K	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, NPN THREE
BAA288R	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, DARLINGTON SWITCH, 3 UNINSULATED
BAC948Y	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, POWER, THREE CONTACT PINS
AVP602A	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, JUNCTION CONTACT AF/DEFLECTION
AXQ532J	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, AF/DEFLECTION, THREE UNINSULATED
AFQ088Q	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; (Q2) ***
ANQ250K	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
AAR501F	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, NPN, DUAL DIFFERENTIAL AMPLIFIER, SIX
AWD966F	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, AF PREAMP, TO-92 PKG, THREE
AVF531F	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, JUNCTION CONTACT, NPN ***
AQT805Y	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, NPN, AF PWR, THREE CONTACT LEADS
AFQ386R	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
ANQ072W	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
AXX028T	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, SILICON, NPN-81, TF=250 NSEC.
ABR507W	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AFR905P	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
BAC376J	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; GERMAMIMUM, PNP, AF HIGH POWER TO-3 PKG, HERMETICALLY
AVY013F	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; PNP, HIGH VOLTAGE/HIGH CURRENT AMPLIFIER, TO-39 CASE ***
ATY226D	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, JCT CONTACT ***
ACR505T	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, DUAL, N-CHANNEL, JFETSIX WIRE LEAD TERMINALS
ACQ681A	13	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPNTHREE UNINSULATED WIRE
BBP373R	29	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, GENERAL PURPOSE AMPLIFIER, PKG TO-92
BCJ847R	7	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, POWER, NPN ***
AFR305G	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***

ANQ778W	7	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; GERMANIUM ***
BXG537A	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; GERMANIUM, PNP, RF/IF AMPLIFIER, TO-5 PKG
BAC878R	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, PNP PLASTIC
AXN615Q	39	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION, PNP, THREE UNINSULATED WIRE
ABR103M	15	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, VIDEO, IF AMPLIFIER, TO-18 PKG
ACQ189E	13	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, AF MEDIUM POWER, TO-39 PKG
ADR503Q	28	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, POWER, VIDEO AMPLIFIER, TO-39, THREE
BVW751N	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, PNP, TYPE XA55 (GPSA55M7), 60 VCEO, 5000
CEM047E	23	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, NPN/SILICON, 3 UNINSULATED LEADS, , AUDIO AMPLIFIER, SWITCH, TYPE T092 CASE.
CEM046G	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, PNP, 3 UNINSULATED LEADS, , SILICON, AUDIO AMPLIFIER, SWITCH, TYPE T092 CASE.
CEM038F	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, PNP, 3 UNINSULATED LEADS, , SILICON, AUDIO OUTPUT, DRIVER, FOR AMPLIFIER AND SWITCHING
ABQ789V	20	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, AF MEDIUM POWER, TO-39 PKG, THREE
ACR201F	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, NPN, THREE
AAQ781J	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, NPN, 2 WIRE LEAD, TRANSISTOR, ; SILICON, NPN, AF POWER, TO-3 PKG, TWO UNINSULATED WIRE
BPW557B	16	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, NPN/SILICON/RF LOW POWER, 200 MA, 3 LEADS, TRANSISTOR, ELECTRONIC; SILICON, NPN, RF LOW POWER, MAX COLL
AVT527D	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; DUAL ***
AVT528B	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; DUAL ***
ADR400E	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
APQ895J	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ABR107D	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, NPN, AF LOW POWER, TO-39, THREE UNINSULATED
AFQ286X	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, JFET N-CHANNEL, THREE UNINSULATED WIRE LEADS
BJR611E	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, DARLINGTON, 4 AMP, TO-66 PKG, TWO CONTACT
AVR354P	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, UNIJUNCTION, PULSE/TIMING/TRIGGER, TO-18
BAP117J	11	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, RF/AF, OSC AMPLIFIER, TO-18 PKG, THREE
APQ598Q	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; (7313) ***
AAR109F	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
ABR907C	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
ADR101D	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AEQ682V	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AFQ687B	25	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AFR902X	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AHQ087E	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AHQ187K	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; ELEC ***
AFR103W	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FIELD EFFECT ***
AAR500W	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FOR 5050B DIGITAL RECORDER ***
AHQ081T	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FOR LAB SCALER, MODEL 8775 ***
AHQ381P	7	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; FOR MANUAL LAB SCALER, MODEL 8775, SN 003458 ***
AMQ154A	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; MATCHED PAIR ***
BQH975B	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; POWER ***
AGQ985W	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON ***
AAR600Q	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPN METAL ENCLOSURE, THREE
AXA082N	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN ***
ACQ885R	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, AF/RF AMPLIFIER, TO-18 PKG, THREE
AFR302N	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE, AF POWER OUT, TO-3 PKG, TWO
BCM618R	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, LOW NOISE AMPLIFIER, TO-92 PKG, THREE
AFR003P	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, PNP, FOR 5050B DIGITAL RECORDER ***
AFR502E	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, PNP, JUNCTION CONTACT OUTPUT VIDEO AMPLIFIER
AWJ248L	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, POWER, NPN, THREE PINS, VERSAWATT TYPE
AFR303L	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; TYPE P31, FOR DIESEL GENERATOR ANNUNCIATOR ***
BXG733A	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
BXR008F	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELECTRONIC ***
BTL624D	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; REPAIR PART FOR EBERLINE CAM CONSOLE ***
BTL625B	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; REPAIR PART FOR EBERLINE CAM CONSOLE ***
BXG747Y	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; DUAL SILICON ***
CEW174C	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, *TYPICAL; TYPE: MOS/FET *** DUAL P-CHANNEL ENHANCEMENT
ABQ088H	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ACQ687X	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ACQ984P	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ACQ987H	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***

ACR704L	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ADQ084D	15	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ADQ887F	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
AEQ089W	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
AFQ686D	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
AMQ177X	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
AMQ374V	8	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
AMQ478F	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ANQ079E	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
ANQ374M	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
APQ897E	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; ELEC ***
AFR903V	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; FOR CONTAINMENT AIR MONITORING TRANSMATION TEMP
ANQ076L	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, JUNCTION CONTACT, PNP, HERMETICALLY SEALED
AAR004L	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, AF HIGH POWER, TO-36 PKG, TWO CONTACT
ABR600J	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, AF LOW POWER, TO-1 PKG, THREE
AMQ675D	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, AF POWER OUTPUT, TO-3 PKG, TWO CONTACT
ABR806J	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; GERMANIUM, PNP, SWITCHING/AF, TO-3 PKG, TWO CONTACT
ADQ888D	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; NPN ***
AAR202R	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, DUAL PURPOSE AMPLIFIER, SIX LEADS, HERMETICALLY
AAR809J	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, FET, JUNCTION, N- CHANNEL, TO-92 PKG, THREE
AEQ584V	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, N-CHANNEL FET, THREE UNINSULATED WIRE LEADS
AFQ485P	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, AF MEDIUM POWER, TO-39 PKG, THREE CONTACT
ABQ184Y	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, AF MEDIUM POWER, TO-39 PKG, THREE CONTACT
ACQ088B	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, AF/RF/CB SHORT WAVE, TO-5 PKG, TWO CONTACT
ABQ684A	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE AMPLIFIER/SWITCHING, TO-61
ACQ188G	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, JUNCTION CONTACT THREADED STUD MOUNTING
AAR705Y	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, RF/AF OSC/AMP, TO-18 PKG, THREE CONTACT
AAR008C	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, PNP, AF HIGH POWER, TO-126 PKG, THREE
AEQ886B	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, PNP, AM/FM RF, TO-92 PKG, THREE UNINSULATED
AMQ454X	6	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; TD401 ***
CEF233R	59	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, MOSFET; DUAL P-CHANNEL ENHANCEMENT MODE GENERAL PURPOSE
CAY562H	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, SILICON; FOR PLOTTER ***
BMF693J	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; CROSS REFERENCE LIST ECG169 PHILLIPS/SYLVANIA ***
AFR203Q	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, FOR 5050B DIGITAL RECORDER ***
ANQ575B	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; ELEC ***
BXG364F	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; FOR BIRD-EYE DETECTION SYSTEM ***
AXB685V	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, NPN, RF/AF, OSCILLATOR/AMPLIFIER
BXG381F	9	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; NPN, SILICON ***
BXG389Y	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, SILICON; SILICON, PNP, HIGH VOLTAGE, AF POWER, TO-39
AAQ880V	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 3, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE, TO-8 PKG, THREE UNINSULATED
CAG399A	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 1, TRANSISTOR, ELECTRONIC; FIELD INTERGRATED ***
ADQ886H	18	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, NPN, HIGH VOLTAGE, TO-39 PKG, THREE CONTACT
BAP060P	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, DARLINGTON, POWER AMPLIFIER TO-220 PKG
AXL685D	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON, PNP, DARLINGTON, HIGHPOWER, TO-3 PKG
APY367D	11	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; 1-POLE NO, 1-POLE NC, 600 VAC, 10 AMPS, WITH OPERATING
ARW210Q	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; ASM, TIP31C A7525 ***
ANQ197H	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; FOR TYPE 613 HM-HK2 D/P CELL TRANSMITTER, SN 978637 ***
APY067G	1	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; OVERLOAD, 0.94 AMP ***
APY966N	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; POLE QTY 1, THROW POSN 2, FOR STROBEGRUAD III-A, TIRE
APY866T	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON ***
ADR300J	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, FET, N-CHANNEL JUNCTION CONTACT, METAL
BAJ060H	4	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, JUNCTION CONTACT, PNP THREE UNINSULATED WIRE
BBP901V	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, PNP, AF/DEFLECTION, THREE UNINSULATED CONTACT
BDC778B	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, THREE UNINSULATED WIRE LEADS, HERMETICALLY
BAQ005G	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, FET, THREE UNINSULATED LEADS ***
APY167M	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, JUNCTION CONTACT, BLACK PLASTIC CASE
AEQ686K	5	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ELECTRONIC; SILICON, PNP, POWER, TO-39 PKGTHREE
AFQ980Q	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, FET, N-CHANNEL, RF AMPLIFIER, THREE UNINSULATED
ACQ885R	10	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ; SILICON, NPN, AF/RF AMPLIFIER, TO-18 PKG, THREE

ARQ216M	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; ELEC ***
AXG607P	12	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON ***
BDJ321T	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, AUDIO AMP, NPN, THREE UNINSULATED WIRE LEADS
BDJ319D	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, AUDIO AMPLIFIER, NPN, THREE UNINSULATED WIRE
BAY997L	2	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, JUNCTION CONTACT, NPN HERMETICALLY SEALED METAL
BDJ341L	3	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 2, TRANSISTOR, ; SILICON, NPN, POWER SWITCH, LINEAR AMPLIFIER, TO-66 PKG
AXC992D	50	TRANSISTOR	TRANSISTOR, ELECTRICAL DEVICE, QA 0, TRANSISTOR, ELECTRONIC; SILICON ***
BBA456Q	7	TRANSMISSION	TRANSMISSION, MECHANICAL, QA 2, TRANSMISSION ASSY, ; WITH MOTOR, FOR RECORDER, MODEL L11S2S ***
ACW855E	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; ELECTRONIC, DIFFERENTIAL STYLEA, CALIBRATED 10
BRX682N	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MA DC. ***
CFE184B	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, DIFFERENTIAL, *** WITH 120 VAC POWER INPUT TRANSFORMER
AYL806N	1	TRANSMITTER	TRANSMITTER, TEMPERATURE, QA 0, TRANSMITTER, TEMP,ELEC RESISTANCE; WATER, FOR ENGINE ON SECURITY
BLY200A	12	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, MULTIPLEX SIGNAL,TRA, ; MODULAR, 2800 HZ OPERATION, FOR TRANSMISSION
AVK600E	3	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; GAGE, ALPHALINE, RANGE 0-17 TO 0-100 PSIG, 4 TO
CDB745Q	1	TRANSMITTER	TRANSMITTER, FLOW, QA 0, TRANSMITTER, FLOW; DIFF PRESS RANGE 0-150' WATER, DESIGN PRESSURE 966
BFG200H	2	TRANSMITTER	TRANSMITTER, FLOW, QA 3, TRANSMITTER, CURRENT; 4 TO 20 MAAC OUTPUT, 117 VAC, 0 TO 5 AMPS INPUT
CEA032L	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 11-55 VDC, 4-20 MA, 0-2.5-0-250 IN H2O, FLANGED, TWO WIRE 4-20MA
BDP496W	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 0-125 TO 0-750 IN WATER, OUTPUT 4-20 MADC, WITH
BLV404X	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL/ALPHALINE, 0-25 - 0-150 IN H2O, 10-50 MADC, 2000 PSI, 316 SS, , WITH PANEL MOUNTING BRACKETS.
BNH269F	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; GAGE, 0-500 TO 0-3000 PSIG, 10 TO 50 MA OUTPUT
BRX682N	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MA DC. ***
BWX441T	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; 0-125 TO 0-750 IN WATER,OUTPUT 4-20 MADC,WITH
BWL928C	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; 0-5 TO 0-30 IN WATER,10-50 MA OUPUT,STAINLESS
BYJ654M	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER, FREQUENCY; VIBRATION, FOR 1CV SERVICE AIR COMPRESSOR ***
BAX484P	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER, TEMP,PNEUMATIC; 0-100 DEG F, GENERATOR VENT CHILL WATER
BWR218J	2	TRANSMITTER	TRANSMITTER, TYPICAL, QA 3, TRANSMITTER, RADIATION; ISOLATOR, FOR USE IN RM-80 ***
BKQ945F	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, MODEL 764, INPUTMINUS 1 TO PLUS
BRX507A	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MA DC. ***
CLE164J	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 1, HUMIDITY, COMPLETE WITH MOISTURE ELEMENT/SENSOR, MODIFIED FOR CREVS INSTALLATION
BPA959K	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; DIFFERENTIAL PRESSURE TRANSMITTER, TAG#
BAB834K	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; PNEUMATIC, INDICATING TYPE 4080-4, W/BRONZE
BRX499D	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL, 10-50 MADC, 0-50 IN H2O, TRANSMITTER, PRESSURE; DIFFERENTIAL PRESSURE, D. P. RANGE 0 - 50'H2O,
BMA406B	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; PNEUMATIC, INDICATING, SCALE RANGE 0 TO 100
BDX590H	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; SHAFT VIBRATION, STAINLESS STEEL, MECHANICAL
BFA489G	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; ALPHALINE, NUCLEAR, GAGE, 0-125 TO 0-750 IN
AXY732B	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, ABSOLUTE, 10-50 MADC, 0-50-0-300 PSI, WITH FIXED DAMPING, 316 STAINLESS, PANEL MOUNT BRACKET,
CFG083X	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, DIFFERENTIAL, 85 VDC, 10-50 MADC, 0-30 IN H2O, 2000 PSI, 1/4 IN NPT, ***
BMD429E	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; ALPHALINE GAGE, 0-50 TO 0-300 PSIG, 10-50 MA
BAD011D	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, GAGE, 10-50 MADC, 0-300 PSI, 316 SS, , 85 VDC MAX, MAX WP 300 PSI, MOUNTING BRACKET FOR PANEL MTG,
CAQ300V	2	TRANSMITTER	TRANSMITTER, TEMPERATURE, QA 0, TRANSMITTER, TEMPERATURE; INPUT, 100 OHM PT. RTD, INTEGRAL ANALOG
BBD209V	1	TRANSMITTER	TRANSMITTER, TEMPERATURE, QA 0, 25-100 DEG F, 2 WIRE, TRANSMITTER, TEMPERATURE; TWO WIRE, CODE HAF, ZERO RANGE50 TO 100 DEG
BRK132E	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; DIFFERENTIAL ***
AYA236Q	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER, ; EXPANSION, FOR VARIOUS VIBRATION RECORDERS, ON TURBINE
BWF207C	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL,STAINLESS STEEL CASE,WEATHERPROOF
BHC018Q	3	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, 2000 PSIG, 0 TO 300 IN WATER
AHW027C	3	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, 400 PSIG, 35 PSIG, -20-150 DEG F, TRANSMITTER, PRESSURE; 002.000 IN,TYPE 115,ANSI 150, MAX HEAD PRESSURE
BED074V	3	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 0-30 PSID, 10-50 MADC, 85 VDC, TRANSMITTER, PRESSURE; 0 TO 30 PSID, OUTPUT 10 TO 50 MADC, SUPPLY
AYH955K	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL, 4-20 MA, 0-100 PSID, 2000 PSI, MAX WATER PRESSURE, 45 VDC MAX SUPPLY, FOR STEAM FLOW TRANSMITTERS
BRC735K	1	TRANSMITTER	TRANSMITTER, FLOW, QA 3, TRANSMITTER, RATE OF FLOW; FLOW TRANSMITTER, INPUT 0-5 IN H2O, OUTPUT
BYA752Y	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, DIFFERENTIAL, 45 VDC MAX, 4-20 MA, 0/100 PSID, 2000 PSI, TRANSMITTER, PRESSURE; DIFFERENTIAL, MAX WP 2000 PSI,
BVM848B	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, DIFFERENTIAL, 45 VDC MAX, 4-20 MA, 0-100 PSI, 2000 PSI, TRANSMITTER, PRESSURE; DIFFERENTIAL, 0 TO 100 PSI, 4 TO
CJR198L	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, POSITION, REXA, START UP VALVE CONTROL
BAN476T	3	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 75 TO 500 PSI SPAN LIMIT, 0 TO300 PSIG INPUT
AXV808L	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; ELECTRONIC DIFFERENTIAL, MODEL117-B1-A1-A
BJC158B	1	TRANSMITTER	TRANSMITTER, RADIO, QA 0, TRANSMITTER, RADIO; 10 TO 16 VDC TRANSMISSION RATE 600 BAUD ***
BAM783N	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; DIFFERENTIAL, RANGE 0 TO 193 IN H2O, 665 DEG F
BRC404C	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; DIFFERENTIAL, 316 SS, PANEL MOUNTING, 1/2'
CGT404L	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, VIBRATION, 2 WIRE, 5 METER CABLE, RANGE 0-4 MILS PP, FOR IR STATION AIR COMPRESSORS
CEL621N	1	TRANSMITTER	TRANSMITTER, FLOW, QA 0, CURRENT, 0-25 IN H2O, 4-20 MA, PRIMARY AIR DELTA PRESSURE

BMF681R	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 85 VDC, 10-50 MADC, 0-30 IN H2O, 2000 PSI, 1/4 IN NPT, TRANSMITTER, PRESSURE; DIFFERENTIAL, 85 VD
CBD983A	2	TRANSMITTER	TRANSMITTER, FLOW, QA 3, 4-20 MA, 0-5.2731 MLBHR, 0-125.7 PSID, , MAIN STEAMLINE A,B,C D
BYM785N	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL/ELECTRONIC, 24 VDC, 4-20 MADC, 0-200 IN H2O, SMART ELECTRONIC DIFFERENTIAL, MODEL 3051C,
AXY731D	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, GAGE, 85 VDC, 10-50 MA, 0-150 IN H2O, 316 SST, PANEL MOUNT BRACKET, FLANGE ADAPTER, SPECIAL CLEANING
BLC610J	6	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; ALPHALINE NUCLEAR, DIFFERENTIAL, MWP 2000 PSIG
BBP469C	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; FOR RECORDER, PNEUMATIC, CONSOTROL, 53 AND 54
BVA291V	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, PRESSURE RANGE 0-20 TO 0-100
BXC908N	1	TRANSMITTER	TRANSMITTER, FLOW, QA 3, TRANSMITTER, CURRENT; MILLIVOLT, 120 VAC, ADJUSTABLE SPAN AND ZERO
BYM782W	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, ELECTRONIC, 24 VDC, 4-20 MADC, 0-70 PSID, SMART ELECTRONIC DIFFERENTIAL, MODEL 3051C,
BRX501N	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; OUTPUT SIGNAL 10 TO 50 MA DC. ***
BRX513E	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MADC. ***
CEJ803V	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, ELECTRONIC, 4-20 MA, *** RANGES ADJUSTABLE FROM 0-3.5 TO 0-42 MPA (0-500 TO 0-6000 PSI)
CET838X	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE *** TRANSMITTER, DIFFERENTIAL PRESSURE, DIGITAL
BYJ654M	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER, FREQUENCY; VIBRATION, FOR 1CV SERVICE AIR COMPRESSOR ***
BGE407K	1	TRANSMITTER	TRANSMITTER, TEMPERATURE, QA 3, TRANSMITTER, NON-ISOLATED SIGNAL; RTD TO CURRENT SINGLE HIGH ALARM
BRT581C	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 3, TRANSMITTER, CURRENT; ELECTRICAL INPUT SPANS BETWEEN 5 & 50
CFG636P	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, ALPHALINE/GAGE, 0.125 - 0.750 IN H2O, 10-50 MADC, TRANSMITTER, PRESSURE; TYPE: ALPHALINE/GAGE; INPUT: 0.125 TO
BQJ647P	7	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, ALPHALINE/NUCLEAR, 4-20 MA, 0-170-0-1000 PSI, 1/4 IN NPT, 0-170 TO 0-1000 PSIG, OUTPUT 4-20 MA STANDARD,
CDX406K	5	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, DIFFERENTIAL PRESS; 0-750 PSI ***
CDX416F	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, DIFFERENTIAL PRESS; MODEL E13DM, RANGE 50-100', 2-LT-004
ALW528C	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; PNEUMATIC,DIFFERENTIAL, RANGE 0 TO 300,S/N
AYR818L	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, TRANSMITTER, PRESSURE; INPUT 20 PSIG, OUTPUT 3-15 PSIG, DIFFERENTIAL
BNH268H	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; GAGE, 0-170 TO 0-1000 PSIG, 10 TO 50 MA OUTPUT
BMD897C	1	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER, FREQUENCY; MULTIPLEX SIGNAL, MODULAR 'A' FREQUENCY 2800
AXY732B	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, ABSOLUTE, 10-50 MADC, 0-50-0-300 PSI, WITH FIXED DAMPING, 316 STAINLESS, PANEL MOUNT BRACKET,
AYL805Q	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; OIL PRESSURE, FOR ENGINE ON SECURTIY DIESEL
AXX816A	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, TRANSMITTER, PRESSURE; DIFFERENTIAL, LIQUID, PNEUMATIC, SPAN LIMITS
ARA601V	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, TRANSMITTER, PRESSURE; DIFFERENTIAL, PNEUMATIC, 3 TO 15 PSIG, 0 TO 0.5
BWW959P	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 0-500 PSIG ***
ARA601V	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 2, TRANSMITTER, PRESSURE; DIFFERENTIAL, PNEUMATIC, 3 TO 15 PSIG, 0 TO 0.5
BHG454Q	7	TRANSMITTER	TRANSMITTER, TYPICAL, QA 0, TRANSMITTER-RECEIVER, ASSY; TELEPHONE, TYPE 680 AE, WITH D85-87
BMD423T	5	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 10-50 MA, 0-25-0-150 IN H2O, TRANSMITTER, PRESSURE; DIFFERENTIAL, 0-25 TO 0-150 INOF WATER, 10 TO
BRX501N	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; OUTPUT SIGNAL 10 TO 50 MA DC. ***
BRX504G	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MADC. ***
AWX836A	4	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, 85 VDC, 10-50 MADC, 0-500-0-3000 PSI, 3000 PSI, TRANSMITTER, PRESSURE; ALPHALINE, 0-500 TO 0-3000 PSIG, OUTPUT
BBD209V	3	TRANSMITTER	TRANSMITTER, TEMPERATURE, QA 0, 25-100 DEG F, 2 WIRE, TRANSMITTER, TEMPERATURE; TWO WIRE, CODE HAF, ZERO RANGE50 TO 100 DEG
BRX521F	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, 10-50 MADC, SIGNAL OUTPUT 10 TO 50 MADC. ***
BRX499D	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL, 10-50 MADC, 0-50 IN H2O, TRANSMITTER, PRESSURE; DIFFERENTIAL PRESSURE, D. P. RANGE 0 - 50'H2O,
BLC705W	5	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, PNEUMATIC, 3 TO 15 PSIG OUTPUT, 0
BLD029V	2	TRANSMITTER	TRANSMITTER, FLOW, QA 0, TRANSMITTER, ; FLOW INDICATINGF, MAPCO MODEL 8000A WITH DIRECT READING
AAW434K	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; NUCLEAR ELECTRONIC GAUGE, OUTPUT SIGNAL 10-50
BDV395E	1	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL/EXACTOR, 3-15 PSIG, 0-30 PSIG, TRANSMITTER, PRESSURE; EXACTOR, VELOCITY, DIFFERENTIAL, 3 TO 15 PSI
AWH641P	2	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; STAINLESS STEEL, TYPE 316,
CDJ907M	2	TRAP	TRAP, STEAM, QA 0, 3/4 IN, 600 PSI, SOCKETWELD, ALLOY STEEL, ASTM A182 GR F11, DESIGN TYPE: PISTON VALVE, TEMPERATURE: 975 DEG F
BYJ627Q	1	TRAP	TRAP, WATER, QA 0, TRAP, WATER; CONDENSATE, STANDARD, FOR 1CV SERVICE AIR COMPRESSOR ***
ARH252M	2	TRAP	TRAP, STEAM, QA 0, THERMOSTATIC, 1/2 IN, 250 PSI/400 DEG F, FNPT, CAST IRON, TRAP, STEAM; SIZE: 00.500000 (1/2), MATERIAL: CAST IRON, END T
BNB880D	2	TRAP	TRAP, TYPICAL, QA 0, TRAP, GREASE; 2 INCH INLET & OUTLET ***
AHE983E	5	TRAP	TRAP, STEAM, QA 0, TRAP, MOISTURE; EXHAUST FILTER & OIL, FOR VACUUM PUMP, MODEL 0211-V36A
AEG891V	8	TRAP	TRAP, STEAM, QA 0, 3/8 IN, 600 PSIG, CAST IRON, TRAP, STEAM; SIZE: 00.375000 (3/8), MATERIAL: CAST IRON OPERATING
AEY551C	3	TRAP	TRAP, STEAM, QA 0, BUCKET, 3/4 IN 460C AND 461C, 150 PSIG, FNPT, CARBON STEEL, TRAP, STEAM; SIZE: 00.750000 (3/4), MATERIAL: CARBON STEEL E
BYL492B	1	TRAP	TRAP, WATER, QA 0, TRAP, WATER; CARBON STEEL,CONDENSATE, SIZE: 1 INCH, MODEL 71-AC
AGG488L	4	TRAP	TRAP, WATER, QA 0, 1-1/2 IN, BRASS, SOCKETWELD, TRAP, DRAIN,PLUMBING; P-TRAP, BRASS, STANDARD MILL FINISH, FIRST/IDENT
AEG472G	8	TRAP	TRAP, STEAM, QA 0, IMPULSE, 1 IN, 1500 PSI, SOCKETWELD, CHROME MOLY STEEL, FORGED, ASME SA-182 F11, END TYPE:R010, W/STAINLESS STEEL PISTON
BLA511K	5	TRAP	TRAP, TYPICAL, QA 0, TRAP, ; OIL, SIZE 7 ***
BKR520N	4	TRAP	TRAP, AIR, QA 3, TRAP, MOISTURE; 0.50 IN, 250 PSI @ 450 DEG F, 5.11 IN WIDE X 6.0 IN
CDK651Q	2	TRAP	TRAP, STEAM, QA 3, TRAP, STEAM; SIZE: 01.000000 (1), MATERIAL: CARBON STEEL, END TYPE:
BPN177L	1	TRAP	TRAP, STEAM, QA 2, TRAP, STEAM; CONDENSATE, ARMSTRONG MACHINE WORKS MODEL 212, REF NO
BRD688W	1	TRAY	TRAY, TYPICAL, QA 0, TRAY, STORAGE; PAPER ROLL ***
CBH543J	1	TRIM	TRIM, VALVE, QA 3, DISK ASSY, VALVE; WITH STEM, DISC NUT, & LOCKING RING, FOR 0.75'

BXT421A	40	TRIM	TRIM, LOCKSET, QA 3, TRIM, DOOR LOCKSET; FULL WORKING, NO CYLINDER, PLAIN KNOB ONLY ***
CAJ266K	10	TRIM	TRIM, LOCKSET, QA 3, TRIM, DOOR LOCKSET; HEAVY DUTY, US26D, WITH # 32 KNOB SPINDLES 4-5/8 IN
ATT968L	2	TRIM	TRIM, VALVE, QA 0, CONSISTING OF STEM 7254A03A, DISK 0734A05A, DISK NUT 0754A04D AND
AWG870Q	1	TRIM	TRIM, VALVE, QA 0, DISK ASSY, ; STEEL, C/O 1 EACH DISK REF 2, 1 EACH STEM REF 3, 2 EACH
AWT692P	4	TRIM	TRIM, VALVE, QA 0, GLOBE, 1/2 IN, 4000 PSI, 152A, DISC, STEM, SEAT, DISK ASSY, VALVE; STEEL, C/W STEM, FOR 000.500 IN GLOBE VALVE, FIG
BVR687L	8	TRIM	TRIM, VALVE, QA 0, GLOBE, 1/2 IN, STEM, DISC, STEM ASSY, VALVE; COMPLETE WITH DISC, S. STEEL, FOR 1/2' 600 LB. MOD
AWT694K	4	TRIM	TRIM, VALVE, QA 0, GLOBE, 3/4 IN, 4000 PSI, 152A, DISC, STEM, DISK ASSY, VALVE; STEEL, C/W STEM, FOR 000.750 IN GLOBE VALVE, FIG
AXJ155M	1	TRIM	TRIM, VALVE, QA 0, STEM ASSY, ; STEEL, C/O PIN 110142, REF 5, DISK 110093, REF 3, STEM
ATR201Q	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; COMPLETE WITH DISK, FOR 1.500 IN GLOBE VALVE, MODEL
ATR321D	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; CONSISTS OF PLUG 6175947-EF, STEM 6146484-EF, PIN
ATB100J	4	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; M-FORM, C/O PIN, PLUG, AND STEM, FOR CONTROL, 000.500-002.000
AVA330Y	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, TYPE 316, WITH PIN 4322735072 AND PLUG
AXX377A	2	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL, WITH PLUG, FOR MICROPAC GLOBE VALVE
AVD936Y	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL CONSISTING OF STEM, DISK, LOCKNUT DISK, FOR 1.250 IN Y
AVF342J	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL, W/PLUG, REF 7, FOR CAMFLEX CONTROL VALVE, 2 IN
AVD929V	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL, CONSISTING OF DISK AND STEM, FOR 0.500 IN Y PATTERN
AVD930N	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; STEEL, CONSISTING OF STEM, DISK, LOCKNUT DISK, FOR 1.500 IN Y
AWH394E	1	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; ALLOY STEEL, ASME SA 351 GR CF8M, C/O DISK
BXP443F	1	TRIM	TRIM, VALVE, QA 1, CLASS 2, STEM ASSY, VALVE; STEEL, W/DISK, REF 3, 4, AND 5, FOR GLOBE VALVE
BYA256B	10	TRIM	TRIM, VALVE, QA 1, CLASS 3, STEM ASSY, VALVE; CHECK VALVE, EXCESS FLOW DIESEL AIR SYSTEM DISC TO
AWE172G	4	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL, DWG REF 2, C/O DISK DWG REF 4, STEM DWG
AXQ226R	1	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL, TYPE 316, 001.000 IN, 001.312 IN
AXJ220G	1	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STEEL, C/O TWO PINS, ASME SA564 GR 630, REF 5, ONE STEM
BNN995P	5	TRIM	TRIM, VALVE, QA 1, STEM ASSY, VALVE; CONSISTING OF STEM, DISC, DISCGUIDE, DISC STEM HEAD
BCQ785N	2	TRIM	TRIM, VALVE, QA 3, STEM ASSY, ; STEEL, W/DISK, REF 3, 4, AND 5 FOR GLOBE VALVE, 1 IN
BVL307L	2	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; WITH BACKSEAT, AND FLOW GUIDE, STAINLESS STEEL, REF
AYT918B	1	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STEEL, REF 49, C/O STEM, 10A9265X602, PLUG, 24A114X012
ABJ257W	1	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; C/O COMPRESSOR, CAST IRON, P/N 001407, SPIRAL PIN
BEQ123R	1	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; C/O PLUG, REF 16, SLEEVE, REF 13, AND STEM S/A, REF
CFF415D	2	TRIM	TRIM, VALVE, QA 0, TRIM, VALVE *** BADGER METER, VALVE TRIM ASSEMBLIES (P/N 542328-0003)
CDC005L	2	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; 420 SST, FOR 8 IN COPES-VULCAN MODEL D-100-160,900
AWP537K	3	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; DWG 2601-376, CONSISTING OF DISC, P/N 2108-301, REF
BAA882D	1	TRIM	TRIM, VALVE, QA 1, CLASS 3, DISK ASSY, VALVE; WITH STEM, STEEL, FOR GLOBE VALVE, 1 IN, SOCKETWELD
BRQ804X	2	TRIM	TRIM, VALVE, QA 1, CLASS 1, STEM ASSY, VALVE; STEM/WEDGE ASSY, SOLID STELLITE AMS5387, FOR 1 INCH
BTH299D	3	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; COMPLETE WITH DISC, DB1402, DISC SEAT RING D25878
BVL307L	2	TRIM	TRIM, VALVE, QA 3, STEM ASSY, VALVE; WITH BACKSEAT, AND FLOW GUIDE, STAINLESS STEEL, REF
AEH383A	1	TRIM	TRIM, VALVE, QA 0, 8 IN, 300 PSI, 1400R, DISC, STEM, DISK ASSY, VALVE; VALVE, W/ STEM, FOR KILYANDMLR VALVE, TYPE 1400R
BBG789X	1	TRIM	TRIM, VALVE, QA 0, CHECK, 1-1/2 IN, 1500 PSI, DISC, STEM, DISK ASSY, VALVE; W/STEM, FOR STOP-CHECK VALVE, 1.5 IN, SOCKETWELD
BBG790Q	1	TRIM	TRIM, VALVE, QA 0, CHECK, 1-1/2 IN, 2500 PSI, DISC, STEM, DISK ASSY, VALVE; W/STEM, FOR STOP-CHECK VALVE, 1.5 IN, SOCKETWELD
ACJ921F	1	TRIM	TRIM, VALVE, QA 0, STEM, VALVE; C/O CAGE 7112585A1, STEM AND DISK 7130187A1, FOR BAILEY
BLF874L	1	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; 2 IN, ISOT 6S CV=13 1-7/8 DIA 470/80, FOR CONTROL
AYY839J	2	TRIM	TRIM, VALVE, QA 0, STEM ASSY, VALVE; STEEL, W/PLUG, FOR GLOBE VALVE 2 IN, 1500 PSIG
ATH828K	1	TRIM	TRIM, VALVE, QA 0, DISC, SEAT, POPPET, VALVE ASSY, VACUUM PUMP; DISK, POPPET AND SEAT, FOR MODEL KS-27 VACUUM
AQN354R	2	TRIM	TRIM, VALVE, QA 0, 2 IN, 6624, DISC, STEM, DISK ASSY, VALVE; STEM, FOR EDWARDS 2 IN, NO 6624 MP MOTOR OPERATED
BDL401K	2	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; PARABOLIC TRIM, C/O CAGE, STEM AND PLUG, P/N 280155
BEK481Q	1	TRIM	TRIM, VALVE, QA 0, 4 IN, 285 PSI, DISC, STEM, PIN, STEM ASSY, VALVE; W/DISK AND PIN, DWG 2601-325XXX-304, FOR VALVE 4 IN
ATD170H	2	TRIM	TRIM, VALVE, QA 0, VALVE/DISC, (1) COTTER PIN, NUT, DISK ASSY, VALVE; CONSISTING OF 1 EA DISC, ITEM 28, PN 73E0136V0010
ACJ574A	1	TRIM	TRIM, VALVE, QA 1, DISK ASSY, ; VALVE, C/W STEM 103700, DISK 103701 & GUIDE 103699, FOR
AFJ537X	2	TRIM	TRIM, VALVE, QA 0, STOP, 10 IN X 8 IN X 10 IN, PLUG, STEM, STEM, VALVE; C/O STEM REF 10 AND PLUG REF 2 FOR STOP VALVE, CAT
BRQ804X	1	TRIM	TRIM, VALVE, QA 1, CLASS 1, STEM ASSY, VALVE; STEM/WEDGE ASSY, SOLID STELLITE AMS5387, FOR 1 INCH
BAY465N	1	TRIM	TRIM, VALVE, QA 1, CLASS 3, STEM ASSY, VALVE; STAINLESS STEEL TYPE 316, C/O ONE EACH STEM, P/N
BEB843R	8	TRIM	TRIM, VALVE, QA 1, CORE, VALVE; MOVEABLE, STAINLESS STEEL, FOR SOLENOID VALVE MODEL
BEB843R	1	TRIM	TRIM, VALVE, QA 1, CORE, VALVE; MOVEABLE, STAINLESS STEEL, FOR SOLENOID VALVE MODEL
AWE172G	4	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL, DWG REF 2, C/O DISK DWG REF 4, STEM DWG
BAY984X	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; STAINLESS STEEL TYPE 316, C/O ONE EACH STEM, P/N
BAX839C	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; W/PLUG, STAINLESS STEEL TYPE 316, C/O DISK, P/N
ARM362R	1	TRIM	TRIM, VALVE, QA 0, 2 IN, PLUG, STEM, STEM, VALVE; PLUG, 000.500 X 012.250 IN, FOR SIZE 40 ACTUATOR, 002.000
ABJ456N	1	TRIM	TRIM, VALVE, QA 2, STEM, VALVE; C/W SPINDLE, STOP COLLAR, SPINDLE NUT, FOR DIAPHRAGM
BDX940G	1	TRIM	TRIM, VALVE, QA 0, STEM ASSY, VALVE; W/DISK, FOR GLOBE VALVE, 10 IN ANSI 900, CARBON STEEL

BEV000X	2	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; C/O VARI-SEAL, STEM, ROLL PIN, PLUG, SEAT RING
AWP537K	2	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; DWG 2601-376, CONSISTING OF DISC, P/N 2108-301, REF
BND697E	4	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, AND PIN, FOR BUTTERFLY VALVE, 8 IN
BKR194X	3	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, PIN, PC NO 6, 8, 10 PER REF. DWG
AWE166B	3	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; STEEL, C/O DISK DWG REF 2, DISC NUT DWG REF 3 & STEM
BHB292J	4	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; C/O ONE EACH STEM, STAINLESS STEEL ASTM A276 TY 316, P/N
AYP049B	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, VALVE; STAINLESS STEEL, W/DISK, FOR GLOBE VALVE, 0.5 IN
BPH392A	2	TRIM	TRIM, VALVE, QA 1, STEM ASSY, VALVE; WITH WEDGE, FOR 2 IN GATE VALVE, T-TYPE, MANUAL
ATL350B	2	TRIM	TRIM, VALVE, QA 1, STEM, VALVE; 8.500 IN LG, 0.375 IN DIA, COMPLETE WITH BALL, STAINLESS
AGJ180J	1	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; STEM, FLUID VALVE, STAINLESS STEEL A564, TYPE 630
AXD506D	2	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STAINLESS STEEL TYPE 420, C/O STEM, PLUG, AND GROOVE PIN
BDY673W	10	TRIM	TRIM, VALVE, QA 1, STEM ASSY, ; C/O STEM, DISK, P/N 7062401-0S407, DISK-NUT, AND LOCKING
BJR063A	2	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, AND PIN, FOR CONTROL VALVE ASSY, 10
BWP995D	1	TRIM	TRIM, VALVE, QA 1, CLASS 3, STEM ASSY, VALVE; C/W DISC, ITEM 11, FOR 4 IN Y TYPE GLOBE VALVE 900
BDB469X	2	TRIM	TRIM, VALVE, QA 1, TRIM ASSY, VALVE; C/O TWO EACH STAINLESS STEEL ASTM A276 TYPE 316L
AYX684T	1	TRIM	TRIM, VALVE, QA 1, DISK ASSY, ; C/O DISK ASTM A567 GR 1, AND STEM STAINLESS STEEL ASTM
AWG869X	1	TRIM	TRIM, VALVE, QA 0, DISK ASSY, ; STEEL, C/O 1 EACH DISK REF 2, 1 EACH STEM REF 3, 2 EACH
BNQ309T	2	TRIP	TRIP, MECHANICAL, QA 1, BISTABLE, , FOR EX-CORE NEUTRON FLUX MONITORING INSTRUMENTATION
BNQ310L	1	TRIP	TRIP, MECHANICAL, QA 1, BISTABLE, , FOR EX-CORE NEUTRON FLUX MONITORING INSTRUMENTATION
BHP210W	1	TRIP	TRIP, MECHANICAL, QA 1, OVERSPEED TRIP, ; MECHANICAL, C/O HYDRAULIC CYLINDER WITH PISTON
BLT882W	2	TRIP	TRIP, MECHANICAL, QA 1, TRIP ASSY, ; SHUNT, FOR ITE 480 VOLT BREAKER, TYPE K-1600S, MODEL 01
BBF667H	1	TRIP	TRIP, MECHANICAL, QA 0, TRIP ASSY, ; OVERSPEED, C/O HOUSING ASSEMBLY & OVERSPEED TRIP
BYW974F	3	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, ** MASTER TRIP UNIT, SCALE 0 TO +60 INCHES
CDG763W	1	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, 0-1000 PSIG, *** MASTER TRIP UNIT.
CDG763W	1	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, 0-1000 PSIG, *** MASTER TRIP UNIT.
BPF995M	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 400 AMPS AC, 1A, 2B, 1X, *** SHORT TIME DELAY 3.5X
CGH063Q	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 3, OVERCURRENT, 400 AMPS AC, 1B, 2B, 1X, 3X, 600 AMP, EC-1, SHORT TIME DELAY BAND: 2B(2X - 5X)
BPF995M	5	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 400 AMPS AC, 1A, 2B, 1X, *** SHORT TIME DELAY 3.5X
BVT478Q	1	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, 0-150 PSID, *** MASTER TRIP UNIT
CER363Q	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, OVERCURRENT, 400 AMPS AC, 1B, 2B, 1X, 5X, 600 AMP, *** EC-1
CBF674D	3	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, OVERCURRENT, 125 AMPS AC, 1C, 4X, 4X, TRIP DEVICE, CIRCUIT BREAKER; SERIES OVERCURRENT, MAGNETIC, TYPE
BAN032N	6	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, TRIP DEVICE, CIRCUIT BREAKER; SHUNT, INTERNALLY MOUNTED, FOR VERSATRIP
ACM694G	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, TRIP DEVICE, CIRCUIT BREAKER; 200 AMPS, THERMAL MAGNETIC OVERCURRENT
ACM594L	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, TRIP DEVICE, CIRCUIT BREAKER; THERMAL MAGNETIC OVERCURRENT, WITH COIL
ACM694G	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, TRIP DEVICE, CIRCUIT BREAKER; 200 AMPS, THERMAL MAGNETIC OVERCURRENT
BVT478Q	1	TRIP DEVICE	TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, 0-150 PSID, *** MASTER TRIP UNIT
CEL047K	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, OVERCURRENT, 1600 AMPS DC, 1B, 2C, 1X, 5X, *** EC-1
CJM732F	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 3, OVERCURRENT, 200 AMPS AC, 1A, 2B, 1X, 9X, EC-1, SHORT TIME DELAY BAND (4X - 10X) 9X
CBF671K	2	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 0, OVERCURRENT, 250 AMPS AC, 1A, 2C, TRIP DEVICE, CIRCUIT BREAKER; SERIES OVERCURRENT, MAGNETIC, TYPE EC-1
CED699L	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 250 AMPS AC, 250 AMP, TRIP DEVICE, CIRCUIT BREAKER; EC-2A, 250 AMP AC, LT DELAY
CEE429D	8	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, TRIP DEVICE, CIRCUIT BREAKER; TYPE: CIRCUIT BREAKER; AMPS: 150 AMPS
BPL980L	1	TRIP DEVICE	TRIP DEVICE, CIRCUIT BREAKER, QA 1, TRIP DEVICE, CIRCUIT BREAKER; SHUNT, WITH COIL, RANGE 140 TO 280 VDC
BJE290C	1	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; SHUNT, PANEL TYPE, F/TRAIN A, FOR RX TRIP
BAM502T	2	TRIPPER	TRIPPER, MECHANICAL, QA 0, TRIPPER, CIRCUIT BREAKER; VERSATRIP, SOLID STATE MODEL 2, WITH
AYK805X	3	TRIPPER	TRIPPER, MECHANICAL, QA 0, TRIPPER, CIRCUIT BREAKER; 125 AMPS, THERMAL MAGNETIC OVERCURRENT LESS
BPT555R	2	TRIPPER	TRIPPER, MECHANICAL, QA 3, VALVE CLUTCH, , REF 32, FOR SMB-0 ACTUATOR
BGL664Y	12	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, ACTUATOR; LEVER, REF 15, FOR VALVE ACTUATOR, TYPE SMB-000
ATN395Y	2	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, ACTUATOR; CAM, FOR OPERATOR, SIZE SMB-000, DWG 01-403-0033-4; AND
BJA768R	10	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; OVERCURRENT, MANUAL RESET, 4 CONTACT RATING
BVB425V	1	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; OVERCURRENT, 400A, 60HZ, TYPE EC-2A, LONG
BJE290C	1	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; SHUNT, PANEL TYPE, F/TRAIN A, FOR RX TRIP
BJE289H	2	TRIPPER	TRIPPER, MECHANICAL, QA 1, TRIPPER, CIRCUIT BREAKER; SHUNT, PANEL TYPE, F/TRAIN B, FOR RX TRIP
BPT544Y	1	TRUNNION	TRUNNION, TYPICAL, QA 1, TRUNNION, ; 2.00 IN NOMINAL DIA/LENGTH, ASME SA479-304, CROSS SECTION
CFV251K	64	TRUNNION	TRUNNION, TYPICAL, QA 0, OPGW, 800MM2/0.587 IN
CEL354K	1	TUBE	TUBE, BOILER, QA 0, WATERWALL PANEL MTL, TUBE MATERIAL FOR THE CONVECTION PASS FLOOR AND REAR SCREEN TUBES
BXK021M	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, WHITE, ASM, DWG 305A6790 ITEM NO. 11 ***
AXC282D	1	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, ; STAINLESS STEEL, 0-100 PSIG, FOR PRESSURE CONTROLLER
BJE180K	1	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; CATHODE RAY TYPE, OPERATING ECO:138, FOR VIDEO HARD
BGA275X	7	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; GEIGER-MEULLER, PLUG-IN TYPE, THREE PIN MALE

ARK643V	20	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; GEIGHER ***
AVE680E	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; GM,SMALL END,MICA WINDOW 0.250IN,700V ***
AWB372P	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; VIDICON SIT-LOW BLOOM ASSY FORRCA CLOSED CIRCUIT TV
BCR328E	4	TUBE	TUBE, METERING, QA 0, METERING TUBE, ; 0 TO 100 PERCENT OF FLOW, 0 TO 30 GPM WATER, FOR
BFF044L	3	TUBE	TUBE, METERING, QA 0, METERING TUBE, ; BOROSILLICATE GLASS, WITH BUNA O-RINGS, FOR METER
AHW413G	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METER, DENSITY 1.0, 14.7 PSI, 70 DEG F, FOR SAFE GUARD
AKW662E	1	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERNG, GLASS, 1 IN CONNECTION, REF A39, FOR METER
AVC273T	1	TUBE	TUBE, METERING, QA 0, VISCOMETER, GLASS, 0.800-4 IN, TUBE, VISCOMETER; GLASS, CANNON-FENSKE, SIZE 50,RANGE 000.800-4
AVY795Y	3	TUBE	TUBE, METERING, QA 3, TUBE ASSY, ; SCINTILLATOR, PM, DETECTOR ASSY, FOR RADIATION DETECTOR
BAX491T	3	TUBE	TUBE, TYPICAL, QA 0, LABORATORY, 20 MM X 150 MM, GLASS, TUBE, LABORATORY EQUIPMENT; GLASS, 20 MM X 150 MM, 72 PER PACKAGE ***
AVJ327Y	3	TUBE	TUBE, TYPICAL, QA 0, TUBE METALLIC, PUMP; TOP STEEL S7,DWG ITEM 19, 29.750 IN LGTH, FOR
AYY567R	11	TUBE	TUBE, TYPICAL, QA 0, TUBE, LABORATORY GLASSWARE; GLASS, 75 DEGREE ANGLE, SIZE 24/40 ***
BVJ541M	20	TUBE	TUBE, TYPICAL, QA 1, CLASS 2, TUBE, VALVE; CAPILARY,ASSEMBLY,WITH ARMOR,P/N 0305.1001C,1/4 X 0.065
AMV355G	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, RANGE 0.200 TO 2 GPHWATER, FOR BROOKS
ADW719G	3	TUBE	TUBE, TYPICAL, QA 0, TUBING, METER; INK, REF 5, FOR REPUBLIC FLOW METER, BECKMAN, RECORDER
BHV187W	2	TUBE	TUBE, METERING, QA 3, TUBING, GLASS; METERING, METER, FLOW RATE IND, FLOAT TYPE, MODEL 1117-
ACW574N	111	TUBE	TUBE, TYPICAL, QA 0, RECORDER, 9-1/2 IN, 1/16 IN, 3/16 IN, TYGON, TUBING, NONMETALLIC; TYGON, 0.1875 OD X 0.0625 ID X9.50 IN LONG, FOR
AHW115Q	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, FOR ROTOMETER ***
BBW961E	2	TUBE	TUBE, METERING, QA 3, TUBING, GLASS; BOROSILICATE, 0 TO 10 SCALE, FOR METER, FLOW RATE IND
AHW214N	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, FOR SCHUTTE AND KOERTING ROTOMETER ***
AMX898Y	5	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 10-3/8 IN, 9/16 IN, ROUND, TUBING, GLASS; ROUND, GAUGE, INTERCOOLER WATER LEVEL, FOR NORDBERG AIR
CAD030D	1	TUBE	TUBE, TYPICAL, QA 1, TUBE, HEAT EXCHANGER; EXPANSION JOINT, STAINLESS STEEL, 1.50"ID X
BLE075F	20	TUBE	TUBE, TYPICAL, QA 0, TUBE, AIR MASK; BREATHING, REPLACEMENT, 19 IN, FOR RADCON RESPIRATORY
BRL698M	14	TUBE	TUBE, BOILER, QA 0, 2 IN, 1 IN, 0.134 IN, TUBE, BOILER,PREFORMED; TUBE MATERIAL, 2 IN. OD X 0.134 THICK X 1 FT
AMX497H	16	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 2 FT, 1/2 IN, PYREX, ROUND, TUBING, GLASS; ROUND, GAUGE, PYREX, HIGH PRESSURE, RED LINE 1/2 OD X
AHW413G	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METER, DENSITY 1.0, 14.7 PSI, 70 DEG F, FOR SAFE GUARD
ADV242F	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; PHOTO, RED, FOR SPECTROPHOTOMETER, MODEL B ***
BNB822G	3	TUBE	TUBE, TIRE, QA 0, INNER TUBE, PNEUMATIC TIRE; RUBBER, 15 IN, TEMPORARY PLUGSFOR RCS COLD
BWP944Y	20	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, RESPIRATORY EQUIP; BREATHING, 30' ***
ABG204X	15	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; SHUTTLE, FOR GE NEUTRON MONITORING SYSTEM ***
AJD940B	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; COOL-FLO, FULLY INSULATED, WITH ADAPTER ELBOW AND TEMPERATURE
ACW669B	3	TUBE	TUBE, TORQUE, QA 0, TUBE ASSY, CONTROLLER; TORQUE, INCONEL, MASONEILAN INTERNATIONAL, INC
CDE219Y	12	TUBE	TUBE, TYPICAL, QA 1, TUBE, METALLIC; OUTSIDE DIAMETER: 01.6250 IN (1 5/8), WALL THICKNESS:
ABQ366Q	2	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, ELECTRON, HIGH-MU AMPLIFIER TUBE
ANQ957W	8	TUBE	TUBE, ELECTRONIC, QA 0, GLASS, GLASS ENVELOPE
APQ188C	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; CLASS, CORONA DISCHARGE VOLTAGE REGULATOR, TYPE
ABQ167Y	10	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; DUAL TRIODE, GLASS ENVELOPE ***
ACQ266N	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; GLASS ENVELOPE ***
ANQ185Q	3	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; GLASS, PHOTOTUBE, TYPE 935, FIVE PRONG ***
ABQ763E	12	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; HIGH VACUUM FULL WAVE RECTIFIER, GLASS ENVELOPE ***
ABQ066V	21	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; MEDIUM-MU TWIN TRIODE, GLASS ENVELOPE ***
ADQ165N	7	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; NUMERICAL INDICATOR TUBE, GLASS ENVELOPE ***
ANQ656B	9	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; THYRATRON, GLASS ENVELOPE ***
AKQ883J	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; TWIN TRIODE HIGH MU AMPLIFIER, GLASS ENVELOPE ***
ABQ662L	14	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; TWIN TRIODE MEDIUM MU AMPLIFIER, GLASS ENVELOPE ***
ADQ361N	4	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; TWIN TRIODE, GLASS ENVELOPE ***
ACQ866X	32	TUBE	TUBE, ELECTRONIC, QA 0, VOLTAGE REFERENCE, GLASS ENVELOPE
AHW214N	2	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, FOR SCHUTTE AND KOERTING ROTOMETER ***
AGY388G	3	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, PRECISION BORE, CALIBRATED TO READ 0-5 CFH
AFT715N	8	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; INSL, FOR STATOR WINDING COOLER PIPE, DWG W090079
AFT116D	12	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (DE) DRIVE END, DWG W090079
AFT516W	8	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (DE) DRIVE END, DWG W090079
AFT616Q	8	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (DE) DRIVE END, DWG W090079
AFT915E	10	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (DE) DRIVE END, DWG W090079
AFT117B	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (NDE) NO DRIVE END, DWG
AFT816G	9	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (NDE) NO DRIVE END, DWG
AFT916C	5	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, STATOR WINDING (NDE) NO DRIVE END, DWG
AKF450C	1	TUBE	TUBE, TYPICAL, QA 0, SUPPLY, DWG GSP-60H79, FOR DIAMOND POWER TYPE G9B SOOTBLOWER
ABQ461Y	6	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; HIGH-MU TRIODE, METAL ENVELOPE ***

ABQ763E	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; HIGH VACUUM FULL WAVE RECTIFIER, GLASS ENVELOPE ***
ABQ562Q	2	TUBE	TUBE, ELECTRONIC, QA 0, HIGH-MU TWIN TRIODE, GLASS ENVELOPE
BQQ556V	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; MINUS 40 TO PLUS 250 DEG F ***
ACQ762A	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; TRIODE, GLASS ENVELOPE ***
ACQ468A	3	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; MINIATURE TWIN TRIODE, HI-MU, GLASS ENVELOPE ***
ADX201L	3	TUBE	TUBE, BOURDON, QA 0, 1/4 IN, PHOSPHOR BRONZE, BACK, BOURDON TUBE, GAGE; PHOSPHOR BRONZE, 000.250IN BACK CONNECTED, FOR
ACX809H	2	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, GAGE; BRONZE, SOCKET, FOR ASHCROFT 1339D DUPLEX GAGE
AKX406W	2	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, INSTRUMENT; BRONZE, FOR ROBERTSHAW ACRA GAGE, 004.500IN
AKX905A	2	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, INSTRUMENT; BRONZE, FOR ROBERTSHAW ACRA GAGE, 004.500IN
ABQ366Q	10	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, ELECTRON, HIGH-MU AMPLIFIER TUBE
APV593K	2	TUBE	TUBE, TYPICAL, QA 0, CAPILLARY, TUBE, RECORDER; CAPILLARY, FOR LEEDS AND NORTHRUP SPEEDOMAX H AND W
AMG029D	104	TUBE	TUBE, TYPICAL, QA 0, TUBE METALLIC, PUMP; STNLS STEEL, 18-8 ELC AVERAGE, B AND W CROLOY
AJC882Q	3	TUBE	TUBE, TYPICAL, QA 0, THROAT, 5 IN, TUBE, THROAT; COMBINING, 005.000 IN THROAT
AYX374A	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; GLASS, RECTIFIER, FOR X-RAY MACHINE, MODEL X, TYPE
APQ856W	12	TUBE	TUBE, ELECTRONIC, QA 0, BEAM POWER, GLASS ENVELOPE
ABQ762G	7	TUBE	TUBE, ELECTRONIC, QA 0, DIODE, DUPLEX-DIODE HIGH-MU TRIODE, METAL ENVELOPE, 6SQ7
ABQ366Q	6	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, ELECTRON, HIGH-MU AMPLIFIER TUBE
ADQ061R	3	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, TUBE, ELECTRON; MEDIUM-MU TWIN TRIODE, GLASS ENVELOPE
APQ399Y	2	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; DIGITAL DISPLAY, NUMITRON, GLASS, PLUG-IN-TYPE, 9 PINS
ABQ167Y	4	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; DUAL TRIODE, GLASS ENVELOPE ***
ABQ763E	6	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; HIGH VACUUM FULL WAVE RECTIFIER, GLASS ENVELOPE ***
BDE826G	122	TUBE	TUBE, TYPICAL, QA 0, 4 FT, 3/8 IN, 0.049 IN, ADMIRALTY BRASS, SEAMLESS, PLAIN, TUBE, METALLIC; OUTSIDE DIAMETER: 00.3750 IN (3/8) WALL THIC
BKB684L	12	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON, METAL POWER, FOR 350 W PURCPAGING X-MTR, MODEL B933JZB110B
AKF454Q	1	TUBE	TUBE, TYPICAL, QA 0, STAINLESS STEEL, SCREW, SAE 1015, WITH FLANGE, FOR DIAMOND POWER TYPE IR
BRC708P	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, IGNITER; FLAMER DETECTOR, (C7035A), FOR: U-3 IGNITERS, LOW NO2
ARF255R	3	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; DELIVERY, SAMPLE, FOR HACH CHEMICAL SILICA ANALYZER, MODEL
AJY893N	3	TUBE	TUBE, TYPICAL, QA 0, TUBING ASSY, TRANSDUCER; BRASS/COPPER, FOR TRANSDUCER
ACQ968M	3	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; ELEC
AGH096P	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, VALVE; SPACER, REF.9, FOR 003.000 IN, CAMFLEX CONTROL VALVE, MODEL
AEV376K	2	TUBE	TUBE, BOURDON, QA 0, NICKEL, NICKEL PLATE, 3 TO 15 PSI, WITH ORIFICE CAP,
ABQ762G	9	TUBE	TUBE, ELECTRONIC, QA 0, DIODE, DUPLEX-DIODE HIGH-MU TRIODE, METAL ENVELOPE, 6SQ7
ABQ060K	2	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, 6.3, 8 PIN/PLUG-IN, BEAM POWER AMPLIFIER, GLASS ENVELOPE, FILAMENT 6.3
ABQ366Q	6	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, ELECTRON, HIGH-MU AMPLIFIER TUBE
ABQ360G	12	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, POWER AMPLIFIER, 6N7GT
ADQ061R	7	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, TUBE, ELECTRON; MEDIUM-MU TWIN TRIODE, GLASS ENVELOPE
ACQ562J	5	TUBE	TUBE, ELECTRONIC, QA 0, GLASS ENVELOPE, TUBE, ELECTRON; TETRODE AMPLIFIER, GLASS ENVELOPE
ABQ562Q	8	TUBE	TUBE, ELECTRONIC, QA 0, HIGH-MU TWIN TRIODE, GLASS ENVELOPE
ABQ961A	11	TUBE	TUBE, ELECTRONIC, QA 0, METAL ENVELOPE, TUBE, ELECTRON; DETECTOR AMPLIFIER, METAL ENVELOPE
ABQ161B	3	TUBE	TUBE, ELECTRONIC, QA 0, METAL ENVELOPE, TUBE, ELECTRON; TWIN TRIODE AMPLIFIER, METAL ENVELOPE
APQ650W	10	TUBE	TUBE, ELECTRONIC, QA 0, RECTIFIER, 60 DC, PLUG-IN, FULL WAVE HIGH VACUUM RECTIFIER, GLASS ENVELOPE, EIGHT PIN
BQQ556V	4	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; MINUS 40 TO PLUS 250 DEG F ***
APW428X	2	TUBE	TUBE, TYPICAL, QA 0, TUBING ASSY, RELAY; RELAY, COPPER, FOR CONTROLLER, PNEUMATIC
AVB748A	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, ANALYZER; COMBUSTION COLLECTION, FOR MODEL SC-32 SULFUR
AVC132D	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, METAL; LANCE, FOR SULFUR ANALYZER, MODEL SC-32 ***
AEV276P	2	TUBE	TUBE, TORQUE, QA 0, TORQUE TUBE ASSY
AFT215B	6	TUBE	TUBE, TYPICAL, QA 0, INSULATING, 43 MM, 16 MM, 20 MM, TUBE, *TYPICAL; TYPE: INSULATING; ID: 16 MM; OD: 20 MM; LENGTH: 43 MM
AKV852E	10	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; FLAME DETECTOR, ULTRA VIOLET SENSING, EDISON 42262-2, FOR
APQ150H	12	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; FULL WAVE HIGH VACUUM RECTIFIER, RECEIVING, GLASS
AMF630X	12	TUBE	TUBE, TYPICAL, QA 0, BURNER, 4 FT (48 IN), 1/4 IN, CORRUGATED, ASSY, BOILER, CORRUGATED, 0.25 ID X 48 IN LG, FLEXIBLE HOSE, FOR
ALF613Q	90	TUBE	TUBE, TYPICAL, QA 0, TUBE, *TYPICAL *** FOR FINAL FILTER AT DI PLANT. SOLD IN QUANTITIES OF
ATG730M	1	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, GAGE; ALLOY STEEL SAE 4650, FOR 0 TO 3000 PSI, TYPE 1379
APX605X	1	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, GAGE; ALLOY STEEL SOCKET AND TIP, SERIES B, FOR ASHCROFT
ADX101Q	1	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, GAGE; SOCKET, TIP AND PLUG EXTENSION, SERIES A, FOR
ACX609R	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES A, FOR ASHCROFT 4-1/2 IN GAUGE,
ADX702X	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES A, FOR ASHCROFT 4-1/2 IN GAUGE,
ADX204E	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES B, FOR ASHCROFT 6 IN GAUGE,
ADX903K	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES B, FOR ASHCROFT 6 IN GAUGE,
ADX206A	2	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES D, FOR ASHCROFT 1179D GAUGE,
ADX205C	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES D, FOR ASHCROFT 6 IN GAUGE,

ADX904H	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES D, FOR ASHCROFT 6 IN GAUGE,
ADX905F	1	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES D, FOR ASHCROFT 6 IN GAUGE,
ADX801V	2	TUBE	TUBE, BOURDON, QA 0, SOCKET, TIP AND PLUG EXTENSION SERIES A, FOR ASHCROFT 4-1/2 IN GAUGE,
AHX509Y	3	TUBE	TUBE, METERING, QA 0, THERMOCOUPLE, 16-3/8 IN, 0.222 IN, SS, SPECIAL PROTECTIVE SHIELD, WITH 3/8 IN OD THRUST WASHER, 1/1/2 IN FROM
AFD098E	2	TUBE	TUBE, TYPICAL, QA 0, TUBE METALLIC, PUMP; ENCLOSING, PUMP END, 304 STAINLESS STEEL, REF 10
ADX703V	3	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, GAGE; SOCKET AND TIP, FOR 004.500IN BACK CONNECTION
ADX805K	2	TUBE	TUBE, BOURDON, QA 0, BOURDON TUBE, GAGE; SYSTEM ASSEMBLY, FOR 004.500 IN BACK
ADX702X	7	TUBE	TUBE, BOURDON, QA 0, SOCKET, SOCKET, TIP AND PLUG EXTENSION SERIES A, FOR ASHCROFT 4-1/2 IN GAUGE,
ADQ268C	6	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; BEAM PENTODE, GLASS ENVELOPE ***
AMT912F	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; FILTER, MAIN, SEQ 9915, 35 PCS PER SET, FOR GE LP
CDR481Q	205	TUBE	TUBE, BOILER, QA 1, TUBE, HEAT EXCHANGER; INHIBITED ADMIRALTY BRASS TUBES, 3/8' (0.375)
CDL197F	56	TUBE	TUBE, TYPICAL, QA 1, TUBE, METALLIC; OUTSIDE DIAMETER: 01.1250 IN (1 1/8), WALL THICKNESS:
AJV962D	10	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; G-M, AMPEREX 90NB LND INC MODEL 721, FOR EBERLINE
APQ254R	1	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; HIGH-MU TRIODE, SHARP CUTOFF PENTODE, GLASS ENVELOPE
BRF336J	20	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, LABORATORY EQUIPMENT; MINSTAC SAMPLE TUBING ASSEMBLY
BRF271L	4	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, LABORATORY EQUIPMENT; QUARTZ (GLASS), FOR: PLASMA-400 ***
AWR666X	1	TUBE	TUBE, ELECTRONIC, QA 3, ELECTRON TUBE, ; GLASS ***
BLM711J	66	TUBE	TUBE, TYPICAL, QA 0, TUBE, LABORATORY EQUIPMENT; VENT, TEFLON, FOR DIGESTION VESSEL, 120
AXQ784N	11	TUBE	TUBE, TYPICAL, QA 3, TUBE, CRANE; STEEL, PRESSURE SPRING, FOR SUPPORT PLATE ASSY, PN
BRL706J	2	TUBE	TUBE, BOILER, QA 0, 2 IN, 2 FT, 0.134 IN, TUBE, BOILER,PREFORMED; TUBE MATERIAL 2 IN. OD X 0.134 THK X 2 FT.
BRL743B	6	TUBE	TUBE, BOILER, QA 0, 2 IN, 4 FT, 0.134 IN, TUBE, BOILER,PREFORMED; TUBE MATERIAL, 2 IN.OD. X 0.134 THICK X 4
ABV731C	40	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 50 ML, POLYPROPYLENE, TUBE, CENTRIFUGE; CENTRIFUGE, CONICAL, POLYPROPYLENE, 050.000 ML 50 ML
AEJ424H	4	TUBE	TUBE, TYPICAL, QA 0, TUBE, VALVE; FOR HYDROLINE MFG CO OPERATOR, DWG 808-174-3B-C, ON
AEJ524D	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, VALVE; FOR HYDROLINE MFG CO, OPERATOR, DWG 808-174-3B-C, ON
AAV999P	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; READOUT, SOCKET MOUNT, GLASS ***
AAV978F	47	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ; 0.1875 IN OD, FOR CURRENT TO AIR TRANSDUCER, MODEL 69TA-1
BVP742H	6	TUBE	TUBE, ELECTRONIC, QA 3, TUBE, ELECTRON; VACUUM ***
AAV731J	11	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 40 ML, CONICAL, PLAIN, TUBE, CENTRIFUGE; CENTRIFUGE, 040.000 ML, SHORT CONICAL BOTTOM
AAV831E	12	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 40 ML, PYREX, CONICAL, TUBE, CENTRIFUGE; CENTRIFUGE, SHORT CONICAL BOTTOM, HEAVY DUTY, PYREX
AHW333E	2	TUBE	TUBE, TYPICAL, QA 0, RECORDER, 18 IN, 1/8 IN, PLASTIC, TUBING, RECORDER; PLASTIC, 0.125 OD X 18 IN LG, FOR FISCHPORT
CBF741Q	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; COMPLETE WITH PISTON, FOR MAGNE-BLAST CIRCUIT
CBF738D	6	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; FIG 10, REF 10, COMPLETE WITH PISTON, FOR
BXK021M	11	TUBE	TUBE, TYPICAL, QA 0, TUBE, GENERATOR; TEFLON, WHITE, ASM, DWG 305A6790 ITEM NO. 11 ***
CDP670B	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, ROTOMETER; SAMPLING, ANALYZER; ROTOMETER TUBE 0-60 CC/MIN ***
CEG211Y	1	TUBE	TUBE, TYPICAL, QA 1, , SHOCK ARRESTOR; CYLINDER TUBE, MAIN, ITEM #7 FROM ANCHOR/DARLING
AAV978F	3	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ; 0.1875 IN OD, FOR CURRENT TO AIR TRANSDUCER, MODEL 69TA-1
BXP766N	4	TUBE	TUBE, ELECTRONIC, QA 3, TUBE, RADIATION MONITOR; PHOTOMULTIPLIER, BASE, TEN PIN PLUG-IN, FOR
BHT840B	4	TUBE	TUBE, TYPICAL, QA 3, TUBE, FIRE EXTINGUISHER; PLASTIC, DISCHARGE, REF 14, FOR ANSUL FIRE
ADQ398Y	6	TUBE	TUBE, ELECTRONIC, QA 2, ELECTRON TUBE, ; MULTIPLIER PHOTOTUBE, GLASS ENVELOPE, ***
AEV176V	1	TUBE	TUBE, TORQUE, QA 0, TUBE ASSY, CONTROLLER; TORQUE ASSY ***
BJH503V	199	TUBE	TUBE, TYPICAL, QA 0, TUBE, SAMPLING,ANALYZER; AUTOSAMPLER, 40 CC/40 ML, FOR TOTAL ORGANIC
BGE469V	1	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; 12 IN, GREEN, PICTURE, FOR MONITOR VIDEO DISPLAY
AQB677R	3	TUBE	TUBE, TYPICAL, QA 2, TUBE, ; PLASTIC, 025.500 INCH LONG, FOR RED INK ON MODEL 6400 RECORDER
AFT529K	2	TUBE	TUBE, TYPICAL, QA 0, INSULATING, 1-15/32 IN, 5/8 IN, 27/32 IN, MICARTA, FOR GLAND SEAL AND BEARING ASSY, ON WESTINGHOUSE GENERATOR,
BWM331B	7	TUBE	TUBE, TYPICAL, QA 3, TUBE, SAMPLING; TUBE, SAMPLING, READING, FOR WET STATIONARY BATTERY
ANW621A	2	TUBE	TUBE, ELECTRONIC, QA 2, TUBE ASSY, ; FOR FOXBORO ELECTRONIC TRANSMITTER, MODELS E11GH-HINM2
BAX735Q	2	TUBE	TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; VIDEO, CATHODE RAY, FOR CRT SCOREBOARD, ON
BCW331A	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, METAL; COPPER, CAPILLARY AND SUCTION LINE WITH DRIER, FOR
ATX692L	6	TUBE	TUBE, BOURDON, QA 2, BOURDON TUBE, ; BRONZE,TYPE 2500 AND 2500T, 6-30 PSIG,FOR PNEUMATIC
AYM840V	5	TUBE	TUBE, TYPICAL, QA 2, TUBE, ; DETECTOR, GEIGER-MUELLER, RADIATION, FOR GENERAL ATOMIC
BHG371W	1	TUBE	TUBE, TYPICAL, QA 3, TUBE ASSY, METAL; FUEL SUCTION, FOR DIESEL ENGINE, MODEL NT-855-F2 ***
ABQ266W	4	TUBE	TUBE, ELECTRONIC, QA 1, TUBE, ELECTRON; TWIN TRIODE, GLASS ENVELOPE ***
AWB372P	1	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; VIDICON SIT-LOW BLOOM ASSY FORRCA CLOSED CIRCUIT TV
AEJ524D	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, VALVE; FOR HYDROLINE MFG CO, OPERATOR, DWG 808-174-3B-C, ON
ANX895Y	1	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 4 FT (48 IN), 3/4 IN, PYREX, HIGH PRESSURE, RED LINE
BEK690T	33	TUBE	TUBE, TYPICAL, QA 0, TUBE, DRY; DRY, FOR CONTROL ROD DRIVE ***
BEK690T	3	TUBE	TUBE, TYPICAL, QA 0, TUBE, DRY; DRY, FOR CONTROL ROD DRIVE ***
BPX065J	2	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, CIRCUIT BREAKER; INSULATING, FOR POWER CIRCUIT BREAKER
BWR333J	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; CONTACT, FOR CIRCUIT BREAKER, TYPE DR36SC1750D

BRE905B	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, CIRCUIT BREAKER; WITH FITTINGS, FOR POWER CIRCUIT BREAKER, TYPE
AGV632F	24	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 5 ML, PYREX, TUBE, CENTRIFUGE; PYREX, CENTRIFUGE, 005.000 ML CORNING STYLE 8280 50
AGV738Y	19	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 50 ML, CONICAL, TUBE, CENTRIFUGE; CENTRIFUGE, CONICAL, SHORT, 50 ML ***
BBT072F	2	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 50 ML, GLASS, TUBE, CENTRIFUGE; GRADUATED, GLASS, DRY MILK GRADING, 50 ML, KIMAX, 12
ABV731C	12	TUBE	TUBE, TYPICAL, QA 0, CENTRIFUGE, 50 ML, POLYPROPYLENE, TUBE, CENTRIFUGE; CENTRIFUGE, CONICAL, POLYPROPYLENE, 050.000 ML 50 ML
ADV137C	1	TUBE	TUBE, TYPICAL, QA 0, TUBE, LABORATORY EQUIPMENT; COLOR VIEWING, PH, SHORT, FOR CHLORINE
AFT529K	4	TUBE	TUBE, TYPICAL, QA 0, INSULATING, 1-15/32 IN, 5/8 IN, 27/32 IN, MICARTA, FOR GLAND SEAL AND BEARING ASSY, ON WESTINGHOUSE GENERATOR,
AFT629F	14	TUBE	TUBE, TYPICAL, QA 0, INSULATING, 27/32 IN, 1-17/64 IN, 1-3/8 IN, FOR GLAND SEAL AND BEARING ASSY, ON WESTINGHOUSE GENERATOR
BEH089R	1	TUBE	TUBE, TYPICAL, QA 0, SCRUBBER, 7/32 IN, THREADED, TUBE, SCRUBBER; ASCARITE, 120 CC, THREAD AT BOTH ENDS WITH BLUE CAPS
ADV836H	2	TUBE	TUBE, TYPICAL, QA 0, TUBE, LABORATORY EQUIPMENT; COLOR VIEWING, FOR CHLORINE TEST KIT
BQY929F	40	TUBING	TUBING, HEAT SHRINK, QA 1, 0.200-0.320 IN, 1E LOCA/HELB, SEALING KIT, ELECTRICAL; TYPE: HEATSHRINKABLE, APPLICATION: END TYPE,
BBL157F	40	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 0.70 ID X 0.03 WALL
BYN596L	4	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
AGT320K	62	TUBING	TUBING, HEAT SHRINK, QA 0, 1-9/32 IN, MICARTA, 21/32 IN, TUBE, ; INSULATING, MICARTA, FOR GLAND SEAL AND BEARING ASSY, ON WH
BBW374X	9	TUBING	TUBING, HEAT SHRINK, QA 1, 12 IN (1 FT), 3 IN, 0.050 IN, BLACK, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, 3.0 IDX 0.05
BYM490M	305	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR
BCA989E	6	TUBING	TUBING, HEAT SHRINK, QA 1, 3/4 IN-1.150 IN, 1E, SEALING KIT, ELECTRICAL; HEAT SHRINKABLE, END TYPE, CABLE OD RANGE
BGN331G	12	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, HEAVYWAL
BYM156N	46	TUBING	TUBING, HEAT SHRINK, QA 1, 6 IN, 0.50-0.90 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, C/O INSULATION SLEEVING WCSF-500-6U AND
BBL156H	53	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 1.1 ID X 0.04WALL
BBW383W	6	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ; HEAT SHRINKABLE, IN-LINE TYPE,CABLE JACKET OD RANGE
BDK478K	23	TUBING	TUBING, HEAT SHRINK, QA 1, TERMINATION KIT, ELECTRICAL; HEATSHRINKABLE, BLACK, 1.15 INDIA PRIMARY
BGR077B	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR
BGR081L	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR
BGR082J	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR
BVH532V	100	TUBING	TUBING, INSTRUMENT, QA 1, TUBE, METALLIC; CAPILLARY, 1/4 IN OD, ASTM A 269-88A OR ASTM A 213-89A
BVV595F	28	TUBING	TUBING, INSTRUMENT, QA 1, TUBING, NONMETALLIC; CAPILLARY,ARMORED,STAINLESS STEEL,ASTM A213 TP
BDG110X	23	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 20 FT, RUBBER, BLACK, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN (1/2)
BGP140X	13	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, TEFLON, 0.074 IN, TUBING, NONMETALLIC; TEFLON, 0.250 X 0.074 IN WALL ***
BFP584K	91	TUBING	TUBING, TYPICAL, QA 0, COPPER, 1/16 IN, 0.049 IN, ASTM B88, SEAMLESS, PLAIN, SOFT ANNEALED, TUBE, METALLIC; OUTSIDE DIAMETER: 00.0625 IN (1
AJG443Y	50	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 5/32 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.312 IN (5/16)
ADW619L	6	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; INK, FOR REPUBLIC FLOW METER (BECKMAN) SODIUM
ADR133Y	5	TUBING	TUBING, HEAT SHRINK, QA 0, 100 FT, 0.066 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; INSIDE DIAMETER: 0.066 IN, WALL
ADR531J	1	TUBING	TUBING, HEAT SHRINK, QA 0, 50 FT, 0.220 IN, 1/8 IN, INSULATION SLEEVING, ELECTRICAL; INSIDE DIAMETER: 00.022 IN, WALL
AKR037C	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, 1/16 IN, WHITE, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, WHITE, 0.0625IN DIA X
AVC638C	1	TUBING	TUBING, TYPICAL, QA 0, 5/16 IN, 65-1/2 FT, PLASTIC, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.250 IN (1/4)
BYM490M	10	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR
BGN331G	2	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, HEAVYWAL
AKW070A	9	TUBING	TUBING, TYPICAL, FITTING, ; INLET TUBE, FOR MODEL T-50, TYPICAL S/N 6752 ***
AHV675N	2	TUBING	TUBING, TYPICAL, QA 0, ROTOMETER, 0.310 IN, 9-1/2 IN, GLASS, TUBING, GLASS; ROTAMETER, BLANK, WITH ZERO LINES, 0.312 OD X 0.125 ID
AMW839L	2	TUBING	TUBING, TYPICAL, QA 0, TUBING, GLASS; METERING, UNGRADUATED, FOR MODEL FV-1114 ***
BNR584X	4	TUBING	TUBING, TYPICAL, QA 0, TUBING, NEBULIZER; NEBULIZER CAPILLARY ***
CDN990X	15	TUBING	TUBING, HEAT SHRINK, QA 3, SEAL KIT, HEAT TRACE; CABLE END SEAL, RAYCHEM CHEMELEX TYPE PMK-LE-M.
AGG646W	190	TUBING	TUBING, TYPICAL, QA 0, 3/16 IN, 50 FT, GUM RUBBER, 1/16 IN, AMBER
BYM239J	159	TUBING	TUBING, HEAT SHRINK, QA 1, 12 IN (1 FT), 1.100 IN, 0.040 IN, BLACK, 1E LOCA/HELB, INSULATION SLEEVING, FEATURES1: NUCLEAR ADHESIVE, RAYCHEM
BYM490M	1	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR
BTP653N	70	TUBING	TUBING, TYPICAL, QA 3, TUBING, NONMETALLIC; MATERIAL: URETHANE, SIZE ID: 00.125 IN (1/8)
BGT954N	11	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, PENETRATION, WIRE SIZE 16
BTP647H	100	TUBING	TUBING, TYPICAL, QA 3, TUBING, NONMETALLIC; MATERIAL: URETHANE, SIZE ID: 00.09375 IN (3/32)
AWB549A	15	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 6 IN, PLASTIC, MNPT X FNPT, TUBING, NONMETALLIC; PLASTIC, VENTURI, 000.500 TO 003.000 CFM, 000.500
AKY775N	3	TUBING	TUBING, TYPICAL, QA 0, 2 IN, 4 FT, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 01.500 IN (1 1/2), SIZE WALL THICK:
AGG243K	400	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 5/32 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.312 IN (5/16)
AQE366V	37	TUBING	TUBING, TYPICAL, QA 0, 50 FT, RUBBER, 1/8 IN, RED, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN (1/2) SIZE
BCA141C	240	TUBING	TUBING, TYPICAL, QA 0, AIR SUPPLY, 1/16 IN, 20 FT (240 IN), TYGON, 1/8 IN, RED, TUBING, CHROMATOGRAPH; AIR SUPPLY, RED, 0.062 ID X 0.125 OD
BWX803K	240	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.010 IN, 0.620 IN, TUBING, CHROMATOGRAPH; PEEK, 0.010 IN. I.D. X 0.62 IN. O.D. ***
BWX804H	240	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.020 IN, 0.620 IN, TUBING, CHROMATOGRAPH; PEEK, 0.020 IN. I.D. X 0.62 IN O.D. ***
AVK705L	360	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 1/8 IN, TEFLON, WHITE, TUBING, CHROMATOGRAPH; TEFLON, WHITE, 0.063 ID X 0.125 OD, FOR
AKY875J	4	TUBING	TUBING, TYPICAL, QA 0, 3 IN, 4-1/4 IN, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 02.500 IN (2 1/2), SIZE WALL THICK:
AKY975E	2	TUBING	TUBING, TYPICAL, QA 0, 3-1/2 IN, 4 FT, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 03.000 IN (3), SIZE WALL THICK: 0.250

AKY176D	1	TUBING	TUBING, TYPICAL, QA 0, 4 IN, 4-1/4 IN, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 03.500 IN (3 1/2), SIZE WALL THICK:
BDM582E	36	TUBING	TUBING, TYPICAL, QA 0, TUBING, CONDUCTOR; NORYL GUIDE, FOR 0.375 IN TIE BOLTS TO SUPPORT
BTE488R	2	TUBING	TUBING, TYPICAL, QA 0, 50 FT, COPPER, 5/8 IN, TUBE, COPPER; OUTSIDE DIAMETER: 00.6250 IN (5/8), TUBE LENGTH: 50 FT
BTE478W	2	TUBING	TUBING, TYPICAL, QA 0, 50 FT, COPPER, 5/16 IN, TUBE, COPPER; OUTSIDE DIAMETER: 00.3125 IN (5/16), TUBE LENGTH: 50 FT
BNR584X	3	TUBING	TUBING, TYPICAL, QA 0, TUBING, NEBULIZER; NEBULIZER CAPILLARY ***
BQM572D	6	TUBING	TUBING, HEAT SHRINK, QA 1, 0.100 IN-0.270 IN, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; TYPE: BREAKOUT, STYLE: 2 LEG,
BMA724V	3	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 2-LEG ***
BYM488W	23	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.200-0.320 IN, SEALING KIT, ELEC WIRE/CABLE; HEAT SHRINKABLE, END TYPE, WIRE/CABLE OD
BNR711H	3	TUBING	TUBING, TYPICAL, QA 0, PUMP, #19, SILICONE, TUBING, PUMP; SILICONE, SIZE 19, FOR MASTERFLEX PUMP ***
AXM559D	40	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: POLYETHYLENE ***
BMF676J	8	TUBING	TUBING, TYPICAL, QA 0, TUBING, ANALYZER; SILICONE, 3/16 IN ID, FOR PROCSS SAMPLING, ON
AXJ428C	3	TUBING	TUBING, HEAT SHRINK, QA 0, 100 FT, 2-3/4 IN, 3/4 IN, BLACK, INSULATION SLEEVING, ELECTRICAL; TYPE: FLEXIBLE, INSIDE DIAMETER:
BGG584H	1	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 25 FT, THERMOPLASTIC, DOUBLE, TUBING ASSY, METALLIC; SIZE ID: 00.250 IN (1/4), SIZE LENGTH: 25 FT
ADR433J	2	TUBING	TUBING, HEAT SHRINK, QA 0, 50 FT, 0.106 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: SPOOL, INSIDE DIAMETER: 00.106
AAX097W	1	TUBING	TUBING, INSTRUMENT, QA 0, 8 IN OD, 500 FT, 0.004 IN, POLYETHYLENE, TUBING, NONMETALLIC; MATERIAL: POLYETHYLENE, SIZE ID: 08.000 IN (8)
CBW313B	30	TUBING	TUBING, TYPICAL, QA 3, TUBE, COPPER; OUTSIDE DIAMETER: 00.5000 IN (1/2), WALL THICKNESS:
BLN351H	1	TUBING	TUBING, INSTRUMENT, QA 1, TUBE, METALLIC; ARMORED, CAPILLARY TUBING, 3/16 IN OD X 0.049 IN, TYPE
BVW340P	1	TUBING	TUBING, INSTRUMENT, QA 1, TUBE, METALLIC; ARMORED, CAPILLARY TUBING, 3/16' OD X 0.049' ASTM A
BTR798H	3	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; CABLE SPLICING KIT, RAYCHEM ***
APX195M	1	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, COLOR: CLEAR ***
BRA503L	4	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, IN-LINE TYPE, CABLE OD RANGE
BNR081F	3	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), PLASTIC, RED, INSULATION SLEEVING, ELECTRICAL; RED, HEATSHRINK, PLASTIC TUBING, 4 FT
BKT021F	5	TUBING	TUBING, HEAT SHRINK, QA 1, 7 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINK, 7 IN LONG, FOR
BLM419E	3	TUBING	TUBING, TYPICAL, QA 0, 24 IN, 100 FT, PVC, 8 MIL, YELLOW, TUBING, NONMETALLIC; MATERIAL: PVC, SIZE ID: 24.000 IN (24) SIZE WALL
BLM422R	9	TUBING	TUBING, TYPICAL, QA 0, 36 IN, 100 FT, PVC, 8 MIL, YELLOW, TUBING, NONMETALLIC; MATERIAL: PVC, SIZE ID: 36.000 IN (36) SIZE WALL
ADG112M	81	TUBING	TUBING, INSTRUMENT, QA 0, 1-3/4 IN OD, 4 FT 8-3/4 IN, AISI 304, SS, TUBE, ; STAINLESS STEEL TYPE 304, INTERNAL FLOW DISTRIBUTION, 001.750
BHL270R	30	TUBING	TUBING, TYPICAL, QA 0, 0.037 IN, TEFZEL, 0.065 IN, TUBING, NONMETALLIC; TEFZEL, 0.037 ID X 0.065 IN OD ***
AWB600H	7	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 8-1/4 IN, GLASS, 3/8 IN, TUBING, GLASS; 000.375 OD X 000.250 ID X 008.250 IN LG, FOR 0-20 SCFH
AVK703Q	18	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.065 IN, 10 FT (120 IN), TEFZEL, TUBING, CHROMATOGRAPH; TEFZEL (FLUOROPOLYMER RESIN, 0.020 ID X 0.065
AKR336B	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 3/8 IN, BLACK, INSULATION SLEEVING, ELECTRICAL
AJG647E	500	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 1/8 IN, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.750 IN (3/4) SIZE
AJR037J	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 1/16 IN, 0.017 IN, BLACK, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, BLACK, 0.062 IN DIA
BTP979P	619	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
BTQ048R	40	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; TYPE: BREAKOUT, STYLE: 4 LEG
BLD732K	1380	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.250 IN (1/4) ***
BRA443B	14	TUBING	TUBING, HEAT SHRINK, QA 1, 1E HARSH, SPLICING KIT, TRANSITION, 18-16 AWG, CABLE JACKET OD RANGE: 0.31 TO
AMG036G	1264	TUBING	TUBING, INSTRUMENT, QA 0, 3/8 IN OD, ASTM A249 GR 304, SS, WELDED, COLD DRAWN/ANNEALED/PICKLED
AGG043J	327	TUBING	TUBING, TYPICAL, QA 0, 50 FT, NYLON, 0.050 IN, TUBING, NONMETALLIC; MATERIAL: NYLON, SIZE ID: 00.150 IN, SIZE WALL
BGX699W	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, FILTER; STAINLESS STEEL, 0.5 ID X 0.62 IN OD, FOR COAL ANALYSIS
AKF551T	1	TUBING	TUBING, INSTRUMENT, QA 0, SS, SWIVEL, FOR DIAMOND POWER TYPE G9B SOOTBLOWER (1-4 GAF)
APG977R	2	TUBING	TUBING, TYPICAL, QA 0, TUBE, METALLIC; MATERIAL: BRONZE ***
ALK731X	10	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; TEFLON, ROUND, PREMIUM MATERIAL VIRGIN GRADE, 11
AVN321N	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, ANALYZER; STAINLESS STEEL, PURGING, FOR MODEL SC-32 SULFUR
AAR132K	3	TUBING	TUBING, HEAT SHRINK, QA 0, 3 FT (36 IN), VULCANIZED, 1/2 IN, 1/16 IN, GRAY
APG723R	14	TUBING	TUBING, TYPICAL, QA 0, 1-1/8 IN, RANDOM, COPPER, 0.065 IN, ASTM B88, PLAIN, SOFT TEMPER, NO 120, SEAMLESS
ACG736L	2	TUBING	TUBING, INSTRUMENT, QA 0, 3-3/4 IN OD, AISI 304, 3/4 IN, STAINLESS STEEL, SEAMLESS, PLAIN, TUBE, METALLIC; OUTSIDE DIAMETER: 03.7500 IN (3
AGG647T	100	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, RUBBER, 1/16 IN, BEIGE, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.250 IN (1/4) SIZE
AGG646W	100	TUBING	TUBING, TYPICAL, QA 0, 3/16 IN, 50 FT, GUM RUBBER, 1/16 IN, AMBER
ADR738V	1	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, 1/8 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
ADR838P	2	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, 3/16 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
ALR131P	5	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, 3/4 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
ADR739R	2	TUBING	TUBING, HEAT SHRINK, QA 0, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, COLOR: CLEAR
AQV600P	5	TUBING	TUBING, HEAT SHRINK, QA 0, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
ADR338C	3	TUBING	TUBING, HEAT SHRINK, QA 0, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, LENGTH: 6 IN
BAM789A	1	TUBING	TUBING, TYPICAL, QA 0, 1 IN X 1-7/16 IN, 15 IN, GLASS, TUBING, GLASS; FULL VIEW, UNGRADUATED, R-10M-25-3, ZERO REFERENCE, 1'
BGJ082N	1	TUBING	TUBING, TYPICAL, QA 0, TUBING, GLASS; METERING, FOR METER, FLOW RATE INDICATOR, FLOAT, 0.4 TO
BNX139Y	42	TUBING	TUBING, TYPICAL, QA 0, 7/16 IN, 33 IN, TYGON, TUBING, NONMETALLIC; MATERIAL: TYGON, SIZE ID: 00.4375 IN, LENGTH: 33
BCD388R	1	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 50 FT, LATEX RUBBER, 3/16 IN, RED, TUBING, NONMETALLIC; MATERIAL: LATEX RUBBER, SIZE ID: 00.250 IN (1/4)
AXR727X	6	TUBING	TUBING, HEAT SHRINK, QA 0, 25 FT, 3/4 IN, 1/8 IN

AAR931L	56	TUBING	TUBING, HEAT SHRINK, QA 0, 3 FT, VULCANIZED, 1/4 IN, GRAY, INSULATION SLEEVING, ELECTRICAL; TYPE: VULCANIZED, INSIDE DIAMETER:
AHW313L	2	TUBING	TUBING, TYPICAL, QA 0, TUBING, GLASS; METER, FOR SCHUTTE AND KOERTING CO ROTAMETER, SIZE
AAR931L	2	TUBING	TUBING, HEAT SHRINK, QA 0, 3 FT, VULCANIZED, 1/4 IN, GRAY, INSULATION SLEEVING, ELECTRICAL; TYPE: VULCANIZED, INSIDE DIAMETER:
APG721X	9	TUBING	TUBING, INSTRUMENT, QA 0, 1 IN OD, AISI 304, 0.083 IN, STAINLESS STEEL, SEAMLESS, PLAIN, TUBE, METALLIC; OUTSIDE DIAMETER: 01.0000 IN (1)
ADF871D	2	TUBING	TUBING, INSTRUMENT, QA 0, 2 IN OD, 0.181 IN, STAINLESS STEEL, TUBE, METALLIC; OUTSIDE DIAMETER: 02.0000 IN (2) WALL THICKNESS:
AMV455C	1	TUBING	TUBING, TYPICAL, QA 0, METERING, GLASS, TUBING, GLASS; METERING, 39-10-00, FOR BROOKS SHO-RATE 50 ROTAMETER
AKV652N	2	TUBING	TUBING, TYPICAL, QA 0, TUBE, DETECTOR; FLAME DETECTOR, ULTRA VIOLET SENSING, ELECTRONICS CORP
BGN331G	1	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, HEAVYWAL
BYN596L	4	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE
BYL979E	5	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, 3 CONDUCTORS, IN-LINE TYPE
CDT139Y	18	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, COUPLING; QUICK CONNECT COUPLER, 1/2 INCH STAINLESS STEEL ***
ADR731A	1	TUBING	TUBING, HEAT SHRINK, QA 0, 50 FT, PLASTIC/VINYL, 0.034 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; EXTRUDED PLASTIC VINYL, CLEAR N
BYM490M	30	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HELB, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS: EDR
BGV771R	3	TUBING	TUBING, TYPICAL, QA 0, TUBING, SWITCH; END, FOR SWITCH, LIQUID LEVEL, MODEL LS-77-349 ***
AJR336H	16	TUBING	TUBING, HEAT SHRINK, QA 0, 3/4 IN, 0.030 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; INSIDE DIAMETER: 00.750 IN (3/4)
BVD404T	74	TUBING	TUBING, TYPICAL, QA 0, 1/8 IN, 100 FT, PLASTIC, WHITE, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.125 IN (1/8)
ADR632C	10	TUBING	TUBING, HEAT SHRINK, QA 0, 100 FT, 17/32 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: SPOOL, INSIDE DIAMETER: 00.531
AKR837L	26	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 1/8 IN, YELLOW, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, YELLOW, 0.125 DIA X 6
AGW181H	2	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; INK, FOR OPTIMAC RECORDER-DPPTC, FOR MODEL
CAB750X	450	TUBING	TUBING, TYPICAL, QA 3, RANDOM, ANALYZER; 1/4 INCH IMPOLENE POLYALLOMER TUBING
CBW313B	20	TUBING	TUBING, TYPICAL, QA 3, TUBE, COPPER; OUTSIDE DIAMETER: 00.5000 IN (1/2), WALL THICKNESS:
BDG110X	2	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 20 FT, RUBBER, BLACK, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN (1/2)
AVP824N	6	TUBING	TUBING, TYPICAL, QA 0, GAUGE, 4 FT, GLASS, 1/2 IN, TUBING, GLASS; RED LINE GAGE, 0.500 IN DIA X 48 IN LG ***
BGR113B	1	TUBING	TUBING, INSTRUMENT, QA 0, TUBE, MOTOR; STAINLESS STEEL, 0.25 IN OD, SPECIAL PRE-BENT SHAPES, FOR
ATW875H	12	TUBING	TUBING, TYPICAL, QA 2, TUBING, GLASS; METERING, LENGTH SIZE 10 TO 75MM, 003.000 IN, 2 TO 24
BYM473A	96	TUBING	TUBING, HEAT SHRINK, QA 1, SEALING KIT, ELEC WIRE/CABLE; HEAT SHRINKABLE, END TYPE, WIRE/CABLE OD
BBL157F	3762	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 0.70 ID X 0.03 WALL
AVK718A	80	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, BLACK, 2.0 ID X 0.05
AVC641P	4	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 1 FT, PLASTIC, TUBING, NONMETALLIC; PLATIC, DRAIN, 0.250 IN OD X 0.0937 IN ID X 12 IN
AVC639A	3	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 47 IN, PLASTIC, TUBING, NONMETALLIC; PLASTIC, 0.250 IN OD X 0.0937 IN ID X 47 IN LONG
BFR249P	17	TUBING	TUBING, TYPICAL, QA 0, 4 FT, GLASS, 1-1/4 IN, 5/32 IN, CLEAR, TUBING, GLASS; CLEAR, 1.25 OD X 48 IN LG, 0.15625 IN WALL, FOR MAKING
BBE109T	18	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 1.1 ID X 0.04 WALL
AYM841E	6	TUBING	TUBING, TYPICAL, QA 2, TUBE, ; DETECTOR, GEIGER-MUELLER, RADIATION, FOR GENERAL ATOMIC
CEY905M	60	TUBING	TUBING, TYPICAL, QA 3, 1/4 IN, 250 FT, POLYETHYLENE, 0.040 IN, BLACK
BHG372T	1	TUBING	TUBING, TYPICAL, QA 3, TUBE ASSY, METAL; COPPER, 0.5 IN, W/ FITTINGS ALL ENDS, FOR DIESEL
BHG370A	1	TUBING	TUBING, TYPICAL, QA 3, TUBE ASSY, METAL; COPPER, 0.75 IN, W/ 0.4375 IN MALE FITTINGS, FOR
BTR798H	7	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; CABLE SPLICING KIT, RAYCHEM ***
BYM500E	183	TUBING	TUBING, TYPICAL, QA 2, TUBE, HEAT EXCHANGER; TUBE, COPPER, FINNED, 0.75' O.D., 0.055' WALL
AWE774K	96	TUBING	TUBING, HEAT SHRINK, QA 0, 1/2 IN, MICARTA, 1-1/2 IN, TUBE, ; MICARTA, INSULATING, 002.000 OD X 001.500 ID X 000.500 IN LG
AWE775H	12	TUBING	TUBING, HEAT SHRINK, QA 0, 1/2 IN, MICARTA, 3/4 IN, TUBE, ; MICARTA, INSULATING, 001.250 OD X 000.750 ID X 000.500 IN LG
AVF781P	20	TUBING	TUBING, TYPICAL, QA 0, 2-1/2 IN, 1/2 IN, MICARTA, 3 IN, TUBE, ; MICARTA, 3 IN OD X 2.500 IN ID X 0.500 IN LG, FOR 2 GLAND SEAL
AVF793G	22	TUBING	TUBING, TYPICAL, QA 0, 3-1/2 IN, 1/2 IN, MICARTA, 4 IN, TUBE, ; MICARTA, 4 IN OD X 3.500 IN ID X 0.500 IN LG, FOR 2 GLAND SEAL
AWE703C	3	TUBING	TUBING, TYPICAL, QA 0, GAUGE, 1/2 IN, 10 IN, GLASS, CLEAR, TUBING, GLASS; GAGE, CLEAR, 000.500 ID X 010.000 IN LG, FOR
BEG406P	201	TUBING	TUBING, TYPICAL, QA 0, 0.063 IN, TEFLON, 1/8 IN, TUBING, NONMETALLIC; TEFLON, 0.063 ID X 0.125 OD, FOR TOTAL ORGANIC
BJD514A	4	TUBING	TUBING, TYPICAL, QA 0, 3/4 IN, 2 FT, GLASS, 1 IN, TUBING, GLASS; PYREX GAUGE, 1 OD X 0.75 ID X 24 IN LG, FOR LAUNDRY
AGT420F	22	TUBING	TUBING, HEAT SHRINK, QA 0, TUBE, ; INSULATING, MICARTA, FOR GLAND SEAL AND BEARING ASSY, ON WH
AVF779A	4	TUBING	TUBING, TYPICAL, QA 0, 5/8 IN, 1/2 IN, MICARTA, 1-1/8 IN, TUBE, ; MICARTA, 1.125 IN OD X 0.625 IN ID X 0.500 IN LG, FOR 2 GLAND
BBJ107A	41	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 4.5 ID X 0.05WALL
APX894T	1	TUBING	TUBING, TYPICAL, QA 0, 3-1/4 IN, 6 FT, PLEXIGLASS, 1/4 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, SIZE ID: 02.750 IN (2 3/4)
APX994N	2	TUBING	TUBING, TYPICAL, QA 0, 3-7/8 IN, 6 FT, PLEXIGLASS, 1/4 IN, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, SIZE ID: 03.375 IN (3 3/8)
APX095G	1	TUBING	TUBING, TYPICAL, QA 0, 5-1/2 IN, 6 FT, PLEXIGLASS, CLEAR, TUBING, NONMETALLIC; PLEXIGLASS, CLEAR, RIGID, 5.50X 5 IN, 6 FT LG
AHM637X	2	TUNING PACK	TUNING PACK, ELECTRICAL, QA 0, 30-90 KC, FOR GE CF LINE TRAP, GE 19A132000-G2 30-90 KC
ARD943E	1	TURBOCHARGER	TURBOCHARGER, TYPICAL, QA 2, TURBOCHARGER, ; INTERNAL PART, 17.9:1 RATIO, HEAVY DUTY, HIGH CAPACITY
ADK766M	8	TURNBUCKLE	TURNBUCKLE, EYE/EYE, QA 0, 3/4 IN, 17 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.750000
ATK464M	9	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, TURNBUCKLE, METALLIC; MATERIAL: CARBON STEEL, TYPE: STANDARD ***
ADK566X	2	TURNBUCKLE	TURNBUCKLE, EYE/EYE, QA 0, 5/8 IN, 15-1/2 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.62500
ADK866H	8	TURNBUCKLE	TURNBUCKLE, CLEVIS/EYE, QA 0, 3/4 IN, 20 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.750000
BPX175L	2	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, METALLIC, FORGED GALVANIZED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, SURFACE TREATMENT:
ADK166E	2	TURNBUCKLE	TURNBUCKLE, CLEVIS/EYE, QA 0, 1/2 IN, 16-5/16 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.5

ATH489F	18	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, 11 IN, DROPPED FORGED STEEL, 4-1/8 IN TAKE UP, TURNBUCKLE, METALLIC; MATERIAL: DROPPED FORGED STEEL, TAKE UP
BPY951W	1	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, MSS SP-83
BNL116R	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 5/8 IN, 5/8 IN, STAINLESS STEEL, ***
BTR905C	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, STAINLESS STEEL, MNPT, MNPT, 3000 LB, ASTM A182 GR F316, FORGED, ***
ATY195X	12	UNION	UNION, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, PVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 03.00
BYE524P	10	UNION	UNION, PIPE, QA 1, CLASS 2, REDUCING, 1 IN, 1/2 IN, SS, UNION, PIPE; REDUCING UNION, 1' OD X 1/2' OD ***
BLH709T	2	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1/2 IN, 1/2 IN, SS, FNPT, FNPT, 6000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED
BPT358V	4	UNION	UNION, PIPE, QA 1, CLASS 3, STRAIGHT, 1-1/2 IN, 1-1/2 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, UNION,
AAL724K	5	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504
AKY684R	1	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304
CDF791W	8	UNION	UNION, PIPE, QA 3, STRAIGHT, 1/2 IN, 1/2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, STANDARD MILL FINISH, FORGED, , ASTM A182 F304 OR F316, SS
CDY352A	8	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.500 IN (1 1/2)
ARG217W	24	UNION	UNION, TUBING, QA 0, 1/8 IN, BRASS, FNPT, UNION, TUBE; .125 IN, BRASS, NPT, END STYLE THREADED INTERNAL ***
CEM066A	3	UNION	UNION, PIPE, QA 3, STRAIGHT, 3/4 IN, 3/4 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH
AMC189L	2	UNION	UNION, TYPICAL, QA 0, UNION, ASH DISPOSAL; PIPE, SPECIAL, C/O 1 EA MIDDLE RING, 15107-3
BNN816J	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, IRON, FNPT, FNPT, GROUND JOINT, ***
BBY628E	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***
BBY629C	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***
BKR587A	3	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/4 IN, 1-1/4 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, MSS SP-
BAM324P	130	UNION	UNION, TUBING, QA 0, 9/16 IN, BRASS, MNPT, STYLE: CTR WREN FAC W/THD R, LENGTH 1-1/4 IN, THREAD NGO LEFT HAND
BAM323R	150	UNION	UNION, TUBING, QA 0, 9/16 IN, BRASS, MNPT, STYLE: CTR WREN FAC W/THD R, LENGTH: 1 1/4 IN, THREAD
BCT735V	8	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***
AAL794X	15	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504
AFG872R	8	UNION	UNION, TUBING, QA 0, 1-1/4 IN, COPPER, SWEAT, UNION, TUBE; FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM
BBT232W	10	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, SOCKETWELD, SOCKETWELD, 80, STANDARD MILL FINISH, ***
BJX668V	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2.0 IN, PVC, FNPT, SOCKETWELD, 80, ASTM D1784, ***
AJG583E	4	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, MSS SP-
BBF730G	20	UNION	UNION, TUBING, QA 3, UNION, TUBE; UNION, TUBE W/CENTER WRENCHING FACILITY, STAINLESS STEEL
BLC600N	17	UNION	UNION, CONDUIT, QA 3, UNION, ELECTRICAL CONDUIT; SIZE: 01.500000 (1 1/2), MATERIAL: COPPER
BYQ962B	1	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 00.750 IN (3/4)
BEF807A	2	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 00.500 IN (1/2)
BBY627G	5	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***
BGN635V	4	UNION	UNION, TUBING, QA 0, BULKHEAD, 3/8 IN, CARBON STEEL, SAE STRAIGHT, ASTM A108 GR 12L14, UNION, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8) SEC
BVE910G	3	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, STAINLESS STEEL, FNPT, FNPT, 3000 LB, ASTM A182 GR F304, STANDARD MILL FINISH, FORGED, ***
BVE942P	14	UNION	UNION, PIPE, QA 0, STRAIGHT, 3/8 IN, 3/8 IN, STAINLESS STEEL, FNPT, FNPT, 3000 LB, STANDARD MILL FINISH, ***
BHP654C	10	UNION	UNION, TUBING, QA 0, 1/2 IN, STAINLESS STEEL, THREADED, ASTM A182 GR F316, 37 DEG FLARED, *** SECOND END NOM SIZE: 00.500 IN (1/2), STYLE:
BDE745G	14	UNION	UNION, TUBING, QA 0, 1/4 IN, COPPER, SWEAT, STANDARD MILL FINISH, UNION, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:
AFG072H	10	UNION	UNION, TUBING, QA 0, 3/8 IN, COPPER, SWEAT, UNION, TUBE; COPPER ALLOY, FIRST ID .375 IN END STYLE SOLDER SECOND ID
BVV343B	16	UNION	UNION, TUBING, QA 1, CLASS 2, 1/8 IN, SS, COMPRESSION, ASME SA479 TP 316, UNION, TUBE; FIRST END NOM SIZE: 00.125 IN (1/8), SECOND END NOM
BPW858W	10	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL, ASME SA105K03504
BFL806C	4	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***
BFL805E	5	UNION	UNION, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***
AQC517B	29	UNION	UNION, TUBING, QA 0, REDUCING, 1/4 IN X 1/8 IN, BRASS, COMPRESSION X MNPT, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED EXTERNAL, TUBE END
BFL807A	4	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***
BFL803J	4	UNION	UNION, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***
BCT736R	21	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***
BCT737P	9	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***
BNP348L	3	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.000 IN (1)
BFD966Q	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, PVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, ***
BDV079F	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CPVC, FNPT, FNPT, 80, ***
AYT100C	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CPVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE:
AEG076F	48	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, ***
AEG775X	19	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, GROUND JOINT, GALVANIZED, ***
BFD967N	3	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, FNPT, FNPT, 80, ***
BGF260W	21	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, MALLEABLE IRON, FNPT, FNPT, 250 LB, BLACK, ***
AEG178G	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, ***
BCW817F	11	UNION	UNION, PIPE, QA 0, STRAIGHT, MALLEABLE IRON, 250 LB, BLACK, *** FIRST END NOM SIZE: 00.250 IN (1/4), SECOND END NOM SIZE: 00.250
AYT102W	15	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, CPVC, SOCKETWELD, SOCKETWELD, 80, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.000 IN (1)
BDQ682T	6	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, PVC, FNPT, FNPT, 80, ***

BFD968L	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, PVC, FNPT, FNPT, 80, ***
BKE094H	8	UNION	UNION, TUBING, QA 0, 1 IN, 1-1/8 IN, COPPER, SOLDER, UNION, TUBE; COPPER, FIRST ID 1.0 IN, OD 1.125 IN, STYLE SOLDER,
BLD653F	4	UNION	UNION, CONDUIT, QA 3, RIGID, 4 IN, ALUMINUM ALLOY, UNION, ELECTRICAL CONDUIT; SIZE: 04.000000 (4), MATERIAL: COPPER FREE
CJT629E	10	UNION	UNION, TUBING, QA 1, STRAIGHT, 3/4 IN, BRONZE, STANDARD MILL FINISH, CONNECTION: FF X MNPT COMPLETE W/ BRAZING RING, CLASS RATING 300 LB,
CEM361H	1	UNION	UNION, TUBING, QA 0, 2 IN, WROUGHT COPPER/CAST BRZ, SWEAT, *** TYPE: FEMALE; UNION, FEMALE, 2' NOM., C-C SWEAT
CEM351L	10	UNION	UNION, TUBING, QA 0, 1-1/4 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X FNPT, *** UNION, COPPER TO FPT, 1-1/4 X 1-1/4
BEE851B	1	UNION	UNION, TUBING, QA 0, 1-1/2 IN, STAINLESS STEEL, COMPRESSION, AISI 316, *** SECOND END NOM SIZE: 01.500 IN (1 1/2), STYLE: W/CTR WRENCH FAC
BVC365E	6	UNION	UNION, TUBING, QA 0, 1 IN, COPPER, SOLDER, B16.22, UNION, TUBE; FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE:
BNR917W	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 1.0 IN, 1.0 IN, ***
CEM468Y	2	UNION	UNION, TUBING, QA 0, 1-1/2 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X MNPT, *** UNION, 1-1/2' NOM. COPPER SWEAT X 1-1/2' MPT
CEM469W	2	UNION	UNION, TUBING, QA 0, STRAIGHT, 1-1/2 IN, WROUGHT COPPER/CAST BRZ, SWEAT, *** UNION, 1-1/2' NOMINAL COPPER SWEAT, STRAIGHT
CEM390M	10	UNION	UNION, TUBING, QA 0, 3/4 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X MNPT, *** UNION, 3/4' NOM. SWEAT X 3/4' MPT
CFA772E	23	UNION	UNION, TYPICAL, QA 3, UNION, *TYPICAL *** CAST COPPER ALLOY, 3/4' TUBE SOLDER X 3/4' FNPT
BPK126M	5	UNION	UNION, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, B16.39
BLG952M	4	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, ANS
AAM774Y	10	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504
AAK724Q	5	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1/4 IN, 1/4 IN, CS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA105, BLACK, FORGED, MSS SP-83
BVH439H	1	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: THREADED, FIRST END NOM SIZE: 00.250 IN (1/4)
BCA095F	236	UNION	UNION, TUBING, QA 1, CLASS 2, STRAIGHT, 3/8 IN, SS, SOCKETWELD, ASME SA479 TP 316, STANDARD MILL FINISH
BCE898W	2	UNION	UNION, PIPE, QA 0, STRAIGHT, SS, 3000 LB, ASME SA182 GR F316, STANDARD MILL FINISH, *** FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM S
BKT745D	4	UNION	UNION, PIPE, QA 0, STRAIGHT, STAINLESS STEEL, 3000 LB, ASME SA182 GR F316, *** FIRST END NOM SIZE: 01.250 IN (1 1/4), SECOND END NOM SIZE:
BKT743H	4	UNION	UNION, PIPE, QA 0, STRAIGHT, STAINLESS STEEL, 3000 LB, ASME SA182 GR F316, STANDARD MILL FINISH, *** FIRST END NOM SIZE: 00.750 IN (3/4), S
BEL419Q	2	UNION	UNION, PIPE, QA 0, STRAIGHT, STAINLESS STEEL, 3000 LB, ASTM A182 GR F316, *** FIRST END NOM SIZE: 01.000 IN (1), SECOND END NOM SIZE: 01.00
AMC862C	2	UNION	UNION, PIPE, QA 0, UNION, ASH DISPOSAL; PIPE, C/O 1 EA 4894 MIDDLE RING, 2 EA 4892-1
BDM117A	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, CARBON STEEL, FNPT, FNPT, 3000 LB, ASTM A105, FORGED, ***
BDM116C	10	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, CARBON STEEL, FNPT, FNPT, 3000 LB, ASTM A105, BLACK, FORGED, ***
BFA326D	3	UNION	UNION, TUBING, QA 0, 1/4 IN, BRASS, MNPT, *** STYLE: CTR WREN FAC W/THD R, LENGTH: 02.250 IN (2 1/4), THREAD
BDN268F	17	UNION	UNION, TUBING, QA 0, REDUCING, 1/4 IN X 3/16 IN, BRASS, MNPT X PLAIN, STANDARD MILL FINISH, UNION, TUBE; FIRST END NOM SIZE: 00.187 IN (3/1
BNP438K	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, ***
BGJ923B	12	UNION	UNION, TUBING, QA 0, 1/4 IN, PLASTIC, COMPRESSION, UNION, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:
AEG779M	5	UNION	UNION, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, ***
BFA433C	13	UNION	UNION, TUBING, QA 0, 1/2 IN X 3/8 IN, BRASS, MNPT X PLAIN, UNION, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8) SECOND END NOM SIZE:
BBC605Q	7	UNION	UNION, TUBING, QA 0, 1/2 IN, COPPER, SOLDER, UNION, TUBE; W/CENTER WRENCHING FACILITY, COPPER ALLOY, END STYLE
ARG217W	2	UNION	UNION, TUBING, QA 0, 1/8 IN, BRASS, FNPT, UNION, TUBE; .125 IN, BRASS, NPT, END STYLE THREADED INTERNAL ***
BFA434A	9	UNION	UNION, TUBING, QA 0, 5/16 IN X 1/2 IN, BRASS, MNPT X PLAIN, UNION, TUBE; FIRST END NOM SIZE: 00.312 IN (5/16) SECOND END NOM
BLH105V	23	UNION	UNION, TUBING, QA 0, 9/16 IN X 3/8 IN, COPPER, SOCKETWELD, UNION, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8) SECOND END NOM SIZE:
BFA432E	10	UNION	UNION, TUBING, QA 0, REDUCING, 3/8 IN X 1/4 IN, BRASS, MNPT X PLAIN, UNION, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:
BLH104X	24	UNION	UNION, TUBING, QA 0, REDUCING, 3/8 IN X 1/4 IN, COPPER, SOCKETWELD, UNION, TUBE; FIRST END NOM SIZE: 00.250 IN (1/4) SECOND END NOM SIZE:
BFA431G	12	UNION	UNION, TUBING, QA 0, REDUCING, 3/8 IN X 3/16 IN, BRASS, FNPT X PLAIN, UNION, TUBE; FIRST END NOM SIZE: 00.187 IN (3/16) SECOND END NOM
BLH106R	18	UNION	UNION, TUBING, QA 0, REDUCING, 5/8 IN X 1/2 IN, COPPER, SOCKETWELD, UNION, TUBE; FIRST END NOM SIZE: 00.500 IN (1/2) SECOND END NOM SIZE:
AVC660Y	21	UNION	UNION, TUBING, QA 0, 1/4 IN, PLASTIC, *** SECOND END NOM SIZE: 00.250 IN (1/4)
BGN629N	10	UNION	UNION, TUBING, QA 0, REDUCING, 1/2 IN X 3/8 IN, CARBON STEEL, COMPRESSION, ASTM A108 GR 12L14, UNION, TUBE; FIRST END NOM SIZE: 00.500 IN (
BDQ576R	2	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, STAINLESS STEEL, FNPT, FNPT, 150 LB, ASTM A182 GR F316, ***
BDQ574X	14	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, STAINLESS STEEL, FNPT, FNPT, 150 LB, ASTM A182 GR F316, ***
BGF289Q	6	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, STAINLESS STEEL, FNPT, FNPT, 150 LB, ASTM A182 GR F316, ***
BVP416Y	10	UNION	UNION, TUBING, QA 0, 1/2 IN, STAINLESS STEEL, FNPT X TUBE, AISI 316, UNION, PIPE TO TUBE; PIPE END NOM SIZE: 00.500 IN (1/2), TUBE END NOM
CHW889F	11	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, SS, THREADED, 150 LB, AISI 304
BCT737P	1	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***
BLD645E	10	UNION	UNION, CONDUIT, QA 3, UNION, CONDUIT; CONDUIT TYPE: RIGID; CONDUIT SIZE: 1 IN; MATERIAL:
BLA441E	1	UNION	UNION, PIPE, QA 0, DIELECTRIC, 2 IN, 2 IN, FNPT, SLIP JOINT BELL, ***
AEG778P	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, BRASS, FNPT, FNPT, 125 LB, STANDARD MILL FINISH
AJY986F	1	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/2 IN, 1-1/2 IN, CS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA105, STANDARD MILL FINISH, FORGED, MSS
AJG383N	4	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304
BGR770H	1	UNION	UNION, PIPE, QA 3, STRAIGHT, 3/4 IN, 3/4 IN, MALLEABLE IRON, 300 LB, ASTM A197, B16.39
BLD726E	1	UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, BRASS, END TYPE THREADED INTERNAL, FIRST/IDENT
BGR554C	2	UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000
BGR598P	6	UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000
BGR601Y	2	UNION	UNION, PIPE, QA 3, UNION, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000
BTK020M	14	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: AAR (RAILROAD), FIRST END NOM SIZE: 00.250 IN (

BTH121P	24	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 01.000 IN (1)
AFG272J	19	UNION	UNION, TUBING, QA 0, 1/2 IN, COPPER, SWEAT, UNION, TUBE; FIRST END NOM SIZE: 00.500 IN (1/2), SECOND END NOM
CEF222Y	1	UNION	UNION, TUBING, QA 1, CLASS 2, 1/2 IN, SS, SOCKETWELD, ASME SA479 TP 316, STANDARD MILL FINISH
CAG576E	1	UNION	UNION, TUBING, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, ASME SA479 TP 316, SURF TREATMENT: STANDARD MILL FINISH, STYLE: W/CTR WRENCH FAC
BBF747K	12	UNION	UNION, TUBING, QA 3, COUPLING, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .5 IN SEAT TYPE
CFW094T	1	UNION	UNION, TUBING, QA 3, REDUCING, STAINLESS STEEL, *** .5 TUBE / 1.0 TUBE
CAV119J	2	UNION	UNION, TUBING, QA 1, CLASS 2, BULKHEAD, 3/8 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH, W/CTR WRENCH FAC
BBR271P	39	UNION	UNION, CONDUIT, QA 3, UNION, ELECTRICAL CONDUIT; METALLIC, RIGID, THICKWALL, THREADED
CEL192K	1	UNION	UNION, PIPE, QA 3, UNION, PIPE; TYPE: THREADED; PIPE SIZE: 1 IN; MATERIAL: CS;
AJG293P	2	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304
CEA635Y	4	UNION	UNION, TUBING, QA 2, UNION, PIPE TO TUBE; HALF, 1/2 INCH SAE FLARE X 1/2 INCH NPT, BRASS
ANY370A	3	UNION	UNION, PIPE, QA 1, CLASS 2, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304, OUTSIDE
BLH857A	48	UNION	UNION, TUBING, QA 3, UNION, TUBE; COPPER, 1.00 IN (CXC) TVA CLASS H ***
BTL437C	3	UNION	UNION, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, STAINLESS STEEL, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM A182 GR F316, FORGED, ***
BDQ242P	5	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, STAINLESS STEEL, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA312 TP304, ***
BDY763V	10	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, MALLEABLE IRON, MNPT, MNPT, 250 LB, ASTM A197, BLACK
AQC389R	7	UNION	UNION, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, MALLEABLE IRON, FNPT, FNPT, 250 LB, BRASS, BLACK, ***
AJG493F	2	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, MSS
AQF097E	4	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; CLASS 3000, CARBON STEEL ASME SA 105, OUTSIDE BLACK END
BWX618D	2	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 01.250 IN (1 1/4)
BXY139E	2	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 00.375 IN (3/8)
AKY684R	6	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304
BYT375G	162	UNION	UNION, TUBING, QA 3, UNION, TUBE; FIRST END NOM SIZE: 00.375 IN (3/8), SECOND END NOM SI
ALV563F	9	UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, ; MANUAL, FOR FOXBORO CONSOTROL CONTROLLER, MODEL
BQE193R	1	UNIT	UNIT, TRIP, QA 1, TRIP UNIT, ; FLOW CONTROL TRIP REFERENCE UNIT FOR APRM CHANNELS ***
BQD493J	2	UNIT	UNIT, TYPICAL, QA 1, CALIBRATION UNIT, ; CALIBRATION AND DIODE LOGIC. ***
ATH928F	2	UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, ; SERIES V100A, C/W ROTAMETER, UXD-21741 AND 140F
AWK514L	1	UNIT	UNIT, TYPICAL, QA 0, DISPLAY UNIT, ; CATHODE RAY TUBE, WITH KEYBOARD, MICROPROCESSOR
AVK001G	1	UNIT	UNIT, TYPICAL, QA 0, RENEWAL UNIT, VALVE; STEEL, ITEM 29, FOR 0.750 INCHPRESSURE REDUCING
BRC540E	4	UNIT	UNIT, TYPICAL, QA 0, SHOWER, 115, 60 HZ, SHOWER UNIT, HAND; EMERGENCY, EYE AND FACE WASH, DRENCH, ABS CYCOLAC
BCF397E	4	UNIT	UNIT, TYPICAL, QA 3, DISPLAY UNIT, ; CATHODE RAY TUBE, 12 IN, 115 VAC, 1 AMP, W/KEYBOARD
BXK730C	1	UNIT	UNIT, TYPICAL, QA 3, TRANSFER ASSY, HEAVY EQUIPMENT; ROTARY, FIVE PATH, FOR INCORE
AVK002E	2	UNIT	UNIT, TYPICAL, QA 2, RENEWAL UNIT, VALVE; STEEL,ITEM 28,FOR PRESSURE REGULATING
ATH718T	1	UNIT	UNIT, TYPICAL, QA 0, TRANSPORT, MAGNETIC TAPE; ITH AUTOMATIC HEAD ASSEMBLY, FOR INCREMENTAL
CBW755A	7	UNIT	UNIT, COMMUNICATION, QA 0, CONTROL UNIT, RADIO; CONSOLE, RADIO TONE REMOTE, SIX LINE, WITH DTMF
AYP844X	1	UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, CAMERA; 120 VAC, WITH PRINTED CIRCUIT BOARD PB2390, FOR
CER823G	2	UNIT	UNIT, CHANNEL BANK, QA 0, DATA SERVICE-DATA PORT, DSU-DP, MULTI-RATE, FOR COMMUNICATIONS EQUIPMENT
BFT236V	1	UNIT	UNIT, TYPICAL, QA 0, PRESSURE/DIFFERENTIAL, 0-50 PSIG, STAINLESS STEEL, PRESSURE UNIT, SWITCH; DIFFERENTIAL, 4500 SWP-PSI, 0 TO 50 PSIG
BAH284X	32	UNIT	UNIT, COMMUNICATION, QA 0, SIGNALING UNIT, INSTRUMENT; 260 HZ, SF, MODIFIED, FOR RELAY'E LEAD
CFB614V	2	UNIT	UNIT, COMMUNICATION, QA 0, TONE REMOTE, DUPLEX, W/OUT DTMF / KEYPAD, DUPLEX TONE REMOTE CONTROL UNIT, FOUR WIRE, WITHOUT DTMF KEYPAD /
CEC753E	1	UNIT	UNIT, COMMUNICATION, QA 0, UNIT, RADIO; CONSTANT KEY LINK CONTROL, FOR MOTOROLA NUCLEUS LINK
BKQ260V	1	UNIT	UNIT, TYPICAL, QA 0, POWER/HYDRAULIC, 5, MULTIPLE PURPOSE, POWER UNIT, HYDRAULIC; SUPPLY, 5 VOLTS, FOR RECORDER, MULTIPLE
ANW231P	1	UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, PRESSURE; (KITKT-V57), 0-20 PSI RANGE, FOR OG1G624C-14
AMD518N	1	UNIT	UNIT, TYPICAL, QA 0, LEVELING, 120, 2.5, LEVELING UNIT, ; STATIC SWITCH, SN CP-27638-41 2.5 A, 120 VAC ***
AKM780P	4	UNIT	UNIT, TRIP, QA 1, TRIP UNIT, ; TYPE TFK, FOR GE CIRCUIT BREAKER, 2-POLE, 100 AMP, 600 V
BGN059W	2	UNIT	UNIT, TYPICAL, QA 3, PRESSURE UNIT, ; BELLOWS, PRESSURE, STAINLESS STEEL, TYPE 316
AXR433F	2	UNIT	UNIT, TYPICAL, QA 2, PRESSURE UNIT, ; FOR MODEL 52A-SM4 CONSOTROL CONTROLLER ***
ALV563F	1	UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, ; MANUAL, FOR FOXBORO CONSOTROL CONTROLLER, MODEL
APF097L	80	UNIT	UNIT, TYPICAL, QA 3, DISPLAY UNIT, ; READOUT, SERIES 345, FOR ROD POSITION INDICATION
APF197R	30	UNIT	UNIT, TYPICAL, QA 3, DISPLAY UNIT, ; READOUT, SERIES 345, FOR ROD POSITION INDICATION
BNQ351T	1	UNIT	UNIT, TYPICAL, QA 1, COMBINER, , SIGNAL, FOR EX-CORE NEUTRON FLUX MONITORING INSTRUMENTATION.
BEV959K	45	UNIT	UNIT, CONTROL, QA 0, HYDRAULIC, CONTROL ROD DRIVE, TYPICAL S/N 3523, INCLUDING VALVES WITH SOLENOIDS
BWQ835Y	1	UNIT	UNIT, CONTROL, QA 0, CONTROL UNIT, CIRCUIT BREAKER; MASTER, FOR CIRCUIT BREAKER, TYPE
AJL206R	3	UNIT	UNIT, COMMUNICATION, QA 0, SIGNALING UNIT, VHF; OFFICE END, C/O COMMON MODULE, 1600 HZ
ALD472T	4	UNLOADER	UNLOADER, TYPICAL, QA 0, UNLOADER, COMPRESSOR; FREE AIR, FOR AIR COMPRESSOR MODEL XLE-NL
ALD472T	3	UNLOADER	UNLOADER, TYPICAL, QA 0, UNLOADER, COMPRESSOR; FREE AIR, FOR AIR COMPRESSOR MODEL XLE-NL
CFJ438H	3	VALVE	VALVE, ANGLE, QA 3, VALVE, ANGLE *** INLET SIZE: 3/4', OUTLET SIZE: 3/4', MATERIAL:
CDH208M	1	VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 300 PSI, END
AQX183N	2	VALVE	VALVE, BUTTERFLY, QA 0, 18 IN, IRON, WAFER, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR

CFD293B	4	VALVE	VALVE, BUTTERFLY, QA 0, 3 IN, 150 PSI, ** WAFER TYPE, MOLDED RUBBER SEAT, PRATT MONOFLANGE MARK II, CAST
CBX957Q	6	VALVE	VALVE, BUTTERFLY, QA 0, 3.0 IN, CARBON STEEL, 150 PSIG, VALVE, BUTTERFLY; 3 INCH, BRAY-MCCANNALOK L150CSPS6,
BBE574X	1	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8 IN, IRON, WAFER FLANGED, 150 PSI, ASTM A126 CL B, CAST, ** SEAT MATERIAL: RUBBER
BLA022R	1	VALVE	VALVE, CHECK, QA 0, 6 IN, CARBON STEEL, CARBON STEEL, RAISED FACE FLANGED, 150 PSI, ASTM A216 GR WCB, CAST, ***
AXT421H	1	VALVE	VALVE, CHECK, QA 0, 6 IN, CARBON STEEL, RAISED FACE FLANGED, 275 PSI, ***
BJM289D	2	VALVE	VALVE, CHECK, QA 1, LIFT, 2 IN, SS, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, VALVE, CHECK; 2 IN, ASME F316 STAINLESS STEEL, 600 PSI AT 91
BVE565V	9	VALVE	VALVE, CHECK, QA 3, VALVE ASSY, FLUID CONTROL; FILL,CHECK,STAINLESS STEEL,FOR HIGH VOLUME
CEL091G	1	VALVE	VALVE, CONTROL, QA 3, VALVE, CONTROL; TYPE: DIAPHRAGM *** INNER, FOR ANCHOR DARLING 4' 600
CEN019E	2	VALVE	VALVE, DIAPHRAGM, QA 3, VALVE, DIAPHRAGM; TYPE: HANDWHEEL OPERATED; SIZE: 1 IN; BODY MATERIAL:
CEP023J	10	VALVE	VALVE, DIAPHRAGM, QA 3, VALVE, DIAPHRAGM; TYPE: MANUAL OPERATED; SIZE: 1 IN; BODY MATERIAL:
CBT686D	2	VALVE	VALVE, GATE, QA 0, 3.0 IN, STAINLESS STEEL, BUTT WELD, 150 PSI, T, HANDWHEEL, ***
BTM744X	6	VALVE	VALVE, GATE, QA 1, CLASS 2, 1 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA351 GR CF8M, HANDWHEEL, VALVE, GATE; SIZE: 1 IN (1), PRESSU
BDP168E	7	VALVE	VALVE, GLOBE, QA 1, 1/4 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; .25 IN, CLASS 1500, BODY MATL STAINLE
CKA312Q	2	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 1 IN, SS, SS, SOCKETWELD, 1878 PSI, ASME SA351 GR CF8M, T, T-HANDLE/HANDWHEEL, REFERENCE FLOWSERVE DRAWING 04-3
CDP932V	9	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 800 PSI, END
AWD192F	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 1/4 IN; BODY MATERIAL: SS; PRESSURE RATING: 2510
CDX768F	1	VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: FNPT; PRESSURE
CEF220E	1	VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: SOCKETWELD;
BKY783G	2	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1.0 IN, END TYPE SOCKETWELD, SCHEDULE 40, CLASS 150
BLE149M	3	VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; CARBON STEEL, BUTTWELD ENDS, FOR SCH 40 PIPE, ANG NUT
BYB890Q	1	VALVE	VALVE, RELIEF, QA 0, 2-1/2 IN X 4 IN, RAISED FACE FLANGED, 250 PSIG, VALVE, SAFETY RELIEF; 2.5' INLET X 4' OUTLET, SET AT 250 PSIG, STEAM
AYD899P	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; PHASE, 1 AND 2, FIG 6, C/W COIL, 366A845G10, FOR
CDN462C	2	VALVE	VALVE, SOLENOID, QA 0, VALVE, STEAM TURBINE; SERVO, CONTROL PAC, FOR COMBINED INTERMEDIATE
BVC156P	2	VALVE	VALVE, SOLENOID, QA 1, 1 IN, SOCKETWELD, 150 PSI, SS, ASME SA182 GR 316L, POSITION SWITCH ASSEMBLY CONTAINS FOUR (4) SPST SWITCHES,
AVD767V	1	VALVE	VALVE, SOLENOID, QA 1, 3/8 IN, 5/8 IN, THREADED, 120/60, 10 PSI, BRASS, VALVE, SOLENOID; VALVE, SOLENOID, 3/8 NPT, 5/8 INCH ORIFICE, 10 PSID
CEH110B	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE WAY, NORMALLY CLOSED SOLENOID VALVE, PIPE SIZE
BDY892G	2	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN, ORIFICE .25
ALD872A	5	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, 100 PSI, *** INLET, FOR AIR COMPRESSOR MODEL XLE-NL, PACKAGED 'L' DESIGN, SIZE
CBD639R	4	VALVE	VALVE, TYPICAL, QA 1, 1-1/2 IN, FNPT, TWO-WAY, AIR START SYSTEM, DIESEL ENGINE, PLATE B1079-DR-3, REF 1,
CBA717F	2	VALVE	VALVE, TYPICAL, QA 2, CHILLER, *** VALVE CHILLER, INLET: 7/8 ODS, OUTLET: 3/4' ODS, MANUAL ISOLATION
CEM126V	7	VALVE	VALVE, TYPICAL, QA 2, VALVE, *TYPICAL; TYPE: MANIFOLD; SIZE: 1/2 IN; BODY MATERIAL: SS;
CDR636M	1	VALVE	VALVE, TYPICAL, QA 2, VALVE, CHILLER; VALVE ASSEMBLY CONSISTING OF PART NUMBERS VAL667
BWJ441K	3	VALVE	VALVE, TYPICAL, QA 2, VALVE, DRAIN; FOR OIL SUMP/SEPARATOR TANK, DUNHAM-BUSH CHILLER MODEL
CDJ627T	1	VALVE	VALVE, TYPICAL, QA 3, VALVE, ACCUMULATOR; .25 IN, BODY MATL STAINLESS STEEL AISI 316 S31600
AJY454H	8	VALVE	VALVE, BALL, QA 0, 3/8 IN, STAINLESS STEEL, COMPRESSION, 1500 PSI, LEVER OPERATED, *** TEMPERATURE: 70 DEG F
CAB822K	1	VALVE	VALVE, BALL, QA 3, 1 IN, SS, COMPRESSION, 2500 PSI, LEVER OPERATED
ATY755H	1	VALVE	VALVE, CHECK, QA 2, LIFT, 1-1/4 IN, BRASS, THREADED, , MODEL: FIG 205-7, CLASS: 400 WOG
BLM183H	1	VALVE	VALVE, CHECK, QA 3, TILTING DISC, 12 IN (1 FT), STEEL, 150 PSI, CAST, MODEL 1601-A
AXV908G	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; 0.5 IN, END TYPE SOCKETWELD, BODY MATL STAINLESS STEEL
BYN909T	1	VALVE	VALVE, GLOBE, QA 3, 3/8 IN, SS, FNPT, TYPE: PANEL, REF. ORIGINAL DRAGON CONTRACT 83574
CEF056C	1	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, BRONZE, 0-80 PSI, PRESSURE REDUCER, 29-87 PSI RANGE, (SETPOINT 40 PSI) , MODEL 990
BAY600P	3	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 1/4 IN, FNPT, 110/120, 125 PSI, ***
BWQ933Y	1	VALVE	VALVE, CONTROL, QA 1, CLASS 3, VALVE, CONTROL; 16' MFG BY FISHER, 900 LB, CARBON STEEL, VALVE ID
BNA526R	2	VALVE	VALVE, CONTROL, QA 0, VALVE, ; AIR SHUT OFF, TYPE III, SD WBT 220 ASVANS ***
BAR967P	15	VALVE	VALVE, BALL, QA 0, 3/4 IN, CS, CS, FNPT, 150 PSI, LEVER OPERATED, **
BDC594M	1	VALVE	VALVE, BALL, QA 0, 1/4 IN, SS, FNPT, 1500 PSI, LEVER OPERATED, AISI 316, CLASS 1500
CDX414K	1	VALVE	VALVE, BUTTERFLY, QA 0, CLASS 3, 24 IN, CARBON STEEL, 150 PSI, VALVE, BUTTERFLY; 24 INCH, 150 LB, CARBON STEEL, POSI-SEAL MODEL 10825
BYL679T	1	VALVE	VALVE, CHECK, QA 1, CLASS 1, VALVE, CHECK; CHECK TYPE: PISTON, SIZE: 00.500 IN (1/2), PRESSURE
BDE349Q	2	VALVE	VALVE, CONTROL, QA 2, VALVE, REGULATE FLUID PRESS; 2.0 IN, END TYPE THREADED INTERNAL, NPT
CDH458W	1	VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; PILOT VALVE ASSEMBLY FOR 16Z220 CROSBY VALVE, TYPE: JPV,
BCN572J	1	VALVE	VALVE, RELIEF, QA 0, 1 IN X 2 IN, CARBON STEEL, RAISED FACE FLANGED, 600 PSI, 1200 PSIG, VALVE, SAFETY RELIEF; 1'-600 LB INLET X 2'-150 LB O
BXA722E	1	VALVE	VALVE, RELIEF, QA 0, VALVE, DRIER; RELIEF, SPARE PART FOR LECTRODRYER MODEL BAC-50 (SN
CEJ203L	2	VALVE	VALVE, RELIEF, QA 1, STEEL, *** LUBE OIL SYSTEM, MANIFOLD RELIEF VALVE , P.L.NO. B34-13, REF: 2
CDP485T	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; FOR CO2 FIRE PROTECTION SYSTEM. ***
ALA895D	2	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; MAIN STEAM REDUCING, REF 1346,TYPE DZE,
ATY756F	1	VALVE	VALVE, ANGLE, QA 0, 2-1/2 IN, BRONZE, THREADED, 200 PSI, VALVE, ANGLE; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 200 PSI END
AVG880V	1	VALVE	VALVE, ANGLE, QA 0, 3/8 IN, BRASS, SS, FNPT, 400 PSI, 250 DEG F
ATW167D	1	VALVE	VALVE, ANGLE, QA 0, 3/8 IN, THREADED, 400 PSI, VALVE, ANGLE; SIZE: 00.375 IN (3/8), PRESSURE RATING: 400 PSI END
ARK638L	2	VALVE	VALVE, ANGLE, QA 1, 1 IN, CS, SOCKETWELD, 3600 PSI, ASME SA105, Y, RISING, T-HANDLE, 100 DEG F, FORGED

ARK639J	2	VALVE	VALVE, ANGLE, QA 1, VALVE, ANGLE; STEEL, WELBOND, 1.500 IN, SW, 2665 LB, 700 DEG F, CLASS
ARK640D	2	VALVE	VALVE, ANGLE, QA 1, VALVE, ANGLE; STEEL, WELBOND, 2 IN, SW, 2665 LB, 700 DEG F, CLASS 2
BRL418N	16	VALVE	VALVE, BALL, QA 0, 1.0 IN, STAINLESS STEEL, STAINLESS STEEL, SOCKETWELD, 800 PSI, AISI 316, *** OPERATOR TYPE: LEVER HANDLE
AVB815M	8	VALVE	VALVE, BALL, QA 0, 1/2 IN, PVC, SOCKETWELD, *** SEAT MATERIAL: TEFLON
AXX538C	1	VALVE	VALVE, BALL, QA 0, 1-1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FLAT FACE FLANGED, 150 PSI, AISI 316, VALVE, BALL; SIZE: 01.500 IN (1 1/2)
AXX536G	1	VALVE	VALVE, BALL, QA 0, 1-1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FLAT FACE FLANGED, 275 PSI, AISI 316, VALVE, BALL; SIZE: 01.500 IN (1 1/2)
AWM563W	2	VALVE	VALVE, BALL, QA 0, 2.0 IN, ALUMINUM, SOCKETWELD, 850 PSI, *** SEAT MATERIAL: TEFLON, TEMPERATURE: 450 DEG F
BCV666F	1	VALVE	VALVE, BALL, QA 0, 2.0 IN, STAINLESS STEEL, RAISED FACE FLANGED, 150 PSI, LEVER OPERATED, AISI 316, ***
BMB469C	3	VALVE	VALVE, BALL, QA 0, FLANGED, *** TEMPERATURE: 180 DEG F
BVP058M	5	VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 150, END
AVV223W	1	VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, STEEL, FLANGED, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR
AVX556N	1	VALVE	VALVE, BUTTERFLY, QA 0, 6 IN, IRON, ALUMINUM BRONZE, WAFER, 200 PSI, ASTM A126/B148, CAST, VALVE, BUTTERFLY; SIZE: 06.000 IN (6), PRESSURE
CAG065Y	1	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 10 IN, IRON, STAINLESS STEEL, WAFER MONOFLANGED, 150 PSI, CAST, VALVE, BUTTERFLY; 10 IN, 150 PSI
BBF847F	1	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 6 IN, CS, MONOFLANGED, 150 PSI, ** SEAT MATERIAL: RUBBER
BKR645N	1	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8.0 IN, CARBON STEEL, WAFER FLANGED, 150 PSI, ***
AXT657K	1	VALVE	VALVE, BUTTERFLY, QA 1, 4 IN, CS, FLAT FACE FLANGED, 150 PSI, ASME SA516 GR 70, VALVE, BUTTERFLY; 4.000 IN, END TYPE FLAT FACE FLANGE, CLASS
BRD542R	1	VALVE	VALVE, BUTTERFLY, QA 3, CLASS 3, 6 IN, WAFER, VALVE, BUTTERFLY; 6.00 IN, WAFER TYPE, LESS ACTUATOR, POSI SEAL DWG
BXW043W	2	VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 06.000 IN (6), PRESSURE RATING: 150 PSI, END
BXR463Y	1	VALVE	VALVE, BUTTERFLY, QA 3, VALVE, FIRE PROTECTION SYS; HENRY PRATT IBV INDICATING BUTTERFLY
AWE109Q	1	VALVE	VALVE, CHECK, QA 0, 1 IN, RAISED FACE FLANGED, 500 PSI, *** TEMPERATURE: 220 DEG F
BLT581B	2	VALVE	VALVE, CHECK, QA 0, 1/2 IN, STAINLESS STEEL, AISI 316, ***
AXP259F	1	VALVE	VALVE, CHECK, QA 0, 1-1/2 IN, BRASS, FNPT, *** END TYPE: THRD INTERNAL LH
BEB599A	1	VALVE	VALVE, CHECK, QA 0, 1-1/4 IN, STAINLESS STEEL, AISI 316, ***
AXP255P	1	VALVE	VALVE, CHECK, QA 0, 1-1/8 IN, BRASS, FNPT, *** END TYPE: THRD INTERNAL LH
AVW891D	1	VALVE	VALVE, CHECK, QA 0, 12.0 IN, ALUMINUM, FLANGED, 150 PSI, *** CHECK TYPE: FLAP
AYX092B	2	VALVE	VALVE, CHECK, QA 0, 3 IN, BRONZE, *** MODEL 909, C/W TEST COCKS AND TWO EA GATE VALVE, SIZE 3 IN
AVE773V	1	VALVE	VALVE, CHECK, QA 0, 3/4 IN, MNPT, 200 PSI, ***
BXK486H	1	VALVE	VALVE, CHECK, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 1100 PSI, *** CHECK TYPE: BACKFLOW PREVENTION
BAG726W	3	VALVE	VALVE, CHECK, QA 0, 3/8 IN, ALUMINUM, FNPT, 150 PSI, ASME SB26, VALVE, CHECK; .375 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
BPN279C	2	VALVE	VALVE, CHECK, QA 0, 4 IN, *** CHECK TYPE: DISCHARGE
BPN293J	1	VALVE	VALVE, CHECK, QA 0, 4 IN, *** CHECK TYPE: INLET
AXA191T	1	VALVE	VALVE, CHECK, QA 0, 7/8 IN, BRONZE, SWEAT, 450 PSI, *** TEMPERATURE: 300 DEG F
BDC405L	2	VALVE	VALVE, CHECK, QA 0, VALVE, CHROMATOGRAPH; CARTRIDGE, OUTLET PUMP, CHECK, FOR ION GAS
BKB739M	7	VALVE	VALVE, CHECK, QA 0, VALVE, CHECK, SWING, ; .5 IN, END TYPE THREADED INTERNAL, NPT, MAX OPR
AXX589T	1	VALVE	VALVE, CHECK, QA 0, VALVE, CHECK, SWING, ; .500 IN, END TYPE SOCKETWELD, CLASS 150, BODY
BBY387A	3	VALVE	VALVE, CHECK, QA 0, VALVE, LIFT-CHECK, ; 2.0 IN, END TYPE THREADED INTERNAL, NPT, CLASS
AXJ342N	1	VALVE	VALVE, CHECK, QA 1, CLASS 2, VALVE, LIFT-CHECK, ; 2 IN, WELDED END CONNECTIONS, BODY MAT'L ASME
AXJ343L	1	VALVE	VALVE, CHECK, QA 1, CLASS 2, VALVE, LIFT-CHECK, ; 2.000 IN, END TYPE SOCKETWELD, CLASS 1500, BODY
ART998H	1	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; 1.5 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL ASME
AVD605P	4	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; TYPE T,N-CLASS,I 1,IN,SW, 1500 LB ***
AVD607K	2	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; TYPE, N CLASS I, SW, 2 IN, 1500 LB ***
CDG136Q	2	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; TYPE: SWING; SIZE: 2 IN; BODY MATERIAL: SS; END STYLE:
BVC077A	19	VALVE	VALVE, CONTROL, QA 0, 1.0 IN, PVC, TEFLON, FNPT, 150 PSI, *** SCHEDULE 80
AWC601Y	3	VALVE	VALVE, CONTROL, QA 0, 1/2 IN, STEEL, FNPT, 3000 PSI, VALVE, CONTROL; 000.500 IN, NPTF, 3000 PSIG, STEEL BODY, 15 GPM FLOW
BTK820X	5	VALVE	VALVE, CONTROL, QA 0, 1-1/2 IN, STAINLESS STEEL, THREADED, 75 PSI, AISI 304, VALVE, THREE-WAY; MATERIAL: STAINLESS STEEL 304, SIZE: 1.5 IN, S
BNC140H	1	VALVE	VALVE, CONTROL, QA 0, 2 IN, BRONZE, THREADED, VALVE, CONTROL; TEMPERATURE REGULATING, SIZE 2IN, CV 25, CONTROL RANGE
BNH245X	1	VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, 5-60 PSI, CAST, VALVE, CONTROL; CONTROL, CAST IRON BODY, MAX OP INLET: 60 PSIG, MAX OP
BDX502Y	2	VALVE	VALVE, CONTROL, QA 0, 2-1/2 IN, CARBON STEEL, FLANGED, 260 PSI, VALVE, REGULATE FLUID PRESS; 2.5 IN, BODY MATL CARBON STEEL, MAX OPR
ATR087H	1	VALVE	VALVE, CONTROL, QA 0, 5 IN, STAINLESS STEEL, AISI 410, VALVE, INNER; AUXILIARY, STAINLESS STEEL, TYPE 410, ITEM 16, FOR 5 IN
BKR644Q	1	VALVE	VALVE, CONTROL, QA 0, 5/8 IN, FLARED, 9-13 PSI, VALVE, CONTROL; 0.625 IN OD, 9-13 PSIG, PNEUMATIC UNITARY, FLARED
BBF333F	1	VALVE	VALVE, CONTROL, QA 0, PLASTIC, *** 4-WAY, FLOW, INJECT, DUAL STACK AIR ACTUATED, BLACK, FOR ANALYZE
BMF243J	1	VALVE	VALVE, CONTROL, QA 0, VALVE, ; FLOW CONTROL, ITEM 7, FOR MODEL MPS-400 DEHYDRATION UNIT S/N
ATR083R	1	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; MAIN, STAINLESS STEEL, TYPE 316, HARD FACED WITH COBALT-
ATR084P	1	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; MAIN, STAINLESS STEEL, TYPE 316, HARD FACED WITH COBALT-
AWX895R	1	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; STEEL, SPECIAL, 000.625 THD X 004.000 IN LG, REF 79, FOR
AVX121T	1	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; W/PIN, ITEM 5 & 8, FOR 3-WAY CONTROL VALVE, 004.000 IN
BVW373W	2	VALVE	VALVE, CONTROL, QA 2, VALVE, CONTROL; REFRIGERANT PRESSURE ACTUATED, DOUBLE DIAPHRAGM
BRX479K	1	VALVE	VALVE, CONTROL, QA 3, VALVE, TEMPERATURE CONTROL; CHECK, FOR RADIATION MONITORS ***
AXW886R	1	VALVE	VALVE, DIAPHRAGM, QA 0, 1/2 IN, BRASS, FNPT, 2000 PSI, VALVE, DIAPHRAGM; .500 IN, END TYPE THREADED INTERNAL, NPT CLASS 2000,

BMF657N	1	VALVE	VALVE, DIAPHRAGM, QA 0, 2 IN, STEEL, POLYTETRAFLUOROETHYLENE, RAISED FACE FLANGED, 150 PSI, CAST, VALVE, DIAPHRAGM; 2 IN, FLANGE, MOLDER RAI
AJY759T	1	VALVE	VALVE, DIAPHRAGM, QA 0, 2 IN, STEEL, VITON, FLANGED, VALVE, DIAPHRAGM; 002.000 IN, FLANGED, STEEL BODY, POLYPROPYLENE
CDE384F	1	VALVE	VALVE, DIAPHRAGM, QA 0, VALVE, DIAPHRAGM; COMPLETE VALVE ASSEMBLY, 3 INCH HILLS MCCANNA
AWM317C	1	VALVE	VALVE, GATE, QA 0, 1 IN, ALUMINUM, THREADED, 100 PSI, ASTM B26, T, RISING, HANDWHEEL, SCREWED, VALVE, GATE; ALUMINUM, 001.000 IN THD, 100.00
BKG750K	1	VALVE	VALVE, GATE, QA 0, 1/2 IN, SS, SOCKETWELD, 800 PSI, AISI 316, T, RISING, HANDWHEEL, **
CAP974X	1	VALVE	VALVE, GATE, QA 0, 10.0 IN, IRON, FLANGED, 125 PSI, ASTM A126, T, NON-RISING, HANDWHEEL, 450 DEG F, BOLTED FLANGED, CAST, ***
AVD693Y	1	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, CS, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED
AWM316E	1	VALVE	VALVE, GATE, QA 0, 1-1/4 IN, STAINLESS STEEL, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, SCREWED, ***
AWR863V	2	VALVE	VALVE, GATE, QA 0, 12.0 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126 CL B, T, NON-RISING, CAST, ***
BLP163D	1	VALVE	VALVE, GATE, QA 0, 2 IN, ALLOY STEEL, FNPT, 800 PSI, ASTM A182 GR F316L, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED, VALVE, GATE;
BYA218K	1	VALVE	VALVE, GATE, QA 0, 2 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, VALVE, GATE; 2 IN, 600 P
BNP868R	1	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, BRONZE, FNPT X MNPT, 175 PSI, ***
BTT963P	3	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, CARBON STEEL, FLAT FACE FLANGED, 600 PSI, T, HANDWHEEL, ***
BKA414P	2	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, CARBON STEEL, WELDED, 150 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, CAST, *** END TYPE:
AVD904D	1	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, IRON, FLANGED, 150 PSI, T, RISING, CAST, ***
ATR557F	1	VALVE	VALVE, GATE, QA 0, 3.0 IN, BRONZE, THREADED, 150 PSI, T, ***
BJB631G	1	VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, FLANGED, 200 PSI, T, HANDWHEEL, ***
BJD232L	1	VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, RAISED FACE FLANGED, 200 PSI, T, HANDWHEEL, ***
BJD233J	1	VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, RAISED FACE FLANGED, 200 PSI, T, HANDWHEEL, ***
AWR866M	2	VALVE	VALVE, GATE, QA 0, 4 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, VALVE, GATE; 4.0 IN, END TYPE MECHANICAL JOINT, BO
AVG979W	1	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, ALUMINUM, THREADED, 100 PSI, T, ***
BAD888H	1	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, BRASS, FNPT X MNPT, 3500 PSI, T, RISING, T-HANDLE, ***
ATR967V	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, 500 DEG F, BOLTED FLAN
CDX900N	2	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, STAINLESS STEEL, 200 PSI, AISI 316, 150 DEG F, VALVE, GLOBE; 1/4' FACE SEAL ENDS WITH FEMALE NUTS, 316 SS BODY
BCP434R	3	VALVE	VALVE, GLOBE, QA 0, 2 IN, BRONZE, STAINLESS STEEL, FNPT, 200 PSI, ASTM B61, T, RISING, HANDWHEEL, 550 DEG F, UNION, VALVE, GLOBE; SIZE: 02.0
BCK053H	2	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 800 PSI, T, RISING, HANDWHEEL, 850 DEG F, ***
ATR080B	1	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA182 GR F316, Y, 650 DEG F, ***
ATN550Q	1	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, THREADED, 300 PSI, DIAPHRAGM ACTUATOR, *** TRIM MATERIAL: BRONZE, SEAT MATERIAL: TEFLON
AWT028G	1	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, CARBON STEEL, STAINLESS STEEL, FNPT, 600 PSI, ASTM A105 GR 420, T, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW Y
CDE574A	1	VALVE	VALVE, GLOBE, QA 0, VALVE, GLOBE; SIZE: 04.000 IN (4), PRESSURE RATING: 150 PSI, END
BVH345T	3	VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, Y, HANDWHEEL, 400 DEG F, VALVE, GLOBE; SIZE: 00.500 IN (1/2), PRESS
BVP590R	20	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 1/2 IN, SS, 1513 PSI, ASME SA182 GR F316, VALVE, GLOBE; NOMINAL SIZE 1/2 IN, STAINLESS STEEL, ASME SA 182 F316,
CEE253Q	1	VALVE	VALVE, GLOBE, QA 1, CLASS 1, VALVE, GLOBE; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 1700 PSI, END
BDP172P	31	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA
BEC127F	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; .5 IN, END TYPE SOCKETWELD, CLASS 900, BODY MATL
BDP173M	11	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; 0.5 IN PIPE SW INLET X 0.5 IN HI-SEAL OUTLET, CLASS
BCX434T	11	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .375 IN, CLASS 1500, BODY MATL STAINLESS STEEL, 'T'
BWK920D	1	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: 1500 PSI, END
ARV001K	1	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; STAINLESS STEEL, Y TYPE, SOCKET WELD, 1 IN, 2485 PSI AT
BTW649K	3	VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 300 PSI, END
CEA548R	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 00.750 IN (3/4), PRESSURE RATING: 1500 PSI, END
CED706K	16	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: 800 PSI, END
BPW814H	3	VALVE	VALVE, PETCOCK, QA 0, 1/2 IN, THREADED, 150 PSI, VALVE, GAGE; COCK, BYPASS, SHUTOFF, SCREW STEM, 0.50 IN NPT, 150 LB
BTH566G	11	VALVE	VALVE, PETCOCK, QA 0, 2 IN, FNPT, BRASS, WRENCH, COCK, DRAIN; SIZE: 02.000 IN (2), PRESSURE RATING: NOT SHOWN, END
BDY580F	1	VALVE	VALVE, PETCOCK, QA 0, VALVE ASSY, ; DRAIN, 4 IN, N.O., AIR OPERATED, FOR DRY CLEANER, MODEL
BTL794K	1	VALVE	VALVE, PILOT, QA 2, VALVE ASSY, CHILLER; PILOT THERMAL, COMPLETE WITH POWER ASSY AND VALVE
BHB930P	1	VALVE	VALVE, PLUG, QA 0, 1/8 IN, STAINLESS STEEL, FNPT, AISI 316, VALVE, PLUG; SIZE: 00.125 IN (1/8), END TYPE: THREAD INTERNAL NPT
AVE622H	3	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 1-1/2 IN, THREADED, 300 PSI, VALVE, PLUG; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 300 PSI END
AYM048P	1	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 2-1/2 IN, IRON, FNPT, 150 PSI, CAST, VALVE, PLUG; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 150 P
AVX070K	1	VALVE	VALVE, PLUG, QA 0, VALVE, PLUG; SIZE: 04.000 IN (4), PRESSURE RATING: 150 PSI ***
BYD386E	2	VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 3 IN, IRON, FLANGED, 150 PSI, CAST, VALVE, PLUG; HOMESTEAD VALVE, CAST IRON, SIZE: 3' FLANGE BOLTED 200
CDG177A	2	VALVE	VALVE, PLUG, QA 3, VALVE, ISOLATION; 1/2 INCH, MANUAL, PLUG TYPE, 1/2' NPT-M AND 1/2'
AXX643F	1	VALVE	VALVE, POPPET, QA 0, VALVE, POPPET, ENGINE, ; INL 1250-4727, REF 28, FOR INTERCEPTOR VALVE
BJA848V	2	VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 1 IN, CARBON STEEL, MNPT, 100 PSI, VALVE, SAFETY RELIEF; .5 IN, OUTLET 1.0 IN, END TYPE THREADED
AVJ229Y	1	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, CARBON STEEL, MNPT, 50 PSI, VALVE, SAFETY RELIEF; CARBON STEEL, 0.500 IN MPT INLET, 1 IN OUTLET
AWW381Y	1	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRASS, THREADED, 15 PSIG, *** FOR STANDLEY MAIN FEED PUMP
BBH733L	1	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, MNPT, VALVE, SAFETY RELIEF; 1.5 IN, SCREWED, MALE ENDS, BRONZE, VACUUM, FOR
AXP248L	1	VALVE	VALVE, RELIEF, QA 0, 1-1/4 IN, BRASS, FNPT, VALVE, SAFETY RELIEF; 1.125 IN, END TYPE THREADED INTERNAL, BODY MATL
BLQ250Q	3	VALVE	VALVE, RELIEF, QA 0, 2-1/2 IN, IRON, FLANGED, 300 PSI, 140 PSI, CAST, VALVE, SAFETY RELIEF; CAST IRON, 2.5 IN, 300 LB, INLET FLANGE SET AT

AVT704J	1	VALVE	VALVE, RELIEF, QA 0, 4 IN, THREADED, 100 PSI, VALVE, SAFETY RELIEF; PRESSURE, 4 IN, THD, 100 PSIG, ***
AWE942Q	3	VALVE	VALVE, RELIEF, QA 0, IRON, FLANGED, 100 PSI, CAST, VALVE, SAFETY RELIEF; FLANGED, 100 PSI, CAST IRON, INTERNAL RELIEF
BVJ532N	2	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; 3/4 IN X 1 IN, TYPICAL S/N TC93166, COLD SET
BJC334H	1	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; CAST IRON, COMPLETE, DWG 14, REF
BVL520Y	1	VALVE	VALVE, RELIEF, QA 1, CLASS 3, VALVE, SAFETY RELIEF; 150 LB, CONSOLIDATED TYPE 1970C, CAST CARBON
BXH884F	1	VALVE	VALVE, RELIEF, QA 1, VALVE ASSY, VALVE; RELIEF, COMPLETE, CHICAGO FILED DWG CFP-309-B, FOR
BKH157D	8	VALVE	VALVE, RELIEF, QA 1, VALVE, SAFETY RELIEF; PRESSURE, GREASE, FOR ACTUATOR, TYPE SMB-000,
BLM411Y	1	VALVE	VALVE, RELIEF, QA 3, VALVE ASSY, DIESEL ENGINE; RELIEF, FOR LUBE OIL SYSTEM, ON STANDBY
BXW714G	1	VALVE	VALVE, RELIEF, QA 3, VALVE, PUMP; INTERNAL RELIEF, SET AT 35 PSIG, FOR MODEL Q4125R PUMP, S/N
BTT871W	1	VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; END CONNECTION, SERVICE: NITROGEN RELIEF 58 PSI
BLD940P	1	VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, 3/16 IN, 125, VALVE, SOLENOID; 00.25 IN, NPT, 125.00 VDC COIL ORIFICE 0.187 ***
BAX929B	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 9/32 IN, FNPT, 110/120, 105 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .25 IN
BAY571P	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/16 IN, FNPT, 120 DC, 160 PSI, BRASS, 11.2, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN
BAP898T	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 110/120, 250 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, SIZE .25 IN, ORIFICE .1
BCC679K	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/32 IN, FNPT, 240, 90 PSI, BRASS, 50/60, 11, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .125 I
BJM998F	2	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 110/120, 175 PSI, BRASS, 9, VALVE, SOLENOID; THREE-WAY, SIZE .125 IN, END TYPE THREADED
BBP194R	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/4 IN, 3/4 IN, FNPT, 110, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .75 IN
BAY600P	4	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 1/4 IN, FNPT, 110/120, 125 PSI, ***
BXN798E	11	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 3/8 IN PIPE, 5/16 IN ORIFICE, ***
BDD824R	1	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 3/8 IN, FNPT, 125, 60 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .375 IN,
BTK203C	2	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 9/32 IN, THREADED, 120, 200 PSI, BRASS, 10.5 AC/17.4 DC, FORGED, VALVE, SOLENOID; 10.5 WATTS (AC) 17.4
BTV380N	2	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 2-WAY, AIR OPERATED, 1/2 IN, NITROGEN SERVICE, BRASS
BDD822X	3	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, SIZE .25 IN, END TYPE THREADED INTERNAL
AXX644D	1	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; DUMP, STAINLESS STEEL, INL 1250-4008, REV 9, REF
BJA455F	1	VALVE	VALVE, TYPICAL, QA 0, 1 IN, IRON, FNPT, *** SEAT MATERIAL: HI-CAR RUBBER, CAST
BJA456D	1	VALVE	VALVE, TYPICAL, QA 0, 1/2 IN, IRON, FNPT, *** SEAT MATERIAL: HI-CAR RUBBER, CAST
BCV638L	1	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, *** SUCTION OF DISCHARGE SERVICE, FOR AIR CONDITIONER COMPRESSOR MODEL
BCR773Q	1	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, STEEL, *** DISCHARGE, FOR AIR CONDITIONER COMPRESSOR, MODEL 2E5G88N
BEF194G	1	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; ORIFICE, METALLIC, FOR DRY CLEANER, MODEL 270 ***
BCP267J	5	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; BODY, 0.75 IN, FOR AIR OPERATED RECIPROCATING PUMP
AXP858Q	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, TURBINE; C/W O-RINGS, REF 11, FOR TURBINE AUXILIARY EQUIPMENT
BVH524T	1	VALVE	VALVE, TYPICAL, QA 1, VALVE, PUMP; FILL, C/O FILL VALVE, 4 IN TUBING, TEE AND CAPILLARY ***
BWW357L	2	VALVE	VALVE, TYPICAL, QA 3, VALVE, CHROMATOGRAPH; HUMPHREY VALVE ***
BRE500H	26	VALVE	VALVE, TYPICAL, QA 3, VALVE, COMPRESSOR; SUCTION, COMPLETE WITH VALVE AND GASKET, FOR START
BGB562M	4	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; FOR LUBE OIL TANK ON TURBINE ***
AGH206M	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, ALLOY STEEL, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F22, T, RISING, T-HANDLE, 1020 DEG F, FORGED, LOOSE BACKSEA
AHX105P	5	VALVE	VALVE, PETCOCK, QA 0, 3/4 IN, THREADED, 4000 PSI, CS, ASTM A105 GR 2, FORGED, BODY A105, GR II, 4000 PSI AT 100 DEGREE F,
AEH120N	1	VALVE	VALVE, GATE, QA 0, 10.0 IN, STEEL, WELDED, 300 PSI, T, ***
BYB511G	2	VALVE	VALVE, RELIEF, QA 0, 2 IN X 3 IN, RAISED FACE FLANGED, 725 PSIG, VALVE, SAFETY RELIEF; 2' INLET X 3' OUTLET, SET AT 725 PSIG, TEMP. 790
AGC076P	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, SEGREGATING, ASH DISP; MATERIALS HANDLING, AIR-ELECTRIC TYPE C
BXE988J	1	VALVE	VALVE, GATE, QA 0, 1.0 IN, STAINLESS STEEL, SOCKETWELD, 150 PSI, ASME SA182 GR F316, T, ***
CMB186H	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, SOCKETWELD, 120, 1326 PSI, SS, ASME SA479 GR 316L
BPX830R	7	VALVE	VALVE, CHECK, QA 0, 4.0 IN, STEEL, FLANGED, 175/200 PSI, ***
BLF239F	5	VALVE	VALVE, PLUG, QA 0, 1-1/2 IN, BRONZE, THREADED, 150 PSI, VALVE, PLUG; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: CLASS 150 END
BXY371A	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 200 PSI, BRASS, 28.2, FORGED, VALVE, SOLENOID; GENERAL PURPOSE ENCLOSURE, 28.2 WATT HT
ARJ645W	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, GOVERNOR; REF 30, ILLUSTRATION 1250-4103-A, FOR MAIN TURBINE
ARH162N	150	VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** INHALATION, FOR ULTRA-TWIN RESPIRATOR
BHR244M	17	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, RESPIRATOR; EXHALATION, FOR ULTRA RESPIRATORS ***
BWG348K	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; SIZE: 01.000 IN (1), PRESSURE RATING: 200 PSI, END TYPE:
CDN435F	1	VALVE	VALVE, CHECK, QA 3, STOP, 12 IN, IRON, FLAT FACE FLANGED, 125 PSI, CAST, *** DANIEL MODEL # 1600-D
CJF694V	2	VALVE	VALVE, BUTTERFLY, QA 3, 6 IN, CAST IRON, SS, 200 PSI, , SERIES 200 WAFER STYLE RESILIENT SEATED, 316 SS SHAFT, PTFE BUSHING,
CHH668Q	1	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 2 IN, CS, SOCKETWELD, 1878 PSI, ASME SA216 GR WCB, T-HANDLE, ASME B16.34, NON COBALT SEAT MATERIAL REFERENCE VD
BNW607X	1	VALVE	VALVE, SOLENOID, QA 1, 3/4 IN, 3/4 IN, THREADED, 240, 5-300 PSI, 10, **
CDK987N	1	VALVE	VALVE, BALL, QA 1, CLASS 3, VALVE, BALL; TYPE: LEVER HANDLE; SIZE: 1 IN; BODY MATERIAL: CS; END
BJF615R	10	VALVE	VALVE, CHECK, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, AISI F316, ***
CAK785M	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; TWO WAY, NORMALLY CLOSED, STEAM SERVICE, 1/2 INCH
CAJ956R	2	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; TYPE: 3-WAY; SIZE: 1/4 IN; ORIFICE SIZE: 1/8 IN;
CJF184K	10	VALVE	VALVE, GLOBE, QA 2, 1/4 IN, SS, COMPRESSION, 1500 PSI, AISI 316, T, 600 DEG F
CKK965V	1	VALVE	VALVE, GATE, QA 3, 14 IN, MECHANICAL JOINT, NON-RISING, , DOUBLE DISK, WITH 2 INCH SQUARE NUT FOR SOCKET WRENCH OPERATION,

CKK965V	1	VALVE	VALVE, GATE, QA 3, 14 IN, MECHANICAL JOINT, NON-RISING, , DOUBLE DISK, WITH 2 INCH SQUARE NUT FOR SOCKET WRENCH OPERATION,
ATY755H	2	VALVE	VALVE, CHECK, QA 2, LIFT, 1-1/4 IN, BRASS, THREADED, , MODEL: FIG 205-7, CLASS: 400 WOG
BHJ233Y	3	VALVE	VALVE, CONTROL, QA 0, VALVE, REGULATE FEEDWATER; FEEDER, LOW WATER CUT-OFF, MOTOR DUTY
BWL927E	3	VALVE	VALVE, PLUG, QA 3, VALVE, ANALYZER; PLUG, DRAG, 0.250 IN, FLANGE, 6000 LB MAX PRESSURE
ANG491T	20	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, SS, 5000 PSI, AISI 316, T
CAR067C	1	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/4 IN, 3/64 IN, THREADED, 120, BRASS, 60, VALVE, SOLENOID; THREE WAY, BRASS BODY, 120VAC/60HZ, 1/4', NORMALLY
CJM027V	1	VALVE	VALVE, GATE, QA 1, CLASS 3, 1 IN, CS, FNPT, 800 PSI, ASME SA216 GR WCB, T, HANDWHEEL
CEX162E	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/4 IN, SS, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F316L, T, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, FORGED, VOG
CBC410B	1	VALVE	VALVE, BALL, QA 0, 2 IN, CARBON STEEL, STAINLESS STEEL, THREADED, PNEUMATIC OPERATED, VALVE, BALL; 2 IN NPT BALL VALVE, CARBON STEEL BODY ST
CKJ404B	1	VALVE	VALVE, GLOBE, QA 3, 2 IN, CS, SOCKETWELD, 800 PSI, T, HANDWHEEL
CED867R	2	VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING
CEN263C	3	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 1/2 IN; BODY MATERIAL: CS; PRESSURE RATING: 800
BPG177K	1	VALVE	VALVE, TYPICAL, QA 0, STEAM TURBINE, SHUT OFF VALVE ASSEMBLY FOR TURBINE EHC SYSTEM.
AFN715B	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; MAGNET, W/COIL BRNBOV 2738, FOR STATIC
BPT673K	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; 0.375 IN, BODY MATERIAL: ASME SA182, TP316, PACKLESS
BWT822X	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; VALVE, SOLENOID OPERATED, 'NP SERIES', 120 VAC, 1/4
BTQ073T	1	VALVE	VALVE, BALL, QA 0, 4 IN, CS, RAISED FACE FLANGED, 150 PSI, ASTM A216 GR WCB
BXM536J	1	VALVE	VALVE, CONTROL, QA 0, 2 IN, STEEL, STEEL, 720 PSI, VALVE, SHUT OFF; ROCKWELL NORDSTROM 2', MULTPPORT VALVE; ARRANGEMENT
BJM293N	30	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 3/8 IN, CS, SS, SOCKETWELD, 600 PSI, ASME SA105, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, FORGED, HARDF
CGM031H	2	VALVE	VALVE, GLOBE, QA 3, 2 IN, SOCKETWELD, 1690 PSI, ASTM A182 GR F22, T, FOR HANCOCK VALVE, FIG 7150W
CEC011J	1	VALVE	VALVE, BUTTERFLY, QA 0, ACTUATOR OPERATOR, 4 IN, CARBON STEEL, STAINLESS STEEL, 150 PSI, VALVE ASSY, ACTUATOR; BUTTERFLY, 4 IN., ANSI CLASS
CJE607P	1	VALVE	VALVE, PLUG, QA 3, WRENCH OPERATOR, 3 IN, SS, BUTTWELD, 150 PSI, ASTM A351 GR CF8M, SCHEDULE 40, UHMWP SLEEVE AND SEALS, SERIAL NUMBERS 8953
CAK830N	6	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, VALVE; MANIFOLD, DUAL BLEED ORIFICE, 10419B-8-4, SOLID
BJM289D	1	VALVE	VALVE, CHECK, QA 1, LIFT, 2 IN, SS, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, VALVE, CHECK; 2 IN, ASME F316 STAINLESS STEEL, 600 PSI AT 91
CDK913L	2	VALVE	VALVE, GATE, QA 1, CLASS 3, VALVE, GATE; SIZE: 02.000 IN (2), PRESSURE RATING: 150 PSI, END TYPE:
CGY184J	1	VALVE	VALVE, GATE, QA 1, CLASS 1, 2 IN, SS, 1500 PSI, ASME SA351 GR CF8M, T-HANDLE, DOUBLE DISC GATE VALVE, FLOWSERVE DRAWING: W0226005
BJP579R	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; 1.5 IN, END TYPE SOLDER JOINT, 'T' PATTERN, CWP 200 PSIG
BDV397A	6	VALVE	VALVE, METERING, QA 0, VALVE ASSY, ; 316 STAINLESS STEEL, CONSISTS OF VALVE AND O-RING, FOR
AVD445J	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1 IN, THREADED, 125 DC, BRONZE, VALVE, SOLENOID; BRONZE, 3 WAY, 1 IN, 125 VDC, THD ***
AWL198Y	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, PUMP; ANTISYPHON, HYPALON, PVC, FOR PRECISION CHEMICAL METERING
BLJ092T	1	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 11
BLJ094N	1	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 14
ARH162N	65	VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** INHALATION, FOR ULTRA-TWIN RESPIRATOR
BED624V	1	VALVE	VALVE, GATE, QA 1, 2-1/2 IN, CS, BUTTWELD, 150 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, CAST, B16.34, MAX OPR TEMP
AJH727B	2	VALVE	VALVE, BUTTERFLY, QA 1, VALVE, BUTTERFLY; TYPE: MANUAL OPERATED; SIZE: 6 IN; BODY MATERIAL:
AQX181T	1	VALVE	VALVE, BUTTERFLY, QA 0, 20 IN, IRON, WAFER, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR
BLD048P	1	VALVE	VALVE, CONTROL, QA 0, 1/4 IN, FNPT, 3000 PSI, VALVE, REGULATE FLUID PRESS; REDUCING, 3000 MAX INLET, 0.25 IN FNPT
BLD047R	1	VALVE	VALVE, CONTROL, QA 0, VALVE, REGULATE FLUID PRESS; 0.25 IN, 0 TO 35 PSIG, TVA ID
BVJ536E	2	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; 1/2 IN, SET PRESSURE 100 PSIG FUEL OIL, WITH
BVJ544F	2	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; 1/2 IN, SET PRESSURE 170 PSIG LUBE OIL, WITH
AVH021K	3	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, 100 PSI, *** DISCHARGE, FOR SPARE SERVICE AIR COMPRESSOR, SIZE 14.500 X 8.250 X
BNH245X	1	VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, 5-60 PSI, CAST, VALVE, CONTROL; CONTROL, CAST IRON BODY, MAX OP INLET: 60 PSIG, MAX OP
BNH319T	4	VALVE	VALVE, BALL, QA 0, 2.0 IN, CPVC, SOCKETWELD, ***
AVB115J	8	VALVE	VALVE, BUTTERFLY, QA 0, 4 IN, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR
ARP427D	15	VALVE	VALVE, GLOBE, QA 0, 1/8 IN, STAINLESS STEEL, COMPRESSION, AISI 316, T, ***
BRK002K	8	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, ROUND BOLTED, ***
BLJ092T	2	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 11
BLJ094N	2	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 14
AXY495Y	12	VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY, ; CONSISTING OF DRAIN VALVE, P/NN-29017-01, 0.125 TUBE TO
CFF180R	2	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 3/4 IN, CARBON STEEL, SOCKETWELD, ASME SA216 GR WCB, T, ** FLOWSERVE DRAWING: W0025606, PRESSURE CLASS 800 PSIG
CDC269R	1	VALVE	VALVE, RELIEF, QA 1, CLASS 2, FNPT X FNPT, , BASE MAT'L: SS, BASE MAT'L SPEC: ASME SA479 TYPE 316, CROSBY 900
CJM138V	1	VALVE	VALVE, TYPICAL, QA 1, GAUGE/INSTRUMENT, SS, , INLET: 1/2' FNPT, OUTLET: 3/8' FEMALE TUBE PER AND 10050-6, BODY
CGH680L	4	VALVE	VALVE, BALL, QA 3, LEVER OPERATED, SIZE: ND 20 (20 MM), MODEL 4370, GENERATOR CIRCUIT BREAKER DRV1750D
BFV749Q	5	VALVE	VALVE, CONTROL, QA 0, 2.0 IN, *** FOR DIAPHRAGM VALVE, 2 IN, TYPE 73-53-3
BVE739L	1	VALVE	VALVE, BALL, QA 0, 1 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASTM A182 GR F22, 5/8 IN, METAL SEATED, ZERO LEAKAGE
BVE749H	2	VALVE	VALVE, BALL, QA 0, 2 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASTM A182 GR F22, 1-1/16 IN, METAL SEATED, ZERO LEAKAGE
CEF568R	2	VALVE	VALVE, BALL, QA 0, 3/4 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASME SA182 GR F22, BORE SIZE: 3/4 IN, METAL SEAL, ZERO LEAKAGE
CKQ050N	1	VALVE	VALVE, TYPICAL, QA 3, 6 IN, SS, BUTTWELD, 150 PSI, STOP CHECK VALVE, SUPPLIED WITH ANTI-ROTATIONAL DISC, LADISH MODEL NO.
ADH801R	6	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 1/4 IN, FNPT, 120, 10-250 PSI, 17.1, VALVE, SOLENOID; FOUR-WAY, ORIFICE 000.250 IN

BXM130T	1	VALVE	VALVE, CHECK, QA 1, 3/4 IN, SS, FNPT, 25 PSI, AISI 303, , MAX OPR TEMP 250.0 DEG F
BFV168D	3	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 250 DC, 200 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY OPEN, SIZE .25 IN, OR
BRN016P	2	VALVE	VALVE, CONTROL, QA 1, VALVE, DIRECTIONAL CONTROL; SYSTEM 085, FOR BFN CRD HCU GE P/N 729E950
CEM126V	4	VALVE	VALVE, TYPICAL, QA 2, VALVE, *TYPICAL; TYPE: MANIFOLD; SIZE: 1/2 IN; BODY MATERIAL: SS;
CDE590P	3	VALVE	VALVE, CHECK, QA 2, VALVE, ACCUMULATOR; PIPE ENDED CHECK VALVE, 316 SS POPPET AND BODY,
CED867R	4	VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING
BQC376V	2	VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE,CHECK,SWING, ; 1'(INCH), 200 LB.,SOCKETWELD, BODY ASTM A351 GR
BTV389Q	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 2-WAY,AIR OPERATED,1/2 IN,NITROGEN SERVICE,BRASS BODY
BNH525P	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; ORIFICE 3/32, MEDIA R-12, R22, 110 VAC, 6 WATTS, 100
BHD370R	2	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .25 IN, ORIFICE
BDP172P	10	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA
BDP172P	10	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA
BDP172P	6	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLASS 1500, BODY MA
BFK581E	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREADED INTERNAL ENDS, 120 PSIG AT 120 DEG F, 3-WAY
BXJ865E	1	VALVE	VALVE, SOLENOID, QA 3, 3-WAY, 3/8 IN, 5/16 IN, 125 DC, 125 PSI, 35.1, NORMALLY CLOSED,
BNP989D	5	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 0.5 IN, FOR VIKING VALVES, ITEM 17 ON MODEL B-1 AS
CDK495C	1	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; 1 1/2 FNPT X 2 1/2 FNPT, SET POINT 10 PSIG ***
CAJ058H	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 120 VAC, 3-WAY, NP SERIES, 1/4-INCH NPT PIPE SIZE
BLE555A	5	VALVE	VALVE, BALL, QA 0, 1-1/2 IN, PVC, PVC, THREADED, 150 PSI, *** END TYPE: DOUBLE UNION
BLF237K	4	VALVE	VALVE, PLUG, QA 0, 1-1/4 IN, BRONZE, THREADED, 150 PSI, VALVE, PLUG; SIZE: 01.250 IN (1 1/4), PRESSURE RATING: CLASS 150 END
BYA515D	1	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; CHECK TYPE: TILTING DISC, SIZE: 24.000 IN (24)
BWW075M	2	VALVE	VALVE, CONTROL, QA 0, 1.0 IN, CARBON STEEL, 900 PSI, *** FOR 1 IN FLOW CONTROL VALVE, WKM 900 LB, CARBON STEEL
BVP058M	55	VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 150, END
BXE988J	1	VALVE	VALVE, GATE, QA 0, 1.0 IN, STAINLESS STEEL, SOCKETWELD, 150 PSI, ASME SA182 GR F316, T, ***
CGY184J	2	VALVE	VALVE, GATE, QA 1, CLASS 1, 2 IN, SS, 1500 PSI, ASME SA351 GR CF8M, T-HANDLE, DOUBLE DISC GATE VALVE, FLOWSERVE DRAWING: W0226005
CAF667G	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE,POWERED; SOLENOID, DIRECT LIFT, BOLTED BODY/BONNET, 120
CBT686D	1	VALVE	VALVE, GATE, QA 0, 3.0 IN, STAINLESS STEEL, BUTT WELD, 150 PSI, T, HANDWHEEL, ***
BVR787G	3	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/4 IN, 3/16 IN, 125 DC, 100 PSI, 35.1, WITH 1/2 IN THREADED HUB
BYM424P	1	VALVE	VALVE, CHECK, QA 1, VALVE, CHILLER; CHECK,1/2 IN, FREE FLOW, FPT END CONNECTIONS, BRASS
BXL039W	2	VALVE	VALVE, TYPICAL, QA 0, INNER, 1-1/2 IN, STAINLESS STEEL, AISI 410, *** FOR 1-1/2 IN, S/N 70-116119 THRU 70-116130
BKM859P	4	VALVE	VALVE, BUTTERFLY, QA 0, 8.0 IN, IRON, IRON, WAFER FLANGED, 125 PSI, ASTM A126 CL B, CAST, *** OPERATOR TYPE: HANDWHEEL
BRH115Q	1	VALVE	VALVE, TYPICAL, QA 1, 4 IN, FLANGED, AIR RELEASE VALVE, MODEL NUMBER A41/PL10, DRAWING A40-PL10, VALVE
BWB693V	1	VALVE	VALVE, GATE, QA 1, 2-1/2 IN, SS, BUTTWELD, 200 PSI, ASTM A351 GR CF8M, T, HANDWHEEL, VALVE, GATE; SIZE: 02.500 IN (2 1/2), PRESSURE RATING:
BGV971H	25	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, NHF X NHM, ***
BWX329L	1	VALVE	VALVE, METERING, QA 1, VALVE ASSY, VALVE; METERING, COMPLETE, CHICAGO FLD DWG CFP-310-B, FOR
BLW761Y	1	VALVE	VALVE, BUTTERFLY, QA 0, PNEUMATIC OPERATED, 30 IN, IRON, SS, CAST, WAFER BODY, WITH 79B-270 ACTUATOR, LP LIMIT SWITCH, AND 8344
BLW761Y	1	VALVE	VALVE, BUTTERFLY, QA 0, PNEUMATIC OPERATED, 30 IN, IRON, SS, CAST, WAFER BODY, WITH 79B-270 ACTUATOR, LP LIMIT SWITCH, AND 8344
BXD307C	1	VALVE	VALVE, GATE, QA 0, 10.0 IN, BUTT WELD, 300 PSI, *** FOR SCHEDULE 40 PIPE, BODY MATERIAL WCB WITH CR13 TRIM, EQUIPPED
BXD307C	1	VALVE	VALVE, GATE, QA 0, 10.0 IN, BUTT WELD, 300 PSI, *** FOR SCHEDULE 40 PIPE, BODY MATERIAL WCB WITH CR13 TRIM, EQUIPPED
BQT639D	1	VALVE	VALVE, CHECK, QA 0, 18 IN, 900 PSI, ***
BQT639D	1	VALVE	VALVE, CHECK, QA 0, 18 IN, 900 PSI, ***
BXV508R	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1-1/8 IN, 3/4 IN, 300 PSI, VALVE, SOLENOID; 1 1/8 IN DIA, LESS COIL, 300 PSIG, FOR DUNHAM-BUSH
BEF326R	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 7/8 IN, 9/16 IN, SOLDER JOINT, 120, 300 PSI, BRASS, 50/60, VALVE, SOLENOID; TWO-WAY, SIZE .875 IN, ORIFICE .56
BYT180B	3	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, 90 PSI, *** FOR CHILLER
BYT179G	3	VALVE	VALVE, TYPICAL, QA 0, VALVE, CHILLER; 3/4 IN, 90 PSIG SET, FOR CHILLER ***
CJQ979W	2	VALVE	VALVE, TYPICAL, QA 0, START UP VALVE CONTROL, REXA, FLOW MATCH
ACH618M	3	VALVE	VALVE, GLOBE, QA 0, 1 IN, BRONZE, SILICON BRONZE, FNPT, 200 PSI, ASTM B61, T, RISING, HANDWHEEL, 550 DEG F, UNION, VALVE, GLOBE; SIZE: 01.00
AKG294F	26	VALVE	VALVE, PETCOCK, QA 0, 1-1/2 IN, 125 PSI, BRASS, ***
ABH815R	6	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, IRON, STEEL, FNPT, 150 PSI, ASTM A126 GR B, T, NON-RISING, HANDWHEEL, 450 DEG F, UNION, CAST
BBR837Y	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, FNPT, 24 DC, 125 PSI, BRASS, 11.2, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .5 IN, ORIFICE .
BXT742M	1	VALVE	VALVE, BUTTERFLY, QA 0, 6.0 IN, *** FOR DFA SILO UNLOADER A & B
BXC629R	9	VALVE	VALVE, CONTROL, QA 0, VALVE, FLY ASH; FLOW CONTROL, 1/4' ***
AEH503V	6	VALVE	VALVE, ANGLE, QA 0, 1/2 IN, CARBON STEEL, STAINLESS STEEL, SOCKETWELD, 600 PSI, ASTM A105 GR 420, T, RISING, HANDWHEEL, 100 DEG F, FORGED
ANH823N	1	VALVE	VALVE, CHECK, QA 0, 1 IN, THREADED, ***
ACH704X	2	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, STEEL, SOCKETWELD, 6000 PSI, T, HANDWHEEL
AKD835N	1	VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; TWO-WAY LINE, PACKED, BACK SEATING, GLOBEMASTER
AMG998X	1	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, STEEL, SOCKETWELD, 6000 PSI, T, RISING, HANDWHEEL, CAST, INSTRUMENT VALVE
CAL099Q	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, IGNITER; OIL VALVE PROOF OF CLOSURE (DPDT), FOR UNITS 1-4
CKB112V	1	VALVE	VALVE, BALL, QA 0, 3 IN, BUTTWELD, 4500 PSI, MOGAS UNI-DIRECTIONAL, F22 BODY MATERIAL INCONEL DIFFUSED BORIDE

BEL907C	1	VALVE	VALVE, RELIEF, QA 0, 4 IN, CARBON STEEL, RAISED FACE FLANGED, 250 PSI, VALVE, SAFETY RELIEF; 4.0 IN, END TYPE RAISED FACE FLANGE, CLASS 250
CGP381L	1	VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, SS, 150 PSI, 150 # CLASS, EPDM SEAT, SS DISC AND SHAFT, FACE TO FACE DIMENSION 2.5'
BNW927A	1	VALVE	VALVE, CONTROL, QA 0, VALVE, SAMPLING; SHUTOFF, FOR DILUTION-AIR MOD, ON SAMPLING SYSTEM
BNW925E	3	VALVE	VALVE, RELIEF, QA 0, VALVE, SAMPLING; BY-PASS RELIEF, FOR SAMPLING SYSTEM PANEL, HYDROGEN
BNX142A	3	VALVE	VALVE, TYPICAL, QA 0, *** FOR H2 SAMPLE PANEL #7688, H2 SAMPLE PANEL #7688
BXL203L	1	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, *** FEATHER VALVE ASSEMBLY 2ND STAGE VALVE GUARD IT. # 2; FOR
BXL140W	10	VALVE	VALVE, TYPICAL, QA 0, VALVE, COMPRESSOR; FIRST STAGE FEATHER VALVE ASSEMBLY, VALVE GUARD
CKC366N	1	VALVE	VALVE, BALL, QA 0, 1 IN, CHROME MOLY, SOCKETWELD, 3100 PSI, LEVER OPERATED, ASTM A182 GR F22
ARK493L	5	VALVE	VALVE, GATE, QA 0, 2.0 IN, CARBON STEEL, BUTT WELD, 300 PSI, ASTM A105, T, ELECTRIC MOTOR ACTUATOR, 100 DEG F, ROUND BOLTED, FORGED, *** TYP
AHH716N	2	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN X 2-1/2 IN, THREADED, 250 PSI, VALVE, SAFETY RELIEF; 1.5 IN INLET, 2.5 IN OUTLET, THREADED, 250 PSIG
ACH524Y	2	VALVE	VALVE, CHECK, QA 0, VALVE, CHECK, TILTING, ; 006.000 IN, WE, 150.000 PSIG, STEEL ***
ANH305E	1	VALVE	VALVE, RELIEF, QA 0, 3/4 IN X 1 IN, STEEL, 200 PSIG, VALVE, SAFETY RELIEF; 001.000 IN, STEEL, WITH SST TRIM, 200.000 PSIG
ANH904P	1	VALVE	VALVE, RELIEF, QA 0, 3/4 IN X 1 IN, STEEL, 2900 PSI, VALVE, SAFETY RELIEF, 2900 PSIG SET, STEEL BODY, 550 DEG
CFB240N	2	VALVE	VALVE, TURBINE, QA 0, TRANSFER, LUBE OIL, FOR GENERAL ELECTRIC PG7121(EA) COMBUSTION TURBINE UNITS,
AJH303B	1	VALVE	VALVE, SOLENOID, QA 0, 1/2 IN, 115, 200 PSI, 11, VALVE, SOLENOID; 000.500 IN, 200.000 PSIG, 115.000 VAC, 011.000 WATTS
AKH408N	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 000.625 X 000.875 IN, 115.000 VAC, LIQUID, ***
CGB371M	2	VALVE	VALVE, TYPICAL, QA 0, CARBON STEEL, RAISED FACE FLANGED, SAFETY, 4 IN, 600 LB RAISED FACED FLANGED INLET, 6 IN 150 LB RAISED
AWE951P	1	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, IRON, FLAT FACE FLANGED, 150 PSI, T, PNEUMATIC ACTUATOR, 152 DEG F, CAST, ***
BDA606L	1	VALVE	VALVE, TURBINE, QA 0, STEAM ,MAIN FEED, MRV-2, ANDALE TYPE, SIZE
ATY080H	1	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; PILOT, REF 17, FOR OPERATING ASSY 501E471AA, ON
ABA198V	2	VALVE	VALVE, RELIEF, QA 0, VALVE, RELIEF PRESS/TEMP; RELIEF, GLAND STEAM SEAL PRESSURE REGULATOR
AEH920M	1	VALVE	VALVE, BUTTERFLY, QA 0, CHAINWHEEL OPERATED, 12 IN, STEEL, WAFER, 125 PSI, CAST, ***
BCW797T	2	VALVE	VALVE, CONTROL, QA 0, 1 IN, STEEL, FNPT, 200 PSI, 3-WAY, LEVER OPERATED, 2-POSITION, 200 DEG F TEMP RATING,
BJA271R	1	VALVE	VALVE, PILOT, QA 0, PILOT VALVE ASSY, OIL PURIFIER; FIGURE 5.25, C/O O-RING REF 31, PILOT
BQV970D	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1 IN, 1 IN, THREADED, 120, BRASS, *** FOR CWP PETERSON CLEAN COAL FILTER, 120 VAC
BKK004L	2	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, 150 PSI, *** QUICK EXHAUST, FOR CLEAN COAL FILTERS, ON COAL PREP PLANT
BQV966Q	1	VALVE	VALVE, CHECK, QA 0, 3/4 IN, ***
BJJ579K	2	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, BRASS, FNPT, 750 PSI, T, HANDWHEEL
AMG098R	1	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, STEEL, SOCKETWELD, 3600 PSI, T, RISING
AGH925K	9	VALVE	VALVE, GLOBE, QA 0, 1/8 IN, MNPT, T
ATH647P	6	VALVE	VALVE, RELIEF, QA 0, SAFETY, BRASS, SCREWED, 0.125 INCH, 10 PSI CRACKING
AGT921D	1	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, FLANGED, ** HYDRAMOTOR, TYPE H3, W/O MOTOR, FOR HYDROGEN DUMP VALVE, GENERATOR
CFB240N	1	VALVE	VALVE, TURBINE, QA 0, TRANSFER, LUBE OIL, FOR GENERAL ELECTRIC PG7121(EA) COMBUSTION TURBINE UNITS,
CFB240N	1	VALVE	VALVE, TURBINE, QA 0, TRANSFER, LUBE OIL, FOR GENERAL ELECTRIC PG7121(EA) COMBUSTION TURBINE UNITS,
BFP952G	1	VALVE	VALVE, GATE, QA 0, 4 IN, CHROME MOLY, STELLITE, BUTT WELD, 2500 PSI, T, HANDWHEEL, 100 DEG F, VERTICAL PRESSURE SEALED, VALVE, GATE; SIZE: 0
BMV772Q	1	VALVE	VALVE, BALL, QA 0, 1/2 IN, BRASS, FNPT, 150 PSI, ** VALVE PATTERN: THREE WAY, OPERATOR TYPE: LEVER HANDLE
AQX145Y	3	VALVE	VALVE, GLOBE, QA 0, 1/8 IN, BRASS, FNPT, T, ***
AXR234M	2	VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** REF 3, FOR FROTH FLOATATION CELL
ABH822W	2	VALVE	VALVE, BUTTERFLY, QA 0, LEVER OPERATED, 4 IN, IRON, CAST, *** SEAT MATERIAL: BUNA-N
AVF451D	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/8 IN, FNPT, 24 DC, 40 PSI, *** TWO-WAY
BHH181W	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 3/8 IN, FNPT, 24 DC, 35 PSI, BRASS, 17, VALVE, SOLENOID; TWO-WAY, SIZE .375 IN, ORIFICE .375 IN, END T
BEX800V	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 24 DC, *** FOR COAL DETERMINATOR ANALYZER, MODEL MAC-400, AND CALORIMETER
CDC918E	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; PSI 150, VOLTS 53VDC, WATTS 15, 5/32 ORIFICE, FOR
AFH523E	2	VALVE	VALVE, DIAPHRAGM, QA 0, HANDWHEEL OPERATED, 6 IN, IRON, NEOPRENE, FLANGED, CAST, VALVE, DIAPHRAGM; 006.000 IN, FLANGED, CAST IRON SARAN LINE
AKF555J	2	VALVE	VALVE, TYPICAL, QA 0, W/STELLITE-FACED DISK FM-2263, FOR DIAMOND POWER TYPES G9B AND IK
AXD677G	2	VALVE	VALVE, PETCOCK, QA 0, STEEL, *** COMPLETE WITH LEATHER FACING AND STEEL KEY, FOR 5 IN FIRE HYDRANT
AXD666M	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, FIRE HYDRANT; BALATA, MAIN, FOR 5 IN FIRE HYDRANT, 'DIRECTION
AMC682E	3	VALVE	VALVE, GATE, QA 0, 8.0 IN, ***
ADH407X	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 115, 14, VALVE, SOLENOID; THREE WAY, TYPE K-13-C, PORT 000.125 IN, 3/8 IN, 14
ALD356W	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, THREE-WAY; UL-58, COMP, FOR INGRSOLL-RAND TYPE XLE, SIZE 14-1/2
ALH400C	2	VALVE	VALVE, ANGLE, QA 0, 3/4 IN, CARBON STEEL, THREADED, VALVE, ANGLE; SIZE: 00.750 IN (3/4), END TYPE: THREADED BODY
ACH530F	1	VALVE	VALVE, SOLENOID, QA 0, 1/2 IN, SWEAT, 120, 15, VALVE, SOLENOID; 1/2 IN, 120 VC, SOLDER TYPE, 15 WATT, W/MKC-2 COIL
AFH337B	1	VALVE	VALVE, CHECK, QA 0, VALVE, CHECK, SWING, ; 8.000 IN, FIRST OR IDENTICAL END BUTTWELD PIPE
ARL142D	2	VALVE	VALVE, PETCOCK, QA 0, 1/2 IN, MNPT, 100 PSI, BRASS, ***
ACH208A	2	VALVE	VALVE, RELIEF, QA 0, VALVE, PRESSURE REGULATOR; 000.375 IN, PRESS REG, RANGE 20 TO 80 PSIG
BBV584P	2	VALVE	VALVE, CHECK, QA 0, BALL, 3/8 IN, STAINLESS STEEL, AISI 316, ***
AJG094L	1	VALVE	VALVE, PETCOCK, QA 0, 1/8 IN, FNPT, BRASS, AIR, 3-WAY
AWM231N	4	VALVE	VALVE, CONTROL, QA 0, 1/4 IN, MNPT, PNEUMATIC OPERATOR, VALVE, AIR/VACUUM; AIR, 000.250 IN, THD, MALE, FOR FILTER WATER RATE
AHH700J	2	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, CARBON STEEL, FNPT, 200 PSI, T, RISING, HANDWHEEL, ***

ADH339K	4	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 1/8 IN, 110/120, 140 PSI, 165, VALVE, SOLENOID; TWO WAY, 000.125 IN ORIFICE
BRC289G	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 4 INCH, CAST CARBON STEEL, ASTM A216, GR WCB OS & Y
BRC289G	2	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 4 INCH, CAST CARBON STEEL, ASTM A216, GR WCB OS & Y
ANH715R	1	VALVE	VALVE, CHECK, QA 0, 3 IN, STEEL, 1500 PSI, ***
ATG514G	1	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,TILTING, ; 006.000 IN, BUTTWELD, 285.000 PSIG, BODY WCB
AMH114T	1	VALVE	VALVE, RELIEF, QA 0, 2-1/2 IN, *** TYPE PTM, DWG 21087C
CFB240N	2	VALVE	VALVE, TURBINE, QA 0, TRANSFER, LUBE OIL, FOR GENERAL ELECTRIC PG7121(EA) COMBUSTION TURBINE UNITS,
AJD441J	2	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, RESPIRATOR; CYLINDER, W/SYPHON TUBE PT 54736, FOR USE W/50
AHH804T	3	VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 1/2 IN, STEEL, THREADED, 200 PSI, VALVE, PLUG; SIZE: 00.500 IN (1/2), PRESSURE RATING: 200 PSI END
AKH606J	2	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 120 AC/24 DC, VALVE, SOLENOID; 0.5 IN, 4-WAY, 120 VAC, SINGLE SOLENOID, PLUG-IN
ATX703B	3	VALVE	VALVE, SOLENOID, QA 0, 1/8 IN, 3/32 IN, 120, 50 PSI, 20, VALVE, SOLENOID; 120VAC,20 WATT MAX,0.125 X 0.125 IN BODY
AJH081Q	2	VALVE	VALVE, CONTROL, QA 0, 2-1/2 IN, 300 PSI, *** MAIN, FOR O C KECKLEY CO PRESS REGULATING VALVE, 2-1/2', 300 LB
AWL100P	2	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 120, 200 PSI, BRASS, 6, VALVE, SOLENOID; 000.125 IN, THREADED INTERNAL, 200.000 PSIG, 3
ARA437D	1	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, DOOR CLOSURE; RESET RESTRICTION, FOR TYPE 2502, S/N
APH721Q	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 120, 100 PSI, 12, VALVE, SOLENOID; 0.250 IN, 100 PSIG, 2-WAY, 120 VAC, 12 WATTS, TYPE
AVN403M	1	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, THREADED, 100 PSIG, VALVE, SAFETY RELIEF; 1.500 IN NPT,SET PRESSURE,100 LB ***
AYR017E	1	VALVE	VALVE, GLOBE, QA 0, 8.0 IN, CARBON STEEL, BUTT WELD, 300 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, 850 DEG F, OUTSIDE SCREW YOKE/BOLTED
AXX318T	3	VALVE	VALVE, GATE, QA 0, 10 IN, IRON, WAFER FLANGED, 150 PSI, T, CAST, WITH 8 INCH AIR TO AIR CYLINDER ACTUATOR
AKF359J	2	VALVE	VALVE, CONTROL, QA 0, *** FOR IK AND IR SOOT BLOWER (48)
AKF257T	4	VALVE	VALVE, CONTROL, QA 0, LIN DIRECT CONTROL, MOTOR CONTROL, GROUP 1, 040, FOR DIAMOND
AKF457J	3	VALVE	VALVE, CONTROL, QA 0, VALVE, SOOTBLOWER; PANEL CONTROL, LEFT HAND, FOR DIAMOND POWER
AKF357N	2	VALVE	VALVE, CONTROL, QA 0, VALVE, SOOTBLOWER; PANEL CONTROL, RIGHT HAND, FOR DIAMOND POWER
AKF755A	1	VALVE	VALVE, RELIEF, QA 0, 3/8 IN, FOR DIAMOND POWER TYPE IK SOOTBLOWER, 1-2 (GAF), & MOD G9B, ELECTRIC
ADH608K	4	VALVE	VALVE, SOLENOID, QA 0, PILOT, 3/8 IN, 110, 150 PSI, VALVE, SOLENOID; PILOT OPERATED, STRAIGHT-WAY, AIR ENERGIZE, 3/8 IN
BPW132C	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; VALVE, SOLENOID, 2/2-WAY, FOR POLYMETRON SILICA
BPW123D	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; VALVE, SOLENOID, 3/2-WAY, FOR POLYMETRON SILICA
ATG901A	3	VALVE	VALVE, TYPICAL, QA 0, FIRE PROTECTION, 5-1/4 IN, RUBBER, MAIN, RUBBER, REF 30, FOR M AND H VALVE CO FIRE HYDRANT,
AJD242Q	1	VALVE	VALVE, TYPICAL, QA 0, FOR FIRE HYDRANT, 5-1/4 IN V O AMER AWWA STD COMP (1954) NEW
AHH114K	3	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, 4500 PSI, Y
AHH813Q	3	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, ALLOY STEEL, SOCKETWELD, 1500 PSI, ASME SA182 GR F22, Y, T-HANDLE, FORGED
AGH716W	2	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, STEEL, CAST STELLITE, BUTTWELD, 4500 PSI, Y, HANDWHEEL, 100 DEG F, WELDED
AKH617C	1	VALVE	VALVE, GLOBE, QA 0, 2 IN, ALLOY STEEL, BUTTWELD, 4500 PSI, ASTM A182 GR F22, Y, FORGED, 37-1/2 DEGREE BEVEL
AFH021X	1	VALVE	VALVE, GLOBE, QA 0, 2 IN, ALLOY STEEL, SOCKETWELD, 2500 PSI, ASME SA182 GR F22, Y, T-HANDLE, FORGED
ANH610K	1	VALVE	VALVE, GLOBE, QA 0, 2-1/2 IN, STEEL, STELLITE, BUTTWELD, 4500 PSI, Y, ELECTRIC MOTOR ACTUATOR, 100 DEG F, WELDED
APH417V	2	VALVE	VALVE, GLOBE, QA 0, 3 IN, ALLOY STEEL, BUTTWELD, 600 PSI, T, HANDWHEEL
BPM198H	12	VALVE	VALVE, GATE, QA 0, 4 IN, CS, BUTTWELD, 150 PSI, ASTM A105 GR WCB, BOLTED, FORGED, ** SEAT MATERIAL: CHROME
ARW734A	2	VALVE	VALVE, TYPICAL, QA 0, STEAM TURBINE, 1-1/2 IN, *** SEAL DRAIN, FOR TURBINE, GE REQ 366-W3215, S/N 170X115, 170X138
BLF236M	6	VALVE	VALVE, PLUG, QA 0, 1/2 IN, BRONZE, THREADED, 150 PSI, VALVE, PLUG; SIZE: 00.500 IN (1/2), PRESSURE RATING: CLASS 150 END
ADH339K	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 1/8 IN, 110/120, 140 PSI, 165, VALVE, SOLENOID; TWO WAY, 000.125 IN ORIFICE
BHP731L	1	VALVE	VALVE, CONTROL, QA 0, 1/4 IN, BRASS, FNPT, *** 3-WAY
BFY735L	1	VALVE	VALVE, CONTROL, QA 0, VALVE, EXPANSION; 0.375 SAE FLARE X 0.250 IN FEMALE NPT, REFRIGERATION
BJH239H	2	VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 1 IN, MNPT X FNPT, 100 PSI, VALVE, SAFETY RELIEF; .5 IN, ORIFICE .029 IN, OUTLET 1.0 IN, END TYPE
CJL825D	8	VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 3/8 IN, SCR AMMONIA PLANT, HYDROSTATIC
BBM701E	4	VALVE	VALVE, GLOBE, QA 0, 2-1/2 IN, BRASS, BRONZE, FNPT, 300 PSI, *** TYPE: ANGLE
ARB477V	1	VALVE	VALVE, GLOBE, QA 0, 3 IN, ALLOY STEEL, CAST STELLITE, BUTTWELD, 4500 PSI, ASTM A182 GR F22, Y, HANDWHEEL, 1050 DEG F, WELDED, FORGED, STOP,
AEH432P	1	VALVE	VALVE, GATE, QA 0, 12 IN (1 FT), IRON, FLANGED, T, CAST
AYN110W	2	VALVE	VALVE, PILOT, QA 0, 3/8 IN, STEEL, 350-650 PSIG, VALVE, PILOT; 0.375 IN STEEL, BACK PRESSURE, MODEL 1760, SPRING RANGE
BNX148X	3	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, DOOR CLOSURE; REED, INTERNAL, FOR H2 SAMPLE PANEL #7688
BGT702K	1	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, CS, SS, SOCKETWELD, 2500 PSI, ASTM A105/A582 GR 416, T, RISING, T-HANDLE, 1020 DEG F, FORGED, FIXED BACKSEAT
ARLQ22E	2	VALVE	VALVE, PETCOCK, QA 0, 150 PSI, BRONZE, FIRE HYDRANT DRAIN, REF 28, INCLUDING LEATHER, REF 35,
AMD542R	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, FIRE HYDRANT; LEATHER, FOR 5-1/4 IN, AMER AWWA TRAFFIC MODEL
ADH528G	1	VALVE	VALVE, ANGLE, QA 0, 10 IN, IRON, BRONZE, FLANGED, 125 PSI, ASTM A126, T, RISING, HANDWHEEL, 450 DEG F, CAST, VALVE, ANGLE; SIZE: 10.000 IN (
ACH312E	1	VALVE	VALVE, GLOBE, QA 0, 1 IN, STEEL, BUTTWELD, T, HANDWHEEL, SEAT MATERIAL: TEFLON, SPECIAL FEATURE: PACKLESS
ADH336R	2	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 115, 150 PSI, 11, VALVE, SOLENOID; 000.500 IN, THREADED, 150.000 PSIG, THREE WAY
AKG598T	3	VALVE	VALVE, SOLENOID, QA 0, 115, 60, ***
ABH501J	3	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 120, 25-150 PSI, VALVE, SOLENOID; FOUR-WAY, 000.250 IN, 007.700 WATT, 120.000 VAC
ARA436F	2	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, DOOR CLOSURE; RESET RESTRICTION, FOR TYPE 2516,S/N 6955129
BHF915K	4	VALVE	VALVE, CONTROL, QA 0, SOLENOID OPERATED, *** 115 VAC
ABA213T	7	VALVE	VALVE, RELIEF, QA 0, VALVE, AIR RELEASE; RELEASE ***

ADH236X	2	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 115, 150 PSI, 11, VALVE, SOLENOID; 000.500 IN, THREADED, 150.000 PSIG, THREE WAY
BEN896B	1	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 2.5 IN, END TYPE THREADED INTERNAL, BODY MATL
BBA773C	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 3/8 IN, FNPT, 24 DC, 150 PSI, BRASS, 10, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, SIZE .25 IN, ORIFI
ANX900D	2	VALVE	VALVE, TYPICAL, QA 0, STAINLESS STEEL, 2500 PSI, *** DRAIN, FOR YARNALL-WARING DRUM LEVEL INDICATOR, 2500.000 PSI WSP
CGD000J	2	VALVE	VALVE, TURBINE, QA 0, GE, SERVO
ADV469J	3	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; 73-26-014-10, FOR TYPE 73-26 REGULATOR ON BLACK, SIVALLS
AEV683A	2	VALVE	VALVE, NEEDLE, QA 0, 1/4 IN, *** MOD 47, DWG 12820-R, FOR HAGAN RING BALANCE CONTROL
AJY272P	6	VALVE	VALVE, NEEDLE, QA 0, NEEDLE, VALVE; VALVE, 000.250IN NEEDLE VALVE DWG 12820-R, W/O RING NO
BKJ955B	5	VALVE	VALVE, NEEDLE, QA 0, VALVE ASSY, DOOR CLOSURE; NEEDLE, WITH O-RING. ***
AEV184W	4	VALVE	VALVE, POPPET, QA 0, *** FOR RING BALANCE CONTROL
ANX600R	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, INDICATOR; DEAD WEIGHT TEST, W/DISC, FOR YARWAY LIQUID LEVEL
BYN238F	1	VALVE	VALVE, CHECK, QA 3, 12 IN (1 FT), FLANGED, 175 PSI, CAST, VALVE TYPE: PLAIN,
CHY005Y	2	VALVE	VALVE, GATE, QA 0, 4 IN, ALLOY STEEL, BUTTWELD, 2500 PSI, PRESSURE SEALED, FORGED, F91 BODY AND BONNET, FULL STELLITE TRIM, SPECIAL CLASS XX
AXJ156K	7	VALVE	VALVE, RELIEF, QA 0, 4 IN, CS, SS, FLAT FACE FLANGED, 750 PSI, ** STANDARD WEIGHT
CFX292T	1	VALVE	VALVE, BUTTERFLY, QA 0, 3 IN, CAST IRON, DUCTILE IRON, WAFER, 250 PSI, ASTM A126 CL B, 250 PSI MAX WORKING PRESSURE
AGH905T	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, ALLOY STEEL, SS, FNPT, 1500 PSI, ASME SA182 GR F22, T, RISING, T-HANDLE, FORGED
ANX004M	6	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, DOOR CLOSURE; INDICATOR, C/O BODY, VENT VALVE, STAINLESS
ANC194M	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, COAL FEEDER; REF 6, FOR HYDRASTROKE FEEDER, MODEL RH1000-117
ABH017D	3	VALVE	VALVE, GLOBE, QA 0, 1 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, SCREWED
AFH127N	3	VALVE	VALVE, ANGLE, QA 0, VALVE, ANGLE; SIZE: 00.500 IN (1/2), PRESSURE RATING: 400 PSI ***
BBM871K	1	VALVE	VALVE, CHECK, QA 0, 3/8 IN X 3/4 IN, BRASS, BRASS, MNPT X FNPT, 125 PSI, VALVE, AIR VENTING,STEAM; 0.75 IN, THREADED EXTERNAL, 125 PSIG, BRA
ALV096B	2	VALVE	VALVE, TYPICAL, QA 0, SLIDEVALVE ASSY, ; 200 TO 600 DEG F, FOR RECORDER S/N 812386 ***
AWA837A	12	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/4 IN, 3/4 IN, FNPT, 24 DC, 100 PSI, BRASS, 11.2, FORGED, NORMALLY CLOSED,
AKA174Q	2	VALVE	VALVE, RELIEF, QA 0, VALVE, STEAM TURBINE; HIGH PRESSURE, STOP, REF 16, FOR BOILER FEED
ANF023Q	3	VALVE	VALVE, CONTROL, QA 0, FOR ELECTRO PNEUMATIC OIL LIGHTER ON BANDW BOILER UNIT 5, AS SHOWN
AMD237Y	9	VALVE	VALVE, TYPICAL, QA 0, 5/8 IN, ***
ALG796G	3	VALVE	VALVE, ANGLE, QA 0, 1/4 IN, CARBON STEEL, THREADED, 6000 PSI, VALVE, ANGLE; SIZE: 00.250 IN (1/4), PRESSURE RATING: 6000 PSI END
APH725G	1	VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; FOUR WAY, INLET 000.250 IN, EXHAUST 000.375
AQB405W	1	VALVE	VALVE, RELIEF, QA 0, 1 IN, THREADED, 125 PSI, 300 PSIG, VALVE, RELIEF PRESS/TEMP; 300.000 PSIG, INLET, AIR, 001.000 IN
ADB235Y	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, OIL SYSTEM; VENT, AIR, AUTOMATIC, FOR MODEL EC-718-10FM ALLEN
AKA071R	5	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; FOR STOP VALVE 1 AND 3, ON TURBINE, S/N 170X114
ACH125D	1	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,TILTING, ; 006.000 IN, WE, 1500.000 PSIG, STEEL ***
ADH020P	2	VALVE	VALVE, GATE, QA 0, 6.0 IN, IRON, T, CAST, ***
BKL353X	3	VALVE	VALVE, BALL, QA 0, 3/4 IN, SS, COMPRESSION, 100 PSI, PRESSURE RATING: 0-100 PSI, W/O OPERATOR
ACH494D	3	VALVE	VALVE, RELIEF, QA 0, PROPER, VALVE; REF 3, FOR SAFETY RELIEF VALVE, 2 IN, 300 PSIG, TYPE
BKC152H	1	VALVE	VALVE, CONTROL, QA 0, 2.0 IN, BRASS, 600 PSI, *** 600 PSIG WOG, FOR DISPOSAL SILO PUGMILL ASH CONDITIONERS, S/N
BNJ716B	2	VALVE	VALVE, GATE, QA 0, 4.0 IN, STAINLESS STEEL, AISI 304, LEVER HANDLE, ***
BAP015H	1	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 3 IN, MODEL H-951-T316, FABRICATED, DWG 301287
AEH516H	5	VALVE	VALVE, GATE, QA 0, 1-1/4 IN, STEEL, SOCKETWELD, 600 PSI, T, RISING, OUTSIDE SCREW YOKE, FORGED, ***
AEH325Q	1	VALVE	VALVE, GATE, QA 0, 4.0 IN, CARBON STEEL, BUTT WELD, 600 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, -20 TO 100 DEG F, OUTSIDE SCREW YOKE/BO
ADH711R	5	VALVE	VALVE, PLUG, QA 0, 1 IN, IRON, THREADED, 200 PSI, CAST, VALVE, PLUG; SIZE: 01.000 IN (1), PRESSURE RATING: 200 PSI END TYPE:
CKC366N	3	VALVE	VALVE, BALL, QA 0, 1 IN, CHROME MOLY, SOCKETWELD, 3100 PSI, LEVER OPERATED, ASTM A182 GR F22
BEE231A	1	VALVE	VALVE, GLOBE, QA 0, 4 IN, IRON, STAINLESS STEEL, RAISED FACE FLANGED, 125 PSI, T, CAST, VALVE, GLOBE; SIZE: 04.000 IN (4), PRESSURE RATING:
CEX639L	2	VALVE	VALVE, CONTROL, QA 0, 6 IN, SS, FLANGED, 300 PSI, SOLENOID OPERATED, 250 DC, TYPE: SOLENOID OPERATED; SIZE: 6 IN; DISC MATERIAL:
CHX995B	1	VALVE	VALVE, GATE, QA 0, 6 IN, ALLOY STEEL, BUTTWELD, 2500 PSI, PRESSURE SEALED, FORGED, F91 BODY AND BONNET, FULL STELLITE TRIM, SPECIAL CLASS XX
BMV017L	1	VALVE	VALVE, TYPICAL, QA 0, *** FOR UNIT 1-4 ID CONTROL DRIVE
BBH825F	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, FAN; THREE-WAY, FOR UNITS 1 AND 2 ID FAN CONTROL DAMPER
BHG922H	1	VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; 0.375 IN, 3000 PSIG, 20 GPM 100 PSIG
AKG995G	8	VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; AIR, ***
BXD428Y	1	VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, STEEL, 250 PSI
BCN366M	2	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1-1/4 IN, 1-1/4 IN, FNPT, 110, 150 PSI, 5 PORTS, VALVE IS A VALAIR II SERIES, CATALOG VAL-SK-E-USE COMES WITH
AFE096D	2	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, *** DISCHARGE, FOR MODEL KD3-0 VACUUM PUMP, S/N 1149-76, AND/ OR
BEK131L	1	VALVE	VALVE, BUTTERFLY, QA 0, 4.0 IN, PVC, ***
AGH922R	8	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, FNPT, 125 PSI, BRASS, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, ORIFICE .625 IN, END TYPE
ADH018Y	4	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1 IN, 3/4 IN, THREADED, 120, 10-300 PSI, BRASS, 10.5, VALVE, SOLENOID; 001.000 IN, 10 TO 300 PSIG, FOUR WAY, 1
BTC717F	4	VALVE	VALVE, PETCOCK, QA 0, 1/2 IN, MNPT, 100 PSI, BRASS, LEVER HANDLE, ***
BGC430D	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, EXPANSION; BLOCK, FOR HEAVY EQUIPMENT AIRCONDITIONER, 24 VOLTS
AEH613K	1	VALVE	VALVE, GATE, QA 0, 1-1/4 IN, BRONZE, FNPT, 150 PSI, ASTM B62, T, RISING, HANDWHEEL, UNION
BGA221M	1	VALVE	VALVE, RELIEF, QA 0, BRASS, 125 PSI, *** FOR RECIPROCATING COMPRESSOR, TYPE DS170, WATER COOLED, 125 PSI

CAK410D	1	VALVE	VALVE, BUTTERFLY, QA 0, PNEUMATIC OPERATED, 3 IN, IRON, CAST, VALVE, WATER TREATMENT; BUTTERFLY, AUTOMATIC CAST IRON
BEH532C	2	VALVE	VALVE, CHECK, QA 0, TILTING DISC, 8 IN, STEEL, CR13, FLANGED, 150 PSI, ASTM A217 GR C5, CAST, 13% CHROMIUM SEATING TRIM, CLASS 150,
AVC534Q	1	VALVE	VALVE, GLOBE, QA 0, 8 IN, CS, FLAT FACE FLANGED, 75 PSI, VALVE, FLOAT
AEH202A	1	VALVE	VALVE, ANGLE, QA 0, 1/2 IN, BRONZE, 150 PSI, VALVE, ANGLE; SIZE: 00.500 IN (1/2), PRESSURE RATING: 150 PSI BODY
AKG899C	1	VALVE	VALVE, GLOBE, QA 0, 1/8 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, THREADED
AKG992N	1	VALVE	VALVE, PETCOCK, QA 0, 3/4 IN, FNPT, BRONZE, ***
AKG390Y	2	VALVE	VALVE, PETCOCK, QA 0, 3/8 IN, FNPT, 125 PSI, BRONZE, T-HANDLE, ***
ANH306C	2	VALVE	VALVE, RELIEF, QA 0, 3/4 IN, BRASS, 125 PSIG, ***
AKG996E	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, REFRIGERANT; DISPENSING, REFRIGERANT, FOR USE WITH 1 LB CAN
ALE997G	2	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; DISCHARGE, COMPLETE WITH SEAT, REF 47, FOR MC30-12M
ADH939T	1	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, STEEL, SOCKETWELD, 1500 PSI, DIAPHRAGM ACTUATOR
AVW327B	1	VALVE	VALVE, BUTTERFLY, QA 0, 18 IN, IRON, DUCTILE IRON, WAFER, 150 PSI, ASTM A536, CAST, ** OPERATOR TYPE: TOP MOUNT MAN SCREW
AFH808Y	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, SCREWED
ADH537F	1	VALVE	VALVE, PETCOCK, QA 0, 1/2 IN, THREADED, 100 PSI, BRONZE, END TYPE: THREADED EXTERNAL
AFH523E	1	VALVE	VALVE, DIAPHRAGM, QA 0, HANDWHEEL OPERATED, 6 IN, IRON, NEOPRENE, FLANGED, CAST, VALVE, DIAPHRAGM; 006.000 IN, FLANGED, CAST IRON SARAN LINE
ATP944J	1	VALVE	VALVE, BALL, QA 0, 4.0 IN, FLANGED, *** SEAT MATERIAL: TEFLON
AQX186G	1	VALVE	VALVE, BUTTERFLY, QA 1, VALVE, BUTTERFLY; SIZE: 08.000 IN (8), PRESSURE RATING: 185 PSI, END
CEE333T	1	VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 04.000 IN (4), PRESSURE RATING: 250 PSI, END
BMA806T	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; 0.75 IN, ANSI CLASS 1500, STAINLESS STEEL BODY ***
BYH262C	1	VALVE	VALVE, RELIEF, QA 1, CLASS 2, 450 PSI, , END STYLE: FNPT X FNPT, CROSBY 900 SERIES WITH OMNI TRIM, BASE
BYH278W	1	VALVE	VALVE, RELIEF, QA 1, CLASS 2, 500 PSI, , END STYLE: FNPT X FNPT, CROSBY 900 SERIES WITH OMNI TRIM, BASE
BYH252F	1	VALVE	VALVE, RELIEF, QA 1, CLASS 2, FNPT, 150 PSI, , CROSBY 900 SERIES WITH OMNI TRIM, BASE MAT'L: SS, BASE MAT'L SPEC:
AJH902L	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 115, 100, VALVE, SOLENOID; 000.500 IN, TWO WAY, 115.000 VAC, 100.000 WATTS, CODE
BXF984M	11	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/2 IN, THREADED, VALVE, SOLENOID; SCRAM SOLENOID PILOT VALVE, 3 WAY, NORMALLY CLOSED,
BGV253G	5	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, BRASS, FNPT, *** STYLE: ANGLE
CBD639R	5	VALVE	VALVE, TYPICAL, QA 1, 1-1/2 IN, FNPT, TWO-WAY, AIR START SYSTEM, DIESEL ENGINE, PLATE B1079-DR-3, REF 1,
BNM469J	1	VALVE	VALVE, TYPICAL, QA 1, VALVE, SPARE PART; VALVE, HAND, SOCKET WELD, 0.75IN ***
BNW509X	1	VALVE	VALVE, CHECK, QA 0, 2-1/2 IN, STAINLESS STEEL, 150 PSI, ASTM A182 GR F316, ***
CFC726B	1	VALVE	VALVE, CHECK, QA 2, REVERSE FLOW, 4 IN, CARBON STEEL, STAINLESS STEEL, WAFER, 150 LB, ASTM A216 GR WCB, *** DANIEL CHECK VALVE 1601-AC/BUNA-
ANJ312B	2	VALVE	VALVE, CONTROL, QA 0, 4.0 IN, 600 PSI, *** WITH GROOVE PIN 313355, FOR BLACK, SIVALLS ANBD BRYSON CONTROL
BHX841E	1	VALVE	VALVE, GATE, QA 0, 1/2 IN, SS, FNPT, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED
BJW842B	2	VALVE	VALVE, GATE, QA 0, 4 IN, CS, BUTTWELD, 300 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, 850 DEG F, BOLTED FLANGED YOKE, ** SEAT MATERIAL: CH
BLV345J	2	VALVE	VALVE, GATE, QA 1, CLASS 3, VALVE, GATE; CARBON STEEL BODY, STAINLASS STEEL STEM, CO-CR DISK,
BXJ970W	11	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 01.000 IN (1), PRESSURE RATING: 100 PSI, END TYPE:
BTE776L	2	VALVE	VALVE, PLUG, QA 0, T-HANDLE OPERATOR, 1-1/2 IN, IRON, FLAT FACE FLANGED, 150 PSI, VALVE, PLUG; SIZE: 01.500 IN (1 1/2), PRESSURE RATING: 15
CDG424K	1	VALVE	VALVE, SOLENOID, QA 3, DIRECT-ACTING, 1/4 IN, 3/16 IN, FNPT, 120 AC, 250 PSI, BRASS, 60, 20.1, NORMALLY CLOSED, CLASS H INTERMEDIATE POWER
BHN889M	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .25 IN, ORIFICE
BAY233C	2	VALVE	VALVE, TYPICAL, QA 0, INNER, 12.0 IN, *** INNER, CONTOUR, EQUAL PERCENTAGE, PLUG, AND STEM, FOR VALVE 12 IN
BVW190G	1	VALVE	VALVE, TYPICAL, QA 1, VALVE, INSTRUMENT; UNION BONNET, 1/4 INCH CPI TUBE CONNECTIONS
BAF305V	2	VALVE	VALVE, BALL, QA 0, 1/2 IN, CARBON STEEL, FNPT, 4500 PSI, ASTM A105, FORGED, VALVE, BALL; SIZE: 00.500 IN (1/2), PRESSURE RATING: 4500 PSI E
AWH179J	7	VALVE	VALVE, BALL, QA 1, 3/4 IN, CS, CS, SOCKETWELD, 1000 PSI, VALVE, BALL; .75 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL, MAX
ARC981B	1	VALVE	VALVE, CHECK, QA 0, *** FOR TRANE AIR COMPRESSORMODEL CHR-100B-2FAT, SERIAL NUMBER
AGH326A	3	VALVE	VALVE, CHECK, QA 0, 1 IN, POLYPROPYLENE, THREADED, ***
BJF215A	3	VALVE	VALVE, CHECK, QA 0, 1/2 IN, SS, FNPT, **
ABD256Q	12	VALVE	VALVE, CONTROL, QA 0, 35-40 PSI, VALVE ASSY, RESPIRATOR; CONSTANT FLOW CONTROL, 35 TO 40 PSIG, WITH
ALJ342E	2	VALVE	VALVE, CONTROL, QA 0, 8.0 IN, 150 PSI, *** FOR CONTROL VALVE, TYPE 1400, SIZE 8 IN, 150 LB, DWG E-16044, SN
ALF078B	1	VALVE	VALVE, CONTROL, QA 0, VALVE, CHECK; 002.000 IN, 150.000 PSIG, FLOWCONTROL, FOR MODEL MPS-400
BRH380G	1	VALVE	VALVE, CONTROL, QA 1, VALVE, STEAM TURBINE; TEMPERATURE CONTROL, ITEM 356. ***
AJH123C	5	VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, FLANGED, *** POLYPROPYLENE LINED 1 IN, FLG
AEH414R	1	VALVE	VALVE, GATE, QA 0, 1-1/4 IN, BRONZE, THREADED, 150 PSI, ASTM B62, T, RISING, HANDWHEEL, -20 TO 150 DEG F, UNION, ***
AKH328K	6	VALVE	VALVE, GATE, QA 0, 3/8 IN, BRONZE, SWEAT, 125 PSI, ASTM B62, T, TRAVELING, HANDWHEEL, -20 TO 150 DEG F, SCREWED, ***
AGH529V	3	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, STEEL, 600 PSI, Y, ***
AGH602D	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, BRONZE, TEFLON, FNPT, 150 PSI, ASTM B62, T, HANDWHEEL, UNION, ***
BYX319B	1	VALVE	VALVE, NEEDLE, QA 0, 3/8 IN, BRASS, COMPRESSION, 3000 PSI, VALVE, NEEDLE; ANGLE, 3/8 IN TUBE END CONNECT, BODY BRASS, STEM 316SS
CAV313N	3	VALVE	VALVE, NEEDLE, QA 1, NEEDLE, VALVE; FOR HYDROLINE ACTUATOR, DWG. 808-174-3B-C, USED ON 26'
ABD284K	2	VALVE	VALVE, RELIEF, QA 0, VALVE, COMPRESSOR; RELIEF, 3RD STAGE, FOR HYPER-AIR ENGR, BREATHING
BHB452N	2	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1-1/2 IN, 1-1/4 IN, FNPT, 120, 5-125 PSI, BRASS, 50/60, 15.4, VALVE, SOLENOID; TWO-WAY, NORMALLY OPEN, SIZE 1.
AJH527K	1	VALVE	VALVE, SOLENOID, QA 0, 3/4 IN, 3/4 IN, 230, 5-125 PSI, 7, VALVE, SOLENOID; 000.750 IN, 5 TO 125 PSIG, 230.000 VAC, 007.000
AEH139M	3	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN X 1/2 IN, FNPT, 120, 150 PSI, 13, VALVE, SOLENOID; 150.000 PSI, 013.000 WATTS, WITH 000.375 IN FEMALE

BVC156P	1	VALVE	VALVE, SOLENOID, QA 1, 1 IN, SOCKETWELD, 150 PSI, SS, ASME SA182 GR 316L, POSITION SWITCH ASSEMBLY CONTAINS FOUR (4) SPST SWITCHES,
CEH110B	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE WAY, NORMALLY CLOSED SOLENOID VALVE, PIPE SIZE
BDY892G	4	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN, ORIFICE .25
CDN949F	2	VALVE	VALVE, SOLENOID, QA 2, VALVE, SOLENOID; 2-WAY, NORMALLY CLOSED, COIL VOLTAGE: 120 VAC/60 HZ,
CEJ133E	2	VALVE	VALVE, SOLENOID, QA 2, VALVE, SOLENOID; TYPE: 2-WAY; SIZE: 1/4 IN; ORIFICE SIZE: 7/32 IN;
AVW989V	1	VALVE	VALVE, SOLENOID, QA 3, 2-WAY, 1/2 IN, 5/8 IN, FNPT, 120 AC, SS, 60, 10.1, MAX OPERATING PRESSURE DIFFERENTIAL 150 PSI AIR/WATER
BNW304G	1	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, *** TAG NO 47W458-251
ARC980Q	1	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, *** UNLOADER, FOR TRANE AIR COMPRESSOR, MODEL CHR-100B-2FAT, SERIAL
BLM712G	6	VALVE	VALVE, TYPICAL, QA 0, DIGESTION VESSEL, LABORATORY; 120 ML, COMPLETE WITH CAPS, RELIEF VALVE
ARC979X	3	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; DISCHARGE, DESIGN SEQUENCE F-G, FOR TRANE AIR
BWE384R	1	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; EXHAUST, REF C-17, FOR VACUUM PRIMING PUMP, MODEL
BWE386M	4	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; INTAKE, REF C-22, FOR VACUUM PRIMING PUMP, MODEL
AFN417K	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; TWO-WAY, NON-RETURN, FOR STATIC STARTING
CAE414K	1	VALVE	VALVE, TYPICAL, QA 2, VALVE, MANIFOLD; 5-VALVE, 1/2' FNPT PROCESS CONNECTION, 1/4' FNPT TEST
CEV963M	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; TYPE: ISOLATION; SIZE: 1 IN; BODY MATERIAL: CS; DISC
CDV171X	1	VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF PRESS/TEMP; BELLOWS TYPE, STAINLESS STEEL, FLANGED INLET
CED867R	18	VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING
CEC631W	2	VALVE	VALVE, CHECK, QA 3, VALVE, CONDENSER; CHECK, 1 INCH, INTERNAL THREADS NPT, FOR ASSEMBLY
CEC607T	1	VALVE	VALVE, CHECK, QA 3, VALVE, CONDENSER; CHECK, 8 INCH, DUO-CHECK, FOR ASSEMBLY CL-2003
BKY954F	2	VALVE	VALVE, GLOBE, QA 0, 1-1/4 IN, BRONZE, STAINLESS STEEL, FNPT, 200 PSI, ASTM B61, T, RISING, HANDWHEEL, 550 DEG F, UNION, ***
CDP931X	6	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: 800 PSI, END
BTM753W	2	VALVE	VALVE, GLOBE, QA 1, CLASS 3, 1/2 IN, SS, SOCKETWELD, 150 PSI, ASME SA351 GR CF8M, T, T-HANDLE, VALVE, GLOBE; SIZE: 00.500 IN (1/2), PRESSUR
AQC530Y	11	VALVE	VALVE, SOLENOID, QA 1, 3/8 IN, 125 DC, FOR AIR START SYSTEM OF STANDBY DIESEL GENERATOR, WITH MODIFIED SPRING
CDB637V	1	VALVE	VALVE, CONTROL, QA 0, VALVE, METERING; GE IDENTIFICATION NO. 209A4873P005, ITEM NO. 11, GE
CFX763D	1	VALVE	VALVE, GLOBE, QA 0, 1 IN, CARBON STEEL, CR13, SOCKETWELD, 800 PSI, ASTM A105, T, HANDWHEEL, 850 DEG F, BOLTED, FORGED, ***
BNB424W	4	VALVE	VALVE, PILOT, QA 0, VALVE, ; VALVE, DIRECT POLIT OPERATED, BODY CAST BRONZE ASTM B61
BVL835R	2	VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; SIZE: 01.250 IN (1 1/4), PRESSURE RATING: 285 PSI, END
BPL119D	2	VALVE	VALVE, SOLENOID, QA 3, VALVE, CONTROL; ELECTRONIC, P.I.D, 4-1/2 DIGIT LCD DISPLAY, DRIVEN BY
BQW855W	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; VALVE, SOLENOID, THREE WAY, PIPE SIZE 3/8' IN, ORFICE
CDQ397J	1	VALVE	VALVE, TYPICAL, QA 2, VALVE, DIESEL ENGINE; AIR STARTING SYSTEM, FOR EMD GM MODEL
BKM992M	4	VALVE	VALVE, CHECK, QA 1, TILTING DISC, 18 IN, CS, RAISED FACE FLANGED, 150 PSI, VALVE, CHECK, TILTING, ; 18.0 IN, END TYPE RAISED FACE FLANGE, BODY
BHM864B	4	VALVE	VALVE, ANGLE, QA 0, 3/4 IN, BRONZE, FNPT, ASTM B62, VALVE, ANGLE; SIZE: 00.750 IN (3/4), PRESSURE RATING: 200 PSI END
CEV241W	1	VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 1 IN; BODY MATERIAL: SS; RATING: 150 PSI; MATERIAL
BGG727M	3	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 12.0 IN, IRON, WAFER FLANGED, 200 PSI, CAST, *** TEMPERATURE: 180 DEG F
CAP112M	2	VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 08.000 IN (8), PRESSURE RATING: 175 PSI, END
AKD036C	3	VALVE	VALVE, CHECK, QA 0, 5/8 IN, *** OIL RETURN LINE, FOR WORPMP, UNIT MODEL NC175, COMPRESSOR MODEL
AJJ160C	1	VALVE	VALVE, CHECK, QA 0, 8 IN, *** FOR NORDSTROM 8 IN VALVE, REF 143, MODEL 59
BWG946Y	1	VALVE	VALVE, CHECK, QA 0, SWING, 1-1/2 IN, BRONZE, THREADED, 200 PSI, ***
BJP596R	4	VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; MAIN, TO FIT A MODEL A-436 VALVE ***
CAP192W	1	VALVE	VALVE, CONTROL, QA 3, VALVE, FIRE PROTECTION SYS; 2', TANK SHUTOFF, MANUALLY OPERATED, DWG.
BJP795K	3	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, BRONZE, FNPT, 150 PSI, T, HANDWHEEL, ***
BFV757R	1	VALVE	VALVE, GATE, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 800 PSI, T, RISING, HANDWHEEL, ***
AKY946M	1	VALVE	VALVE, GATE, QA 0, VALVE ASSY, ; GATE, W/ADAPTER, INLET 1/2 IN PIPE, 3/8 IN MALE ELBOW
CGD405M	4	VALVE	VALVE, GATE, QA 1, CLASS 2, 2 IN, CARBON STEEL, SOCKETWELD, 800 PSI, ASME SA216 GR WCB, HANDWHEEL, SEAT MATERIAL: NOREM, PACKING MATERIAL: G
BYP232N	2	VALVE	VALVE, GATE, QA 1, CLASS 3, 3/4 IN, CS, SOCKETWELD, 1400 PSI, ASME SA105, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, FORGED, VALVE, GA
CDE428M	1	VALVE	VALVE, GATE, QA 3, 1/2 IN, CS, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, BOLTED, FORGED
BVP575A	2	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 00.750 IN (3/4), PRESSURE RATING: CLASS 150, END
ART170L	2	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, SS, COMPRESSION, AISI 316, T, **
AJY259F	1	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, THREADED, T, ***
AMH303Q	1	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, CS, SS, SOCKETWELD, 800 PSI, ASTM A105, Y, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW YOKE/BOLTED, FORGED
CEF220E	1	VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: SOCKETWELD;
BNF129A	3	VALVE	VALVE, GLOBE, QA 1, VALVE, ANGLE; GLOBE MASTER, ANGLE LINE, 7/8 IN OD, STYLE #GM-11-1
BNC237N	4	VALVE	VALVE, GLOBE, QA 2, VALVE, CONTROL; 0.25 IN NPT BOTTOM INLET X FLARE SIDE OUTLET, 500
BNC240D	1	VALVE	VALVE, GLOBE, QA 2, VALVE, CONTROL; 0.5 IN MPT X 0.5 IN FLARE TYPE 1, 500 PSIG, PACKLESS
BNC242X	1	VALVE	VALVE, GLOBE, QA 2, VALVE, CONTROL; 0.5 IN MPT X 0.625 IN FLARE TYPE 1, 500 PSIG
BHX300X	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; .75 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
CAC352R	1	VALVE	VALVE, NEEDLE, QA 0, VALVE, NEEDLE; ROOT VALVE FOR TURBINE LIFT PUMP PRESSURE INDICATOR.
BYH118K	3	VALVE	VALVE, NEEDLE, QA 3, 3/8 IN, SS, SS, COMPRESSION, 6000 PSI, T-PATTERN, RISING STEM
CDQ898V	8	VALVE	VALVE, PETCOCK, QA 0, 1/4 IN, MNPT, 250 PSI, BRASS, ***

ANC522Y	2	VALVE	VALVE, PETCOCK, QA 0, 3/8 IN, 500 PSI, BRONZE, *** DRAIN RELEASE, FOR MODEL E-850 3/8 IN, 500 LB
BVH210X	4	VALVE	VALVE, RELIEF, QA 0, 1 IN, CARBON STEEL, 60 PSI, VALVE, RELIEF PRESS/TEMP; VALVE, RELIEF, PRESSURE, SIZE: 1', SETPOINT:
BMD668V	4	VALVE	VALVE, RELIEF, QA 0, 1-1/4 IN, *** PRESSURE RELIEF, FOR HYPOCHLORITE SYSTEM.
CAE403R	1	VALVE	VALVE, RELIEF, QA 0, 40 PSI, *** SECOND STAGE SAFETY VALVE, FOR AIR PURIFICATION UNIT.
BKR201W	1	VALVE	VALVE, RELIEF, QA 3, VALVE, RELIEF PRESS/TEMP; 1.0 IN, OUTLET 1.0 IN, END TYPE THREADED
BNR100V	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/16 IN, 110/120, 1250 PSI, 50/60, 10, VALVE, SOLENOID; 2-WAY SOLENOID, 120A, 1250 PSI ORIFICE 1/16, 120/60
BVP105H	5	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, 5/16 IN, FNPT, 120, 120 PSI, BRASS, 60, 20, VALVE, SOLENOID; THREE WAY, 1/2 INCH PIPE SIZE, MAXIMUM OP
CBC412V	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 0-150 PSI, 60, VALVE, SOLENOID; MANIFOLD MOUNTED, 3 WAY VALVE, 120 VAC.60 HZ COIL
CBC413R	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 0-150 PSI, VALVE, SOLENOID; MANIFOLD MOUNTED, 3 WAY VALVE, 120 VAC/60 HZ COIL
CBC414P	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/2 IN, THREADED, 0-150 PSI, VALVE, SOLENOID; MANIFOLD MOUNTED, 3-WAY VALVE, 120 VAC/60HZ COIL
CAF482W	1	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 1/4 IN, FNPT, 110/220, 250 PSI, 50, 16.7, VALVE, SOLENOID; MODEL NO. 8344G0, ASCO, FOR 0-FSV-077-0105.
CDE744B	2	VALVE	VALVE, SOLENOID, QA 3, CHILLER, FOR TRANE CHILLER MODEL CGWA1504-MA, SERIAL NUMBER TYPICAL L4H678214,
BLE463F	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 3-WAY, 1' NPT, NORMALLY OPEN, BRASS BODY, 250 VDC ***
BTR662B	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 8 VALVE MANIFOLD ASSEMBLY, 4 WAY DIRECT ACTING, 1/4
AXW979J	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .250 IN, ORIFICE
BXT842H	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; THREE-WAY, SIZE: 0.250 (1/4) INCH, ORIFICE: 0.250
BMD667X	4	VALVE	VALVE, TYPICAL, QA 0, VALVE, ; OIL REFILL, FOR HYPOCHLORITE SYSTEM. ***
CBY480Q	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, SPARE PART; MASONILAN LOCKUP VALVE, MODEL # 77-6 ***
BYT655A	1	VALVE	VALVE, TYPICAL, QA 3, ACTUATOR, SNUBBER, FOR G.H. BETTIS ACTUATOR, SEVERAL MODELS, PART NUMBER 11967
CGF798V	6	VALVE	VALVE, GLOBE, QA 1, CLASS 3, 2.0 IN, CARBON STEEL, 300 PSI, ASME SA105
BYK393J	2	VALVE	VALVE, BALL, QA 0, 8 IN, STAINLESS STEEL, STAINLESS STEEL, BUTT WELD, 150 PSI, PNEUMATIC OPERATED, VALVE, TEMPERATURE CONTROL; 8 INCH (BALL
CFE188X	1	VALVE	VALVE, CONTROL, QA 0, 6 IN, CARBON STEEL, FLANGED, *** THREE WAY VALVE, WITH METAL TO METAL SEAT, SINGLE STYLE PLUG
BQN043T	1	VALVE	VALVE, GATE, QA 3, VALVE, GATE; 6 INCH HYDRANT ISOLATION UNDERGROUND GATE VALVE WITH
CEH215H	1	VALVE	VALVE, BALL, QA 0, 1/2 IN, CARBON STEEL, FNPT, 2500 PSI, VALVE, BALL; SIZE: 00.500 IN (1/2), PRESSURE RATING: 2500 PSI, END
AWM315G	2	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 1.0 IN, END TYPE THREADED INTERNAL, NPT, BODY
BWL601E	9	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; CHECK TYPE: SWING CHECK, SIZE: 00.250 IN (1/4)
ANJ812N	1	VALVE	VALVE, CONTROL, QA 0, 2.0 IN, 150 PSI, *** WITH GROOVE PIN 313280, FOR BLACK, SIVALLS AND BRYSON CONTROL
CDP621D	2	VALVE	VALVE, CONTROL, QA 0, 3/4 IN, STEEL, THREADED, ASTM A216 GR WCB, VALVE, CONTROL; 3-WAY DIVERGING VALVE WITH AIR DIAPHRAGM TYPE
AWY824C	1	VALVE	VALVE, CONTROL, QA 3, 3 IN, FLANGED, 175 PSI, VALVE, CNTRL,AUTO SPRINKLER; DELUGE, 003.000 IN, FLG, 175.000 PSIG,
AJH123C	3	VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, FLANGED, *** POLYPROPYLENE LINED 1 IN, FLG
CEM120K	4	VALVE	VALVE, GLOBE, QA 3, 1/4 IN, BRONZE, 125 PSI, T, ***
AMH924N	11	VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; 1.5 IN, 300 PSIG, INLET NPT, OUTLET HOSE CONNECTION 9
AEH526E	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; .75 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
BWE411H	1	VALVE	VALVE, RELIEF, QA 0, *** FOR VACUUM PUMP, 1/2 HP, MODEL SYCT-500-1, S/N STV00E5102BAJ
BFN191C	2	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, BRASS, THREADED, 60 PSI, VALVE, SAFETY RELIEF; .5 IN, END TYPE THREADED EXTERNAL, NPT, BODY
BEY767D	1	VALVE	VALVE, RELIEF, QA 0, 3/4 IN, CARBON STEEL, MNPT, 522 PSIG, ASTM A216 GR WCB, CAST, VALVE, SAFETY RELIEF; .75 IN, ORIFICE .11 IN, END TYPE TH
BXP973H	10	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/2 IN, 3/8 IN, THREADED, 250 DC, BRASS, FORGED, VALVE, SOLENOID; 0.50 IN X 0.375 IN, 4-WAY, 250VDC, EXPLOSION
BYW580G	2	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 2 WAY NORMALLY CLOSED SOLENOID, NO MANUAL STEM LIQUID
AYD899P	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; PHASE, 1 AND 2, FIG 6, C/W COIL, 366A845G10, FOR
BXA499N	1	VALVE	VALVE, TYPICAL, QA 3, 2 IN, THREADED, 300 PSI, VALVE, FIRE PROTECTION SYS; 2 IN, THD, 300 PSIG, SELECTOR, DWG
CBY255L	1	VALVE	VALVE, TYPICAL, QA 3, VALVE ASSY, VALVE; 3-WAY, ITEM 11, DWG C5497, FOR MAIN STEAM ISOLATION
ATJ211Q	12	VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; BY PASS,COMPLETE WITH GASKET, FOR CHILLER PACKAGE ***
CGF799R	2	VALVE	VALVE, GLOBE, QA 1, CLASS 3, 1 IN, SOCKETWELD, 300 PSI, ASME SA105, Y, HANDWHEEL, FORGED
ADH801R	32	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 1/4 IN, FNPT, 120, 10-250 PSI, 17.1, VALVE, SOLENOID; FOUR-WAY, ORIFICE 000.250 IN
BDY623C	1	VALVE	VALVE, SOLENOID, QA 1, CLASS 2, VALVE, SOLENOID; TWO-WAY, SIZE 2.0 IN, END TYPE RAISED FACE FLANGE
ANH624W	1	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 000.500 IN, 250.000 VDC, MODEL C5450-5, SN 81490, 1/2
BGC471K	1	VALVE	VALVE, CHECK, QA 0, 3/4 IN, BRASS, COMPRESSION, ***
BHT209K	1	VALVE	VALVE, CHECK, QA 0, POPPET, 1/2 IN, BRONZE, 300 PSI, VALVE, CHECK; .5 IN, BODY MATL BRONZE, CWP 300 PSIG, POPPET STYLE ***
AWM315G	1	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 1.0 IN, END TYPE THREADED INTERNAL, NPT, BODY
AXX587Y	1	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 1.000 IN, END TYPE SOCKETWELD, CLASS 150, BODY
BAT972R	2	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; 1.0 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL ASTM
BDN722K	1	VALVE	VALVE, CONTROL, QA 0, 1/4 IN, BRONZE, FNPT, 160-300 PSI, VALVE, REGULATE FLUID PRESS; 0.250 IN,THREAD INTERNAL, 300 PSIG
BDG438F	1	VALVE	VALVE, CONTROL, QA 0, 5/8 IN X 1-1/8 IN, BRASS, SOLDER JOINT, VALVE, EXPANSION; .625 IN, OUTLET 1.125 IN, END TYPE SOLDER JOINT
AXQ381D	5	VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFF REF 33, 34, 35, FOR COOLER, ON 500.000 KV
BGN440N	1	VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; 0.5 IN, 5000 PSIG, 2-WAY, PILOT ACTUATOR
AVF296Y	1	VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, CHROME MOLY, TEFLON, FNPT, VALVE, DIAPHRAGM; 01.00 IN, THREADED INTERNAL, CPVC PLASTIC
BBH818C	2	VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; 1.0 IN, END TYPE SOCKETWELD, CLASS
ATL129Y	1	VALVE	VALVE, DIAPHRAGM, QA 0, 1/2 IN, STEEL, TEFLON, FLANGED, CAST, VALVE, DIAPHRAGM; CAST STEEL,0.500 IN.,FLANGED ENDS,C/W R-2 TFE
BBH817E	1	VALVE	VALVE, DIAPHRAGM, QA 0, 1-1/2 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; 1.5 IN, END TYPE SOCKETWELD, C

AVF290N	1	VALVE	VALVE, DIAPHRAGM, QA 0, 1-1/4 IN, CPVC, TEFLON, FNPT, VALVE, DIAPHRAGM; 001.250 IN, FNPT, CPVC PLASTIC TEFLON DIAPHRAGM, T
BBH816G	1	VALVE	VALVE, DIAPHRAGM, QA 0, 2 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; 2.0 IN, END TYPE SOCKETWELD, CLASS
BBH815J	2	VALVE	VALVE, DIAPHRAGM, QA 0, 3/4 IN, STAINLESS STEEL, NEOPRENE, SOCKETWELD, 150 PSI, AISI 316, VALVE, DIAPHRAGM; .75 IN, END TYPE SOCKETWELD, CLA
AXX356J	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, FNPT, 2500 PSI, AISI 316, T, T-HANDLE, ***
BAX846F	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, AISI 316, T, HANDWHEEL, ***
BAN740F	1	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, SS, SS, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, **
BAG298P	1	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, ALLOY STEEL, FNPT, 6000 PSI, T, HANDWHEEL, 400 DEG F, ***
ATR082V	1	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, STAINLESS STEEL, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, 650 DEG F, ***
BDP174K	5	VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, T-HANDLE
BXQ404M	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; .25 IN, MATL STAINLESS STEEL AISI 316 S31600, MAX OPR
BVN482N	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 125, END
AVD086B	1	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 1 IN, THREADED, 300 PSI, VALVE, PLUG; SIZE: 01.000 IN (1), PRESSURE RATING: 300 PSI END TYPE:
AVN629R	1	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 3/4 IN, STAINLESS STEEL, THREADED, 150 PSI, AISI 316, VALVE, PLUG; SIZE: 00.750 IN (3/4), PRESSUR
ADH579Y	1	VALVE	VALVE, PLUG, QA 0, THROTTLE, STAINLESS STEEL, 2-13 PSI, AISI 316, VALVE, INNER; STAINLESS STEEL TYPE 316, THROTTLE PLUG, DP, VSC 1L5000
BHY950F	3	VALVE	VALVE, RELIEF, QA 0, 1 IN X 1-1/2 IN, CARBON STEEL, FNPT, 225 PSI, VALVE, SAFETY RELIEF; 1.0 IN, ORIFICE 1.5 IN, END TYPE THREADED
AWC791X	1	VALVE	VALVE, RELIEF, QA 0, 1 IN, PVC, FNPT, 65 PSI, VALVE, RELIEF PRESS/TEMP; POLYVINYL CHLORIDE BODY, 001.000 IN, FNPT
AWQ239N	1	VALVE	VALVE, RELIEF, QA 0, 1.0 IN, BRONZE, THREADED, 165 PSIG, *** WITH PLAIN LIFT LEVER
AXQ391A	1	VALVE	VALVE, RELIEF, QA 3, 1/4 IN, CARBON STEEL, FNPT, VALVE, SAFETY RELIEF; .250 IN, END TYPE THREADED INTERNAL, NPT BODY
AWQ240H	1	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, THREADED, 50 PSIG, *** LIFT, SIZE 001.500 IN SEAT, BLOW DOWN
AWK162R	1	VALVE	VALVE, RELIEF, QA 0, 2 IN, PVC, THREADED, 60-100 PSI, 70 PSIG, VALVE, SAFETY RELIEF; 002.000 IN, THREADED INTERNAL, RANGE 60-100 PSIG
AWQ237T	1	VALVE	VALVE, RELIEF, QA 0, 3/4 IN, BRONZE, FNPT, 25 PSIG, 358 LB/HR, VALVE, SAFETY RELIEF; .75 IN, ORIFICE .216 IN, OUTLET 1.0 IN, END TYPE
AVT046L	1	VALVE	VALVE, RELIEF, QA 0, 3/4 IN, PLASTIC, THREADED, 65 PSIG, ***
BMF244G	1	VALVE	VALVE, RELIEF, QA 0, VALVE, ; RELIEF, ITEM 13, FOR MODEL MPS-400 DEHYDRATION UNIT, S/N
BFP108M	1	VALVE	VALVE, RELIEF, QA 0, VALVE, AIR PRESS RELIEF; CHECK, CRANKCASE, 0.250 IN INLET, THREADED
BNR495W	6	VALVE	VALVE, RELIEF, QA 3, 1/2 IN, BRASS, FNPT, 375 PSI, VALVE, SAFETY RELIEF; 0.5 IN, THREADED INTERNAL, 375PSI, BRASS BODY,
AWH867W	1	VALVE	VALVE, SOLENOID, QA 0, 1/2 IN, *** 53, FOR AIR COMPRESSOR, AFTERCOLLER TEMPERATURE CONTROL, TVA
AVL337H	1	VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, 5/32 IN, 120, 10.5, VALVE, SOLENOID; 0.250IN PIPE,0.1562IN ORFICE, 10.500W,120VAC, FOR
AWV917L	1	VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, THREADED, 115, *** C/W ACTUATOR
BAX303P	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 1.0 IN, ORIFICE 1.
BAX925K	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 50 PSI, BRASS, 50/60, 9.6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 1.0 IN, ORIFICE 1
AXW869R	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, THREADED, 24, 300 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; TWO-WAY, SIZE 1.000 IN, END TYPE THREADE
BEY458T	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 110/120, BRONZE, 9, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, BODY MATL BRONZE, 9.0 WATTS
AVL338F	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, THREADED, 480, BRASS, 16.7, FORGED, VALVE, SOLENOID; 0.500IN PIPE,0.625IN ORFICE, 16.700W,480V
BCC680E	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 7/16 IN, FNPT, 240, 4 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .5 IN, ORIFICE
BEC084X	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 3/32 IN, FNPT, 120, 300 PSI, BRASS, 50/60, 10.5, VALVE, SOLENOID; TWO-WAY, NORMALLY OPEN, SIZE .25 IN
BAX931Q	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1-1/4 IN, 1-1/4 IN, FNPT, 110/120, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 1.25 I
BCN886T	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/4 IN, 3/4 IN, FNPT, 120, 250 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .75 IN, ORIFIC
AXR477T	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 1/4 IN, FNPT, 110/120, 110 PSI, BRASS, 15.4, ** TWO-WAY
BCA707L	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 3/16 IN, FLARED, 208/240, 300 PSI, STEEL, 50/60, 10, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, .375 I
BAX924M	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 150 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN
BBN510T	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 190 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .25 IN
BBA359N	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 110, 150 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .2
BAP225F	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/32 IN, FNPT, 120, 100 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .2
AWC019R	13	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/32 IN, THREADED, 120, BRASS, 6, VALVE, SOLENOID; 000.125 IN, THREADED, 6 W, 120 VAC, 000.093 ORIFICE
BCN363V	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 110/120, 275 PSI, BRASS, 10, VALVE, SOLENOID; THREE-WAY, SIZE .125 IN, ORIFICE .046 IN
BBP453V	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 120, 300 PSI, STAINLESS STEEL, 50/60, 9, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, S
AWN292W	3	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 1/4 IN, 120, BRASS, 20, ***
BKC513B	2	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 9/32 IN, FNPT, 110/120, 200 PSI, BRASS, 50/60, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSED, SIZE .375
BBP999E	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, FNPT, 125, 100 PSI, BRASS, 23, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .375 IN, END TYPE
AWN581M	1	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 3/64 IN - 1/16 IN, 120, 150 PSI, 60, 12, VALVE, SOLENOID; 4 WAY ORIFICE 000.046 TO 000.062 IN, C/W O-R
BCE556R	1	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 3/16 IN, FNPT, 120, 125 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; FOUR-WAY, SIZE .375 IN, ORIFICE .187 I
CBC720V	1	VALVE	VALVE, SOLENOID, QA 1, 125 DC, 11, , ELECTRICAL; 0.0625 IN ORIFICE, DRAWING CFP-305-C, ITEM 21, FOR
BNH525P	3	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; ORIFICE 3/32, MEDIA R-12, R22, 110 VAC, 6 WATTS, 100
BWW230Q	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/4', 120 VOLT, ***
AWT852V	4	VALVE	VALVE, TYPICAL, QA 0, 1/4 IN, STAINLESS STEEL, ***
BHX510H	2	VALVE	VALVE, TYPICAL, QA 0, STAINLESS STEEL, *** WITH 3 IN FLEXITALLIC GASKET, FOR AUXILIARY BOILER AND/OR AUX
BTN733X	2	VALVE	VALVE, TYPICAL, QA 2, VALVE, GAGE ISOLATOR; 0.25 IN TUBE OD, FOR 0-IPI-031-0603B-B, REF
CAB878P	2	VALVE	VALVE, TYPICAL, QA 3, VALVE, GAGE; BOTTOM,W/PITCOCK, FOR CHEMICAL WATER LEVEL GAGE GLASS, DWG
CAB877R	2	VALVE	VALVE, TYPICAL, QA 3, VALVE, GAGE; TOP, FOR CHEMICAL WATER LEVEL GAGE GLASS, DWG 74222, SPIN

BFG598C	2	VALVE	VALVE, BALL, QA 3, 1/8 IN, SS, COMPRESSION, 1000 PSI, AISI 316, VALVE, BALL; .12 IN, BODY MATL STAINLESS STEEL AISI 316 S31600, MAX
AVX987T	4	VALVE	VALVE, CHECK, QA 1, VALVE, INNER; STEEL INNER, REF 2, DWG C7484D26, FOR 001.000 IN, 1500
ART169R	3	VALVE	VALVE, GLOBE, QA 2, VALVE, GLOBE; NEEDLE, STAINLESS STEEL, TYPE 316, 0.500 IN FPT X 0.500 IN
CDX769M	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1/2 INCH, 1500#, A 105, SW ***
AQX058G	6	VALVE	VALVE, TYPICAL, QA 3, VALVE, INNER; ADJUSTABLE, FOR HAMMEL-DAHL-ITT P50-A110 PNEUMATIC VALVE
BBE575V	1	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 4.0 IN, IRON, WAFER FLANGED, 150 PSI, ASTM A126 CL B, CAST, *** SEAT MATERIAL: RUBBER
BFM885F	2	VALVE	VALVE, CHECK, QA 0, 12.0 IN, CARBON STEEL, 125 PSI, ***
CDX402V	4	VALVE	VALVE, CHECK, QA 0, 4 IN, WAFER, 250 PSI, VALVE, CHECK; 4 INCH WAFER CHECK, CLASS G, SCH 40, ASTM A 106, 250#
BJD162F	12	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .375 IN, CLASS 1500, BODY MATL STAINLESS STEEL AISI 316
BLM411Y	3	VALVE	VALVE, RELIEF, QA 3, VALVE ASSY, DIESEL ENGINE; RELIEF, FOR LUBE OIL SYSTEM, ON STANDBY
CDX423J	1	VALVE	VALVE, SOLENOID, QA 0, 125 DC, ***
CEH131P	1	VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN (1), PRESSURE RATING: 600 PSIG, END
ARK587B	2	VALVE	VALVE, CHECK, QA 2, VALVE, CHECK; TURBO FILTER HEAD, 000.687 ID X 003.750 IN LG, FOR TANDEM
CEN086Y	1	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 600 PSI, AISI 316, T, HANDWHEEL, BOLTED, *** ROUND HANDWHEEL, METAL SEATS, FULL POR
BVH345T	3	VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, Y, HANDWHEEL, 400 DEG F, VALVE, GLOBE; SIZE: 00.500 IN (1/2), PRESS
AYM055T	1	VALVE	VALVE, PLUG, QA 2, LEVER HANDLE OPERATOR, 3 IN, CS, FNPT, VALVE, PLUG; 3.000 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
ATY724W	1	VALVE	VALVE, BALL, QA 2, 1 IN, FNPT, 2000 PSI, LEVER OPERATED, VALVE, BALL; LEVER OPERATED, 1 INCH, SCR, 2000 PSI WOG, FPT, BRONZE
BNP980B	5	VALVE	VALVE, BALL, QA 3, VALVE, BALL; FOR VIKING VALVES, ITEM 3 ON MODEL C-1 AS SHOWN ON
AWF844K	1	VALVE	VALVE, CHECK, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 150 PSI, ***
BKG252Q	1	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; 1.375 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
BKR387J	1	VALVE	VALVE, CONTROL, QA 2, VALVE, BYPASS PNEUMATIC; 0.75 IN, 1.125 ODF, SOLDER, 0-80 PSIG, FULLY
BLN697C	8	VALVE	VALVE, CONTROL, QA 2, VALVE, CONTROL; FLOW REGULATOR, 7 GPM, 0.75 IN HOUSING, FEMALE
AXM897Q	1	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, STAINLESS STEEL, FNPT, 300 PSI, ASME SA479 GR 316, T, ***
AHH821R	2	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, SCREWED, **
BKG253N	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1.375 IN, BODY MATL BRONZE, SOLDER ENDS, WING CAP
BBP778Y	1	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, BRASS, MNPT X FNPT, 3000 PSIG, VALVE, SAFETY RELIEF; .5 IN, ORIFICE .049 IN, END TYPE THREADED
AMH827L	1	VALVE	VALVE, RELIEF, QA 0, 1/4 IN, 3200 PSIG, 150 CFM, ***
BVW186V	1	VALVE	VALVE, RELIEF, QA 2, VALVE, SAFETY RELIEF; 0.25 INCH, BRONZE, SET PRESSURE 40.0 PSIG, FOR
BAE965L	1	VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; 1 IN, MALE INLET, NPT, MAX OPRPRESS 1600 PSIG
ARH193B	15	VALVE	VALVE, SOLENOID, QA 0, 1/8 IN, 3/32 IN, 120, 100 PSI, 6, VALVE, SOLENOID; AIR, WATER, LT OIL, NORMALLY CLOSED, 0.094 IN
AYQ096W	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/16 IN, FNPT, 240 DC, 160 PSI, BRASS, VALVE, SOLENOID; THREE-WAY, SIZE .25 IN, ORIFICE .062 IN, END T
BDD824R	6	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 3/8 IN, FNPT, 125, 60 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .375 IN,
BRX620Q	1	VALVE	VALVE, SOLENOID, QA 3, 2-WAY, 1/2 IN, N.C., FOR RADIATION MONITORS
BRX405J	2	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/2 INCH N.C., 2 WAY SET, FOR RADIATION MONITORS ***
BRX394V	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/4 INCH, FOR RADIATION MONITORS ***
BKE013C	1	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; TWO-WAY, MAX DIFF PRESS 200 PSIG, DESIGNED FOR GAS
BQE270D	1	VALVE	VALVE, TYPICAL, QA 0, PRESSURE REGULATOR, *** COLUMN, FOR 1.5 TO 1.75 IN DISC DIAPHRAGM PUMP, PVC, MODEL NO
AQP670M	1	VALVE	VALVE, CHECK, QA 0, 3 IN, THREADED, 125 PSI, VALVE ASSY, ; PREVENTER, STOCK NO RP-1, LIST 292G, W/GATES, FOR
BHA279F	1	VALVE	VALVE, CONTROL, QA 0, STEEL, *** DISCHARGE, FOR REFRIGERATION COMPRESSOR, MODEL CRHR400C-2C-AS
BXE330N	1	VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; SIZE: 03.000 IN (3), PRESSURE RATING: 150 PSI, END TYPE:
BBA250Q	4	VALVE	VALVE, TYPICAL, QA 3, VALVE, INNER; BRASS, 0.375 IN, W/NITRILE O-RING, FOR VOLUME BOOSTER
AMH122V	11	VALVE	VALVE, CHECK, QA 0, BALL, 1/4 IN, FNPT, ***
AMH222P	1	VALVE	VALVE, CHECK, QA 0, BALL, 1/4 IN, MNPT, ***
BWT826M	2	VALVE	VALVE, CHECK, QA 1, CLASS 1, VALVE, CHECK; CHECK TYPE: PISTON, SIZE: 02.000 IN (2), PRESSURE
BWL952F	1	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; CHECK TYPE: BACKFLOW PREVENTION, SIZE: 00.500 IN (1/2)
ARH264E	21	VALVE	VALVE, CONTROL, QA 3, VALVE, CNTRL, AUTO SPRINKLER; NOZZLE, SPRAY ORIFICE, DEFLECTOR ANGLE 65
ACH539H	1	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, BRONZE, FNPT, 150 PSI, ASTM B62, T, RISING, HANDWHEEL, UNION, *** NO 836
BVJ521V	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; SIZE: 00.500 IN (1/2), PRESSURE RATING: CLASS 800, END
BFT085D	1	VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; .125 IN, END TYPE COMPRESSION, BODY MATL STAINLESS
BHL740E	1	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, FNPT, 100 PSI, VALVE, SAFETY RELIEF; 1.5 IN, END TYPE THREADED INTERNAL, BODY MATL
AHJ436P	1	VALVE	VALVE, RELIEF, QA 0, VALVE, ; AUXILLARY, 18-8 STNLS STL, FOR REDUCING VALVE, SIZE 2-1/2 IN
BNP377D	1	VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, FLANGED, VALVE, SAFETY RELIEF; 0.75 IN INLET X 1 IN, NOZZLE TYPE RELIEF BODY
BNP713P	2	VALVE	VALVE, RELIEF, QA 3, VALVE, AIR PRESS RELIEF; CRANK CASE CHECK, FOR GLYCOL CHILLER. ***
BWL851M	1	VALVE	VALVE, RELIEF, QA 3, VALVE, RELIEF PRESS/TEMP; PERSSURE RELIEF VALVE, 0.25' DIA, 0.25'
BPP009W	1	VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; 385 PSIG, HIGH TO LOW, FOR CHILLER UNIT, MODEL
ARV004D	1	VALVE	VALVE, TYPICAL, QA 2, VALVE, ISOLATION; VALVE, ISOLATION, FOR DUNHAM BUSH 480V ELEC BOARD ROOM
BHH611X	5	VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; .75 IN, END TYPE THREADED EXTERNAL, BODY MATL CARBON
ATT029T	1	VALVE	VALVE, CHECK, QA 0, 4 IN, STEEL, FLANGED, 125 PSI, ***
BHA293M	1	VALVE	VALVE, CONTROL, QA 0, VALVE, CONTROL; 1.625 IN OD, STEEL AND BRASS, DISCHARGE SERVICE, FOR

BDQ611J	1	VALVE	VALVE, GATE, QA 0, 18 IN, CARBON STEEL, BUTT WELD, 900 PSI, ASTM A216 GR WCB, T, ELECTRIC MOTOR ACTUATOR, PRESSURE SEALED, VALVE, GATE, POWER
BEX531G	1	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 120, 50/60, 30, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, 120 VOLTS 50/60 HZ, 30.0 WATTS
AXT657K	1	VALVE	VALVE, BUTTERFLY, QA 1, 4 IN, CS, FLAT FACE FLANGED, 150 PSI, ASME SA516 GR 70, VALVE, BUTTERFLY; 4.000 IN, END TYPE FLAT FACE FLANGE, CLASS
BLR627J	16	VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY; ; DISCHARGE, FOR RECIPROCATING COMPRESSOR, MODEL 3F5B80
BBH691A	1	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8.0 IN, CARBON STEEL, WAFER FLANGED, 150 PSI, ***
ATV044R	6	VALVE	VALVE, CHECK, QA 0, 1.0 IN, CARBON STEEL, STAINLESS STEEL, SOCKETWELD, 600 PSI, ASTM A105/A276 GR 420, FORGED, *** FOR 001.000 IN, 600.000 P
BCQ341V	2	VALVE	VALVE, CHECK, QA 0, VALVE, CHECK, SWING; ; 10.0 IN, END TYPE RAISED FACE FLANGE, CLASS 150,
BWH595W	8	VALVE	VALVE, CHECK, QA 3, VALVE, STEAM TURBINE; CHECK, .500', 1500 LB. STAINLESS STEEL, ASTM
BRF606G	1	VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; WITH STEM; PC #20; C1N #L3620-1 FOR INVERTED VALVE PARTS
AVM939F	1	VALVE	VALVE, PLUG, QA 0, 2-1/2 IN, FLANGED, 300 PSI, VALVE, PLUG; SIZE: 02.500 IN (2 1/2), PRESSURE RATING: 300 PSI END
AVX879X	1	VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 4 IN, STEEL, FLANGED, VALVE, PLUG; SIZE: 04.000 IN (4), END TYPE: FLANGED BODY MATERIAL:
CEL245Q	1	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN X 2 IN, FLANGED, 150 PSI, ** TYPE: SAFETY; (1 1/2 F 2), MODEL JB25-3(TD)TYPE 'A', SET PRESSURE
ATB766E	1	VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, 2735 PSI, VALVE, SAFETY RELIEF; 0.75 X 1 IN, SET POINT 2735 PSIG, COMPLETE ASSY
AXN859V	4	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; SERVO, FOR MAIN TURBINE ***
BAJ553P	5	VALVE	VALVE, TYPICAL, QA 0, VALVE, GAGE; 0.75 IN, THREADED EXTERNAL, 2400 PSIG AT 100 DEG F, AND
AVB815M	3	VALVE	VALVE, BALL, QA 0, 1/2 IN, PVC, SOCKETWELD, *** SEAT MATERIAL: TEFLON
BFT145Y	2	VALVE	VALVE, NEEDLE, QA 3, VALVE, NEEDLE; .25 IN, END TYPE THREADED EXTERNAL, NPT, BODY MATL
BLD708H	1	VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, SS, RAISED FACE FLANGED, 150 PSI, 55 PSI, , 0.75 IN, OUTLET 1.0 IN, END TYPE RAISED FACE
BJP579R	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; 1.5 IN, END TYPE SOLDER JOINT, 'T' PATTERN, CWP 200 PSIG
CED867R	14	VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING
BVM112X	9	VALVE	VALVE, TYPICAL, QA 1, VALVE, INSTRUMENT; UNION BONNET, 1/4' FEMALE NPT, STANDARD MATERIAL:
CEQ485F	1	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 6 IN; BODY MATERIAL: CAST ALLOY STEEL; END STYLE:
CGJ839Q	1	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 2 IN, STAINLESS STEEL, SOCKETWELD, ASME SA351 GR CF8M, T, T-HANDLE, PRESSURE RATING: 1878 LB, IN ACCORDANCE WIT
CDN936Q	1	VALVE	VALVE, RELIEF, QA 1, CLASS 3, VALVE, PRESSURE REGULATOR; SELF OPERATING, 1.0', 150 LB., CARBON
CEM125X	2	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; TYPE: ISOLATION; SIZE: 2-1/2 IN; BODY MATERIAL: CAST
BKY782J	6	VALVE	VALVE, BALL, QA 1, VALVE, BALL; 1.25 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
AHH340M	1	VALVE	VALVE, CONTROL, QA 0, 3.0 IN, *** REF 8, FOR BLACK, SIVALLS ANDBRYSON CONTROL VALVE, SIZE 003.000
AGH720H	7	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/8 IN, 3/32 IN, THREADED, 24 DC, 125 PSI, STAINLESS STEEL, 10, VALVE, SOLENOID; 0.125 IN NPT, 125 PSIG, 2-WAY
BBF333F	5	VALVE	VALVE, CONTROL, QA 0, PLASTIC, *** 4-WAY, FLOW, INJECT, DUAL STACK AIR ACTUATED, BLACK, FOR ANALYZE
BEL908A	1	VALVE	VALVE, GLOBE, QA 0, 2-1/2 IN, CARBON STEEL, STEEL, BUTT WELD, 1500 PSI, ASTM A216 GR WCB, Y, CAST, ***
ARW740T	1	VALVE	VALVE, GATE, QA 3, VALVE, GATE; 4 IN, ANSI CLASS 300, 700 PSIG WOG, TYPE FL-30-3
BJY403W	2	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .75 IN, END TYPE SOCKETWELD, BODY MATL STAINLESS STEEL
ATN621G	20	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, T, ***
AQX171X	4	VALVE	VALVE, RELIEF, QA 0, 2 IN, BRONZE, THREADED, 400 PSI, 85 PSI, VALVE, RELIEF PRESS/TEMP; BRONZE BODY, 70 DEG F, WATER, RANGE 75-150
BBF332H	3	VALVE	VALVE, TYPICAL, QA 0, PLASTIC, *** INJECT, BLACK, DUAL STACK AIR ACTUATED, THREE PASSAGES PER STACK
BJM295J	26	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 3/4 IN, SS, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, T, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW YOKE/BOL
BJM289D	1	VALVE	VALVE, CHECK, QA 1, LIFT, 2 IN, SS, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, VALVE, CHECK; 2 IN, ASME F316 STAINLESS STEEL, 600 PSI AT 91
BGV841Y	2	VALVE	VALVE, CHECK, QA 0, 2.0 IN, IRON, RAISED FACE FLANGED, 125 PSI, CAST, ***
BKP119N	16	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, CARBON STEEL, FNPT, 800 PSI, ASTM A105, HANDWHEEL, ROUND BOLTED, FORGED, ***
BJW842B	1	VALVE	VALVE, GATE, QA 0, 4 IN, CS, BUTTWELD, 300 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, 850 DEG F, BOLTED FLANGED YOKE, ** SEAT MATERIAL: CH
BBF332H	2	VALVE	VALVE, TYPICAL, QA 0, PLASTIC, *** INJECT, BLACK, DUAL STACK AIR ACTUATED, THREE PASSAGES PER STACK
BKY956B	3	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK, TILTING; ; 2.0 IN, BODY MATL CARBON STEEL ASTM A 216 GR
BNR657W	1	VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE, CHECK; 1 IN PISTON, WITH SPRING, 1500 LB, KEROTEST (BW/IP), DWG
BRC379F	1	VALVE	VALVE, GATE, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASTM A182 GR F316, ***
BTV948E	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA479 GR 316, T, ** ANDERSON GREENWOOD CROSBY DRAWING: DS-C
BTK605P	1	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 00.750 IN (3/4), PRESSURE RATING: CLASS 600, END
BPV419W	7	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 0.375 IN, MAXIMUM DIFFERENTIAL PRESSURE 275 PSIG, 100
BQA275C	1	VALVE	VALVE, TYPICAL, QA 0, *** FOR BACKWASH DEMINERALIZER AIR COMPRESSOR 'A', FOR W.D. NO
BQP762X	1	VALVE	VALVE, BUTTERFLY, QA 0, CYLINDER OPERATED, 6 IN, CARBON STEEL, ASTM A216 GR WCB, CAST, *** SEAT MATERIAL: RESILOSEAL
AJH121G	1	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3 IN, CARBON STEEL, VALVE, LIN DIRECT CONTROL; 003.000 IN, CARBON STEEL THREE-WAY VALVE
BRN016P	5	VALVE	VALVE, CONTROL, QA 1, VALVE, DIRECTIONAL CONTROL; SYSTEM 085, FOR BFN CRD HCU GE P/N 729E950
CAN652R	20	VALVE	VALVE, CONTROL, QA 3, VALVE, SHUT OFF; AIR, 0.50 IN - 14 NPT, END TYPE: THREADED INTERNAL
BWH317R	4	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, 300 PSI, ASTM A182 GR F316L, *** TRIM MATERIAL: STAINLESS STEEL, SEAT MATERIAL: TEFLON
BWH301A	1	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, 300 PSI, *** TRIM MATERIAL: STAINLESS STEEL
BWH301A	1	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, 300 PSI, *** TRIM MATERIAL: STAINLESS STEEL
CDD020X	1	VALVE	VALVE, TYPICAL, QA 2, VALVE, EXPANSION; FOR DUNHAM BUSH CHILLER , MODEL # PCX-120-0Q, S/N
BWR503L	2	VALVE	VALVE, CHECK, QA 2, VALVE, CHECK; CHECK TYPE: BACKFLOW PREVENTION, SIZE: 01.000 IN (1)
BWG348K	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; SIZE: 01.000 IN (1), PRESSURE RATING: 200 PSI, END TYPE:
BTV948E	4	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASME SA479 GR 316, T, ** ANDERSON GREENWOOD CROSBY DRAWING: DS-C

AEH732B	1	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; 0.375 IN,CARBON STEEL CADMIUM PLATED, WITH VITON SEALS
BRR117B	1	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; COMPLETE, SIZE 2H3, SHOP# 72547, STYLE:
ATC066W	1	VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF; TYPE: SAFETY; SIZE: 3 IN X 4 IN; BODY MATERIAL: CS; END
ATC070H	1	VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF; TYPE: SAFETY; SIZE: 3 IN X 4 IN; BODY MATERIAL: CS; END
AXT421H	1	VALVE	VALVE, CHECK, QA 0, 6 IN, CARBON STEEL, RAISED FACE FLANGED, 275 PSI, ***
AVE517E	2	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, CARBON STEEL, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED, VALVE, GLOB
CCA274H	1	VALVE	VALVE, TYPICAL, QA 1, CLASS 2, VALVE, ISOLATION; STEAM GENERATOR BLOWDOWN ***
BNG983X	2	VALVE	VALVE, CHECK, QA 1, VALVE, ; COMPLETE WITH SOFT SEAT, 0.5 IN, 600 SERIES, STAINLESS STEEL
AFH138H	2	VALVE	VALVE, GATE, QA 3, VALVE, GATE; 2-1/2 IN, THREADED INTERNAL, BRASS, FEMALE INLET AND
BWJ039D	2	VALVE	VALVE, GLOBE, QA 0, VALVE, STEAM TURBINE; GLOBE, 1.00', WKM, MODEL# 70-28-1DRT, SN 114226
CGG826C	2	VALVE	VALVE, RELIEF, QA 3, CAST, FOR OIL LIFT SYSTEM
AXQ400G	1	VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFFFOR EXPANSION TANK ON 500.000 KV
CAD272J	1	VALVE	VALVE, RELIEF, QA 2, VALVE, VACUUM REGULATING; RELIEF,3 IN,0.5 PSID,SET FORCE 12 OZ +/- 1
CAX590W	4	VALVE	VALVE, TYPICAL, QA 2, VALVE, COMPRESSOR; DISCHARGE, A243, FOR SINGLE STAGE DOUBLE ACTING AIR
AJH920W	1	VALVE	VALVE, CONTROL, QA 0, STAINLESS STEEL, STELLITE, 20 PSI, AISI 316, VALVE, DIAPHRAGM; CONTROL, SINGLE SEAT, MODIFIED, STYLE 9131, 316
AGC377J	1	VALVE	VALVE, TYPICAL, QA 0, 6 IN X 8 IN, FOR 008.000 X 006.000 IN VALVE, TYPE E, DWG 1-5304
BME549Y	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, ; 3 INCH VALVE, 3IA88RG, S/N 5916728, 2-PVC-455A ***
BDY578N	1	VALVE	VALVE, PETCOCK, QA 0, VALVE ASSY, ; DRAIN, 4 IN, N.C., AIR OPERATED, FOR DRY CLEANER, MODEL
BWQ818Y	3	VALVE	VALVE, CHECK, QA 0, VALVE, CIRCUIT BREAKER; NO RETURN, FOR CIRCUIT BREAKER, TYPE
BWQ819W	3	VALVE	VALVE, CHECK, QA 0, VALVE, CIRCUIT BREAKER; NO RETURN, FOR CIRCUIT BREAKER, TYPE
BWQ706B	3	VALVE	VALVE, CHECK, QA 0, VALVE, CIRCUIT BREAKER; NON-RETURN, FOR CIRCUIT BREAKER, TYPE
BWQ798A	2	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CLOSE, MASTER CONTROL, FOR CIRCUIT BREAKER
BWR328B	6	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CONTROL CLOSING. FOR CIRCUIT BREAKER, TYPE
BWR326F	1	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CONTROL 'OPEN', FOR CIRCUIT BREAKER, TYPE
CAF317C	6	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; CONTROL UNIT, FOR CIRCUIT BREAKER, TYPE
BWQ802F	1	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; EQUALIZING, CONTROL UNIT, FOR CIRCUIT BREAKER
BWQ811D	2	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; ISOLATOR, TWIN CONTROL, FOR CIRCUIT BREAKER
BWQ797C	2	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; OPEN, MASTER CONTROL, FOR CIRCUIT BREAKER
BPX139Q	2	VALVE	VALVE, CONTROL, QA 0, VALVE, CIRCUIT BREAKER; STOP, FOR POWER CIRCUIT BREAKER, TYPE
BPW726E	1	VALVE	VALVE, RELIEF, QA 0, VALVE, CIRCUIT BREAKER; SAFETY, CHAMBER END, FOR POWER CIRCUIT
BPX129V	1	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; SOLENOID VALVE, FOR POWER CIRCUIT BREAKER, TYPE
BWN257P	5	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; TWIN, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D ***
BPW712R	3	VALVE	VALVE, TYPICAL, QA 0, CIRCUIT BREAKER, *** RECHARGING, FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D
BDK494M	8	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; BRASS, INTERLOCK, CHARGING 'OPEN', DWG
BPW743E	8	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; EQUALIZING, FOR POWER CIRCUIT BREAKER, TYPE
BWH765X	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; EXTINCTION CHAMBER, FOR POWER CIRCUIT BREAKER
BWQ641C	4	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; MAGNET, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
AFN715B	3	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; MAGNET, W/COIL BRNBOV 2738, FOR STATIC
BPX111F	1	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; REPLENISHING, FOR POWER CIRCUIT BREAKER, TYPE
BYE985J	8	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; RESISTOR CHAMBERS, FOR CIRCUIT BREAKER
AFN216X	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; TWO-WAY, NON-RETURN, FOR STATIC STARTING
AFN417K	2	VALVE	VALVE, TYPICAL, QA 0, VALVE, CIRCUIT BREAKER; TWO-WAY, NON-RETURN, FOR STATIC STARTING
BMA904T	2	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, STAINLESS STEEL, ***
BMA905Q	2	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, STAINLESS STEEL, ***
BMA910A	1	VALVE	VALVE, DIAPHRAGM, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 150 PSI, VALVE, DIAPHRAGM; 0.75 IN, ANSI CLASS 150, SOCKETWELD ENDS, STAINLESS
CDX413M	1	VALVE	VALVE, BUTTERFLY, QA 0, CLASS 3, 24 IN, CARBON STEEL, 150 PSI, VALVE, BUTTERFLY; 24 INCH, 150 LB, CARBON STEEL, POSI-SEAL MODEL
AXY337H	1	VALVE	VALVE, CHECK, QA 0, 4.0 IN, IRON, FLAT FACE FLANGED, 125 PSI, CAST, ***
AYK998N	1	VALVE	VALVE, PLUG, QA 2, VALVE, PLUG; 4.000 IN, END TYPE FLAT FACE FLANGE, BODY MATL CAST IRON
BME550R	2	VALVE	VALVE, GATE, QA 0, 4.0 IN, ***
BMA913Q	1	VALVE	VALVE, CONTROL, QA 0, 3/4 IN, ***
BME516E	1	VALVE	VALVE, DIAPHRAGM, QA 0, 4 IN, *** VALVE AUX. SYSTEM VALVES WBT-220-ASVANS WHO-1831
BKR662N	1	VALVE	VALVE, PETCOCK, QA 0, 2 IN, FNPT, BRASS, T-HANDLE, VALVE, PETCOCK; SIZE: 02.000 IN (2), END TYPE: THREADED INTERNAL
BKR663L	1	VALVE	VALVE, PETCOCK, QA 0, 2 IN, FNPT, BRASS, T-HANDLE, VALVE, PETCOCK; SIZE: 02.000 IN (2), END TYPE: THREADED INTERNAL
BEP900N	1	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; DISCHARGE, C/W HANDLE AND PRESSURE GAGE, FOR FIRE
BEM512X	2	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; DISCHARGE, COMPLETE WITH HANDLE, PRESSURE GAGE, AND PIN
BCN373Q	1	VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; FIGURE 04-041, FOR SERIES 1800FIRE TRUCKS
BHY578X	1	VALVE	VALVE, PLUG, QA 0, 1/2 IN X 1/4 IN, STAINLESS STEEL, FNPT, 2000 PSI, VALVE, PLUG; .5 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL
AVT828Y	1002	VALVE	VALVE, TYPICAL, QA 0, PLASTIC, *** FOR MOD RG-25 GAS CONTAINER
AWT476X	1	VALVE	VALVE, BALL, QA 0, 4.0 IN, PLASTIC, ***

AWA084Q	1	VALVE	VALVE, GLOBE, QA 0, STACK, VALVE; STEEL, DRAGON TOOTH, FOR 008.000 IN, 900 LB, GLOBE
AXQ381D	4	VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFF REF 33, 34, 35, FOR COOLER, ON 500.000 KV
AWR867K	1	VALVE	VALVE, GATE, QA 0, 3 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, VALVE, GATE; 3.0 IN, END TYPE MECHANICAL JOINT, BO
AWR866M	1	VALVE	VALVE, GATE, QA 0, 4 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, VALVE, GATE; 4.0 IN, END TYPE MECHANICAL JOINT, BO
BTT871W	1	VALVE	VALVE, RELIEF, QA 3, VALVE, SAFETY RELIEF; END CONNECTION, SERVICE: NITROGEN RELIEF 58 PSI
BCH076F	3	VALVE	VALVE, GLOBE, QA 0, CLASS 3, 8.0 IN, CARBON STEEL, BUTT WELD, 150 PSI, ASME SA216 GR WCB, T, ***
BFX568J	4	VALVE	VALVE, CHECK, QA 0, PISTON, 1/2 IN, STAINLESS STEEL, CAST STELLITE, SOCKETWELD, 1690 PSI, ASTM A182 GR F316, ***
BHF656H	1	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK, TILTING, ; 18 IN, RAISED FACE FLANGE TO STANDARD WEIGHT
BLL463G	1	VALVE	VALVE, GATE, QA 1, VALVE, GATE; SIZE: 01.000 IN (1), PRESSURE RATING: CLASS 800, END
BVV094W	8	VALVE	VALVE, NEEDLE, QA 1, VALVE, NEEDLE; INSTRUMENT, 3/8 INCH PARKER CPI TUBE END CONNECTIONS
CDJ204Q	2	VANE	VANE, TYPICAL, QA 1, VANE, VALVE; FOR 2 INCH BUTTERFLY VALVE, MODEL # 68-34212, MASONEILA N
BVH556D	8	VANE	VANE, TYPICAL, QA 1, VANE, AIR STARTER; PACKET, 5 PER PACK, FOR AIR STARTER, SIZE 150 BMP
BJM285M	82	VANE	VANE, TYPICAL, QA 3, VANE, PUMP; CARBON, FOR GAST MODEL 1550-V136B VACUUM PUMP, MODEL
CEF252M	1	VANE	VANE, TYPICAL, QA 1, BRONZE, ** MATERIAL: BRONZE, FOR 4' 150 PSIG BUTTERFLY VALVE, MASONEILAN
ALF052X	19	VANE	VANE, TYPICAL, QA 0, MOTOR, *** 6 EA PER PACK.
ALF252Y	4	VANE	VANE, TYPICAL, QA 0, VANE, AIR MOTOR; MOTOR, REPLACEMENT, (SERVICE KIT), FOR DIAMOND POWER
ATQ547P	3	VANE	VANE, TYPICAL, QA 0, VANE, PUMP; FIBER, FOR ROTARY VACUUM PUMP, MODEL NW50KF, SERIAL 788 ***
ALP380P	10	VANE	VANE, TYPICAL, QA 0, VANE, ; PACKET, FIVE PER PK, FOR AIR STARTER, SIZE 150 BMP, MODEL
ALP380P	40	VANE	VANE, TYPICAL, QA 0, VANE, ; PACKET, FIVE PER PK, FOR AIR STARTER, SIZE 150 BMP, MODEL
AXB139P	1	VAPORIZER	VAPORIZER, TYPICAL, QA 0, HIGH - TEMP, 460 AC, 325 PSIG, 35, VAPORIZER, ; HIGH-TEMPERATURE LIMIT THERMOCAST MODEL C, 450 HOURS
BYK001N	8	VARISTOR	VARISTOR, ELECTRONIC, QA 0, VARISTOR, FAN; VARISTOR, GENERAL ELECTRIC P/N 68A7953P5, HARRIS
BHV834M	1	VECTOR	VECTOR, TYPICAL, QA 0, VECTOR MECHANICAL AS, ; C/W RELAY, FOR CONTROLLER, PNEUMATIC, MODEL
BXR449Q	2	VENT	VENT, AIR, QA 3, VENT ASSY, PUMP; BEARING HOUSING VENT ASSY, 3/8 IN BENDIX MODEL #
BXR449Q	3	VENT	VENT, AIR, QA 3, VENT ASSY, PUMP; BEARING HOUSING VENT ASSY, 3/8 IN BENDIX MODEL #
AJD143T	2	VENT	VENT, AIR, QA 0, RELIEF, BRASS, 2 IN OPENING, VENT UNIT, RELIEF; BRASS, DRUM, 2 IN OPENING VENT, AUTOMATIC PRESSURE
AWH750X	5	VENT	VENT, AIR, QA 0, VENT, VIBRATING SCREEN; STEEL, HOUSING, W/ ADAPTER, FOR RAW COAL
AJD143T	1	VENT	VENT, AIR, QA 0, RELIEF, BRASS, 2 IN OPENING, VENT UNIT, RELIEF; BRASS, DRUM, 2 IN OPENING VENT, AUTOMATIC PRESSURE
BVN567E	1	VENT	VENT, AIR, QA 0, VENT, VALVE; RING, ITEM #26, FOR BOILER FEED PUMP RECIRC. VALVE
AJD143T	1	VENT	VENT, AIR, QA 0, RELIEF, BRASS, 2 IN OPENING, VENT UNIT, RELIEF; BRASS, DRUM, 2 IN OPENING VENT, AUTOMATIC PRESSURE
CEC638E	2	VENT	VENT, AIR, QA 3, VENT, CONDENSER; LOBE, FOR ASSEMBLY CL-2003 HOGGING UNIT, NASH
BWQ828V	3	VENT	VENT, AIR, QA 0, EXHAUST, CIRCUIT BREAKER; DOME, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
BDK501L	20	VENT	VENT, AIR, QA 0, EXHAUST/CIRCUIT BREAKER, STAINLESS STEEL, 7-7/16 IN OD BASE W/6 HOLES, ***
BRM874N	1	VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF, V-BELT DRIVE, VERTICAL MOUNT, 54 X 54
BRM874N	4	VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF, V-BELT DRIVE, VERTICAL MOUNT, 54 X 54
BRM874N	1	VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF, V-BELT DRIVE, VERTICAL MOUNT, 54 X 54
BRM874N	5	VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF, V-BELT DRIVE, VERTICAL MOUNT, 54 X 54
BRM874N	2	VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF, V-BELT DRIVE, VERTICAL MOUNT, 54 X 54
BRM874N	1	VENTILATOR	VENTILATOR, TYPICAL, QA 1, VENTILATOR, AIR CIRCULATING; ROOF, V-BELT DRIVE, VERTICAL MOUNT, 54 X 54
ARV071W	400	VIAL	VIAL, TYPICAL, QA 0, LABORATORY, 20 ML, GLASS, VIAL, LABORATORY; LOW BACKGROUND GLASS, 020.000 MILLILITER, W/CORK AND
BXX860B	18	VIAL	VIAL, TYPICAL, QA 0, LIQUID SCINTILLATION, 20 ML, POLYETHYLENE, VIAL, LABORATORY; LIQUID SCINTILLATION, POLYETHYLENE, INCAPPED VIALS
BNR165J	24	VIAL	VIAL, TYPICAL, QA 0, VIAL, LABORATORY; V, 5 ML VOLUME, SCREW-CAP SIZE 20-400, WITH
BPN600G	25	VIAL	VIAL, TYPICAL, QA 3, VIAL, LABORATORY; GLASS, CLEAR GAS, 14 CC, LESS STOPPER, FOR EQUIPMENT
ADV431C	7	VIAL	VIAL, TYPICAL, QA 0, LABORATORY, 15 MM, GLASS, VIAL, LABORATORY; FLINT GLASS, 15 X 45 MM, SHORTFORM, SCREW CAP, 4 ML
BEQ891B	5	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, LARGE, ULTRAVUE
BFC082V	5	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CELLULOSE ACETATE, CLEAR, 8-1/4 IN, 14-1/4 IN, VISOR, FACESHIELD INDUSTRIAL; MATERIAL: CELLULOSE
BBR235V	440	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, INDUSTRIAL; CLEAR, SNAP ON, STEEL BAND AROUND VISOR ***
BEQ891B	4	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, LARGE, ULTRAVUE
BTL293A	20	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, FIREFIGHTER'S; 4' FACESHIELD TO FIT MORNING PRIDE
BTL305Y	4	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, FIREFIGHTER'S; 4' FACESHIELD FOR MORNING PRIDE 72 PLUS
BFQ562Q	16	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CLEAR, 9-3/4 IN, 19 IN, VISOR, FACESHIELD INDUSTRIAL; COLOR: CLEAR, WIDTH: 9.75 IN, LENGTH:
BEG081F	4	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, SMALL, ULTRAVUE
CFD356D	3	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, VISOR, SAFETY; TYPE: FACESHIELD INDUSTRIAL *** RESPIRATOR FACEPIECE,
BCL943K	1	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, INDUSTRIAL; FIBREGLASS, WITHOUT HEADGEAR
BWY343M	14	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, *** COMPLETE WITH STRAPS AND VALVES, FACEPIECE ONLY, TAN MASK/TAN
BWY345H	14	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, *** FACEPIECE, COMPLETE WITH STRAPS & VALVES, TEAL MASK/BLACK YOKE
CFD356D	51	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, VISOR, SAFETY; TYPE: FACESHIELD INDUSTRIAL *** RESPIRATOR FACEPIECE,
AVH619N	3	VISOR	VISOR, SAFETY, QA 0, FACEPIECE, RESPIRATOR; ULTRAVUE, DEMAND, SIZE MEDIUM ***
BDX760J	50	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CELLULOSE ACETATE, CLEAR, 8 IN, 17-1/2 IN, VISOR, FACESHIELD INDUSTRIAL; MATERIAL: CELLULOSE ACET
ATG932X	30	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, DUAL CARTRIDGE

BBR235V	98	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, INDUSTRIAL; CLEAR, SNAP ON, STEEL BAND AROUND VISOR ***
ADF109G	3	VOLUTE	VOLUTE, MECHANICAL, QA 0, VOLUTE, PUMP; C/O 1 EA VOLUTE, 4 EA D0685SC STUDS, 8 EA D2808SC STUDS
BVE480F	105	WASHER	WASHER, BELLEVILLE, QA 3, SPRING, BELLEVILLE; LIVE LOAD, BELLEVILLE WASHER, STAINLESS STEEL
BLN710T	101	WASHER	WASHER, FLAT, QA 3, 1 IN, CS, ROUND, ASTM F436, BLACK
CFH449H	46	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE
CFH449H	54	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE
CAN203Q	2	WASHER	WASHER, FLAT, QA 3, WASHER, DIESEL ENGINE; MULTI-USE PLAIN 1/2' FLAT WASHER, APPEARS ON
BDP972N	95	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #4, SILICON BRONZE, B18.21.1
BVA430K	2	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/4 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1
BVA427W	3	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 9/16 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1
BWN263W	97	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR POWER CIRCUIT BREAKER, TYPE
BXR003R	4	WASHER	WASHER, TYPICAL, QA 0, *** FOR GE RECORDER, MULTIPLE PURPOSE, TYPE HG, MODEL 8HG1A20924, S/N
CAN202T	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, DIESEL ENGINE; F/IDLER SHAFT LOCKING BOLT ON PISTON COOLING
BDP966H	1	WASHER	WASHER, SPECIAL, QA 3, WASHER, LOCK; MATERIAL: SILICON BRONZE, NOMINAL DIAMETER: 00.250000 (
BDP969B	1	WASHER	WASHER, SPRING, QA 3, #8, SILICON BRONZE, LOCK, HELICAL SPR-REGULAR, ANSI SPEC: B18.21.1
CDR914K	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, VALVE; PLAIN, STEEL, 3/8 INCH, FOR 1 INCH ITT GRINNELL
BLT339J	1	WASHER	WASHER, FLAT, QA 3, 7/8 IN, CS, ROUND, ASTM F436, CADMIUM PLATED
BBF477N	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: BRASS, NOMINAL DIAMETER: 0.375 IN (3/8)
BNT692M	2	WASHER	WASHER, BELLEVILLE, QA 0, WASHER, BELLEVILLE; BELLEVILLE, FOR HYDROGEN SEAL BRACKET ***
BNK964J	3	WASHER	WASHER, LOCKING, QA 0, WASHER, ; PANT LEG WASHER, TG00701 ***
BNK975D	9	WASHER	WASHER, LOCKING, QA 0, WASHER, ; PANTLEG WASHER, 0.375 IN, TG-00696 ***
BNL156D	9	WASHER	WASHER, FLAT, QA 0, 1/4 IN, CADMIUM PLATED, ***
BNJ220L	93	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, ***
BNJ200V	11	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, *** WAT-902, WAT-CNWD
BEK084R	776	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, SIZE 0.375 IN, GALVANIZED, ZINC FINISH
BPD170W	16	WASHER	WASHER, LOCKING, QA 0, 3/4 IN, **
BNJ194F	3	WASHER	WASHER, TYPICAL, QA 0, 1/2 IN, *** 1196E76
BNV321L	4	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN, ***
BNJ286A	1	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN, ***
BMB131J	10	WASHER	WASHER, FLAT, QA 0, 3/8 IN, ***
BBP461W	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, BRASS, SIZE .25 IN, FED SPEC FF-W-92B, GRD I
BDG054Q	1	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; MATERIAL: SILICON BRONZE, NOMINAL DIAMETER: 0.190000 (
BLN655W	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL ASTM F844, CADMIUM PLATED, 0.75 IN ***
BLM334N	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.437 IN (
BLJ231G	1	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.500 IN (
BLT336Q	1	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CARBON STEEL, HELICAL SPRING, CADMIUM PLATED, 0.375 IN
ABE897C	1	WASHER	WASHER, BEVEL, QA 0, 7/16 IN X 1/2 IN, CARBON STEEL, ROUND, WASHER, BEVEL; MATERIAL: CARBON STEEL, BOLT DIAMETER: 00.437500 (
BDQ513J	225	WASHER	WASHER, BEVEL, QA 3, WASHER, BEVEL; CARBON STEEL ASTM F 436, PLAIN, SIZE 1.0 IN, PERIPHERAL
APT829M	132	WASHER	WASHER, FLAT, QA 1, WASHER, FLAT; HARDENED, FOR DIESEL ENGINE, MODEL 16-645-E4 ***
CAD670H	1	WASHER	WASHER, FLAT, QA 1, WASHER, STEAM TURBINE; FLAT,DWG 67063D, IT 11, FOR TERRY
BTV162M	51	WASHER	WASHER, FLAT, QA 1, WASHER, TRANSMITTER; FLAT,1/4 IN,FOR TRANSMITTER ***
BBF477N	3535	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: BRASS, NOMINAL DIAMETER: 0.375 IN (3/8)
BDP967F	479	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #12, SILICON BRONZE, PLAIN, B18.21.1
BFN868A	196	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CARBON STEEL, SIZE 1.5 IN, PLAIN, HELICAL SPRING, ANSI
CBX572D	4	WASHER	WASHER, LOCKING, QA 3, WASHER, PUMP; LOCK WASHER, 3/8 INCH FOR IDP 1 1/2 X 11A RWCU PUMP SER
BNF125J	2	WASHER	WASHER, SPRING, QA 0, WASHER, SPRING TENSION; FOR CONSOLIDATED SAFETY RELIEFVALVE, SIZE 4 X
BBW333C	8	WASHER	WASHER, SPRING, QA 0, WASHER, SPRING TENSION; MATERIAL: STAINLESS STEEL ***
BBP338V	9	WASHER	WASHER, SPRING, QA 3, WASHER, SPRING TENSION; 304 SST PACKING WASHER, FOR HIGH PRESSURE FIRE
ACJ689Q	2	WASHER	WASHER, THRUST, QA 0, WASHER, ; THRUST, ITEM NO 9, FOR REV CURRENT CHECK VALVE, SIZE 6 IN
BYX045D	4	WASHER	WASHER, TYPICAL, QA 0, *** FOR ACME WATER CHILLER MODEL DSCW-40, SERIAL # 69K542-048J
AGT428K	1	WASHER	WASHER, TYPICAL, QA 0, CS, 1-1/16 IN, 2-1/2 IN, 0.150 IN, REF 78, DWG-2209175, IT 11, GLAND SEAL, BEARING AND
AGT723H	20	WASHER	WASHER, TYPICAL, QA 0, INSULATING, FIBER, FOR GLAND SEAL AND BEARING ASSY, ON WH
BAJ134C	36	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; BACKUP,TUBE SEAL O-RING, REF 18, FOR HYDRAULIC CYLINDER
BHT408D	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; STEEL, REF 12, FOR CHECK VALVE, 20 INCH, BUTWELD ENDS
BHT412M	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; STEEL, REF 12, FOR CHECK VALVE, SIZE 12 AND 16 INCH
BXY081A	10	WASHER	WASHER, TYPICAL, QA 1, 1 IN, CS, , GENERATOR; CS, HARDENED FOR HANDHOLE, WESTINGHOUSE DRAWING
CAE396T	1	WASHER	WASHER, TYPICAL, QA 1, WASHER, VALVE; DISK,STAINLESS STEEL,13% CR, ASTM A182 GR F6A MOD, REF
BWM097F	210	WASHER	WASHER, TYPICAL, QA 3, WASHER, BATTERY; PLATE WASHER-CARBON STEEL, ASTM A36, 3 INCH X 2 INCH
BTT918W	100	WASHER	WASHER, TYPICAL, QA 3, WASHER, SWITCHGEAR; BRASS,1-1/32 IN ID X 2-1/4 IN ODX 1/8 IN THICK ***

BLB390B	95	WASHER	WASHER, LOCKING, QA 0, PANTLEG, 1/2 IN, *** BRASS, FOR TURBINE
AHH398A	5	WASHER	WASHER, THRUST, QA 0, TEFLON, *** PT 11, FOR NORRIS BUTTERFLY VALVE, 6', ON GRAVER DEMINERALIZER
AQX525L	460	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, FIBER, *** EXTRUDED FIBER, FOR SOUND POWER PHONES 3/8 IN
AHF991A	9	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CADMIUM PLATED, FOR 000.625 INBOLT, WITHDRAWAL OUTLET
AXN459C	1	WASHER	WASHER, SPRING, QA 0, WASHER, SPLIT NON LOCKING; SPLIT (SPRING TYPE), CARBON STEEL, SIZE
BPC193A	94	WASHER	WASHER, LOCKING, QA 1, 1/2 IN, WASHER, LOCK; HI COLLAR, 0.5 IN APPLICATION, SMB-2
BAR445N	2	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; TIE ROD, FOR AIR CYLINDER, SERIES B, SINGLE END ROD
BER116H	12	WASHER	WASHER, FLAT, QA 0, 1/2 IN, STAINLESS STEEL, ***
BER066W	6	WASHER	WASHER, FLAT, QA 0, 1-7/32 IN, 1-23/32 IN, 1/16 IN, CONICAL, WASHER, FLAT; NOMINAL DIAMETER: 1.218 IN (1 7/32), WASHER STYLE:
BLA666M	7	WASHER	WASHER, LOCKING, QA 1, WASHER, LOCK; FOR VALVE, MODEL V526-529-2
AXP588V	22	WASHER	WASHER, SEALING, QA 0, WASHER, ; CASING NUT SEALING, FOR CONTAINMENT INERTING SYSTEM 76A, ON
AGA231R	6	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; CAMSHAFT SPACER, FOR AXLE, SERIES C, 020.000IN WHEEL AND
AXL584K	2	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; REF 60, SEQ 0000-028, FOR COMBINED REHEAT VALVE, DWG
BKR511C	100	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #5, CS, PLAIN, B18.21.1
BJQ023V	6	WASHER	WASHER, LOCKING, QA 0, STAINLESS STEEL, ***
BMD677T	2	WASHER	WASHER, TYPICAL, QA 0, *** FOR HYPOCHLORITE SYSTEM.
BAG151N	1	WASHER	WASHER, LOCKING, QA 3, WASHER, BEARING; FOR BEARING WITH BORE NO.12, DIMENSION: 2.413'I.D.
AEF409X	7	WASHER	WASHER, SEALING, QA 0, WASHER, PUMP; SEAL, FOR 16 IN X HVCN REACTOR FEEDWATER PUMP, ONE
ARF651H	32	WASHER	WASHER, TYPICAL, QA 0, 1.030 IN, 1.620 IN, 0.120 IN, *** FOR BEARING RING INSULATION, 1.620IN OD X 1.030IN ID X 0.120IN
BJH687M	45	WASHER	WASHER, TYPICAL, QA 0, CARBON STEEL, *** SPLIT (SPRING TYPE), FOR HENRY GRINDER, MODEL 44GL, 36G, 40BLS
BJC989Y	1	WASHER	WASHER, LOCKING, QA 3, 3/8 IN, STEEL, WASHER, LOCK; STEEL, 0.375 IN, FOR DIESEL ENGINE, MODEL NT-855-F2
BDM664C	6302	WASHER	WASHER, FLAT, QA 3, 1/2 IN, 1-3/8 IN, 9/16 IN, 7/64 IN, CS, ROUND/WIDE, GALVANIZED, A, B18.22.1
ATB254A	1	WASHER	WASHER, TYPICAL, QA 0, *** FOR REACTOR PRESSURE VESSEL STUD TENSIONER, BIACH MODEL 2-5069-1
BLL447E	5	WASHER	WASHER, SPRING, QA 1, WASHER, LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 01.750000 (1
CEL066F	3	WASHER	WASHER, FLAT, QA 3, 1/4 IN, CARBON STEEL, CIRCULAR, ZINC PLATED, A, B18.22.1, ***
BFH052B	29	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, ROUND, NOMINAL DIA .875 IN, ZINC PLATED
AHB542W	275	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; SPIDER ***
BGN565N	4	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, CARBON STEEL, SIZE .625 IN, OD 1.5 IN, THK .078
BGR268D	14	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; SERIES W, STEEL, LOCK, BEARINGBORE, NOMINAL 1.77 IN ***
CFH449H	28	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE
BVP081T	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, HYDRANT; FIRE; NEOPRENE, IT 11, DWG 51974 ON ZURN MODEL Z-1315
AHF792G	4	WASHER	WASHER, TYPICAL, QA 1, 6-1/16 IN, 9-5/8 IN, 3 IN, WASHER, ; SPHERICAL, TOP AND BOTTOM, BABCOCK & WILCOX DWG 1805-109-5,
AWC963T	9	WASHER	WASHER, TYPICAL, QA 0, SS, ***
BWQ399Q	5	WASHER	WASHER, LOCKING, QA 0, EXTERNAL TOOTH, 3/4 IN, 7/8 IN, ***
BPB902D	6	WASHER	WASHER, LOCKING, QA 0, WASHER, ; D500, KEY ***
CFH449H	26	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN WASHER, FOR DIE
BPX063N	123	WASHER	WASHER, FLAT, QA 3, WASHER, RADIATION MONITOR; FLAT, CADMIUM PLATED, NO 8, FOR AREA
CBV798W	15	WASHER	WASHER, SEALING, QA 1, WASHER, VALVE; ROD SEAL, FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION
CBW481M	19	WASHER	WASHER, TYPICAL, QA 1, WASHER, VALVE; BACK UP, FOR MAIN STEAM ISOLATION VALVE, MODEL
CAP176T	4	WASHER	WASHER, LOCKING, QA 3, WASHER, RECORDER; LOCK, INTERNAL TOOTH, CRES, NO 4, FOR PSR 1200 ***
ATB254A	3	WASHER	WASHER, TYPICAL, QA 0, *** FOR REACTOR PRESSURE VESSEL STUD TENSIONER, BIACH MODEL 2-5069-1
BXY565W	36	WASHER	WASHER, LOCKING, QA 0, PANTLEG, *** PKG.=50
CBG705Q	1	WASHER	WASHER, THRUST, QA 0, WASHER, VALVE; SPLIT, DWG P2989 PC-9 ***
BTV162M	29	WASHER	WASHER, FLAT, QA 1, WASHER, TRANSMITTER; FLAT, 1/4 IN, FOR TRANSMITTER ***
BYT104H	2	WASHER	WASHER, TYPICAL, QA 0, WASHER, CHILLER; STEEL, FOR CHILLER ***
BPP872W	23	WASHER	WASHER, TYPICAL, QA 0, WASHER, ASH DISPOSAL; RUBBER, 0.625 ID X 1.5 OD X 0.25 IN THICK, FOR
ACG017C	7	WASHER	WASHER, SPRING, QA 0, 1/8 IN, STAINLESS STEEL, AISI 316, WASHER, SPRING TENSION; MATERIAL: STAINLESS STEEL, NOMINAL DIAMETER:
AHJ643J	9	WASHER	WASHER, THRUST, QA 0, WASHER, VALVE; THRUST, REF 7, DWG 1914Y272, FOR LINK-BELT ELECTRODYNE
BEP369X	19	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; STEEL, KEYED, ITEM 140B, FOR CENTRIFUGAL PUMP, MODEL
BBM215N	22	WASHER	WASHER, FLAT, QA 0, 2 IN, 3 IN, 3/16 IN, CARBON STEEL, ROUND, MEDIUM, QUARTER HARD, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER:
BJA275H	1	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; FIGURE 5.35, REF 17, FOR HORIZONTAL SHAFT ON CENTRIFUGAL
BJA278B	1	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; FIGURE 5.42, REF 17, FOR VERTICAL SHAFT ON CENTRIFUGAL
BJA273M	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, KEY; TONGUED, FIGURE 5.35, REF 5, FOR HORIZONTAL SHAFT ON
BBM214Q	50	WASHER	WASHER, FLAT, QA 0, 1-5/8 IN, 2-3/4 IN, 1-3/4 IN, 3/16 IN, CARBON STEEL, ROUND, MEDIUM, QUENCHED
CEX915N	28	WASHER	WASHER, FLAT, QA 0, #10, STAINLESS STEEL, ROUND
AQT475Q	115	WASHER	WASHER, TYPICAL, QA 0, WASHER, SCALE; BRASS, DISK ROLLER, N-61D, FORMERRICKSCL WEIGHTOMETER
AVJ572H	4	WASHER	WASHER, LOCKING, QA 0, INTERNAL TOOTH, 1-1/2 IN, *** SHAKEPROOF
AFH992A	8	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; TOP, BRASS, FOR MANNING, MAXWELL AND MOORE CONSOLIDATED
AAW400H	10	WASHER	WASHER, SPRING, QA 0, WASHER, RECORDER; SYMBOL 5, SPRING TENSION, FOR RECORDER ***

AAW101G	6	WASHER	WASHER, THRUST, QA 0, *** FOR LEEDS AND NORTHRUP RECORDER
APV196X	3	WASHER	WASHER, FLAT, QA 0, WASHER, RECORDER; FLAT, STEEL, NO 10-32, FOR RECORDER ***
APV096Q	4	WASHER	WASHER, TYPICAL, QA 0, *** FOR LEEDS AND NORTHRUP SPEEDOMAX G TEMPERATURE RECORDER
BDX400J	2	WASHER	WASHER, TYPICAL, QA 0, #6, SUPPORT, 100 DEG F, WITH NO 6 SCREW, FLAT HEAD, FOR WESTRONICS
BDX405W	6	WASHER	WASHER, TYPICAL, QA 0, FOR WESTRONICS RECORDER, MULTIPLE PURPOSE, MODEL D4E2
BDX410E	6	WASHER	WASHER, TYPICAL, QA 0, NYLON, FOR WESTRONICS RECORDER, MULTIPLE PURPOSE, MODEL D4E
APV395P	2	WASHER	WASHER, TYPICAL, QA 0, *** FOR RECORDER
APV197V	6	WASHER	WASHER, THRUST, QA 0, *** FOR RECORDER, MULTIPLE PURPOSE, MULTIPOINT
APV395P	5	WASHER	WASHER, TYPICAL, QA 0, *** FOR RECORDER
APV898W	9	WASHER	WASHER, TYPICAL, QA 0, *** FOR RECORDER, MULTIPLE PURPOSE, SPEEDOMAX W, S/N C69-26544-1 -2
APV695B	30	WASHER	WASHER, TYPICAL, QA 0, WASHER, RECORDER; BRASS, FOR RECORDER ***
ARG697K	1	WASHER	WASHER, THRUST, QA 0, LOWER THRUST, FOR AWWA TRAFFIC MODEL FIRE HYDRANT, 5-1/4 IN
ARG698H	1	WASHER	WASHER, THRUST, QA 0, UPPER THRUST, FOR AWWA TRAFFICMODEL FIRE HYDRANT 5.25 IN
AJD144Q	1	WASHER	WASHER, TYPICAL, QA 0, FOR FIRE HYDRANT, 5-1/4 IN V O AMER AWWA STD COMP (1954) NEW
BVN568C	1	WASHER	WASHER, BELLEVILLE, QA 0, WASHER, CONTROLLER; BELLEVILLE, ITEM #27, FOR BOILER FEED PUMP RECIRC.
AXA102M	2	WASHER	WASHER, FLAT, QA 0, #8, BRASS
ALY845M	4	WASHER	WASHER, TYPICAL, QA 0, WASHER, CRUSHER; SPHERICAL, REF 18, FOR TYPE CAS00-16, DWG 001604, S/N
BWK773L	2	WASHER	WASHER, THRUST, QA 1, , ACTUATOR, FOR SB-4 ACTUATOR
BLH989Q	3	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; MICARTA, 5.88 X 2 X 0.375 IN, WINGED PIECE, FOR AIR GAP
BGJ708G	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; IMPELLER, MATERIAL 15030, FOR CENTRIFUGAL PUMP, MODEL
AFR491P	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, ELECTRIC MOTOR; LEVELING, DWG 12B1782, FOR UPPER BEARING ASSY
ATY204Q	18	WASHER	WASHER, LOCKING, QA 0, PANTLEG, 1-7/32 IN, 2-1/2 IN, 1/8 IN, ***
BLM452G	3	WASHER	WASHER, SPECIAL, QA 0, WASHER, ; SPECIAL PURPOSE, NYLON/PLASTIC, FOR LABORATORY EQUIPMENT
BAB402J	24	WASHER	WASHER, SPRING, QA 0, 5/8 IN, STAINLESS STEEL, AISI 18-8, WASHER, LOCK; MATERIAL: STAINLESS STEEL, NOMINAL DIAMETER: 00.625000 (
BTT356D	1424	WASHER	WASHER, FLAT, QA 0, #10, NYLON, ***
AVH022H	3	WASHER	WASHER, LOCKING, QA 0, STEEL, *** FOR SPARE SERVICE AIR COMPRESSOR, SIZE 14.500 X 8.250 X 6
AWG996N	5	WASHER	WASHER, THRUST, QA 0, WASHER, HOIST; THRUST, PINION, FOR 1-1/2 TON COME-ALONG, MODEL B ***
AWH086G	4	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; SLIP, 0.312 IN ID, FOR CLUTCH ASSEMBLY, ON CONDUCTIVITY
AWH091P	5	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; WAVE, 0.312 IN ID, FOR CLUTCH ASSEMBLY, ON CONDUCTIVITY
AJB996E	3	WASHER	WASHER, LOCKING, QA 0, BEARING, STEEL, W-22, BEARING LOCKWASHER WITH INTERNAL KEY
ADC342Q	1	WASHER	WASHER, LOCKING, QA 0, REF 40, FOR BRADFORD HAMMERMILL, 14 X 22 FT, SN 2419
APV396M	4	WASHER	WASHER, TYPICAL, QA 0, *** FOR SPLIT GEAR ASSEMBLY, ON SPEEDOMAX G TEMPERATURE RECORDER
BBG653P	1	WASHER	WASHER, THRUST, QA 0, WASHER, VALVE; THRUST, STEEL, REF 13, FOR LIQUID LEVEL CONTROLLER
AWG997L	150	WASHER	WASHER, TYPICAL, QA 0, WASHER, HOIST; FRICTION, FIBER, FOR 1-1/2 TONCOME-ALONG, MODEL B ***
BAA842R	1	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; STUFFING BOX, FOR WATER SUPPLY PUMP, S/N KPP6-056430 ***
ACH387E	23	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; BEARING, FOR JAMESBURY ST-1200, MODEL 'C' OPERATOR ON
ACH487A	4	WASHER	WASHER, TYPICAL, QA 0, WASHER, VALVE; DRIVER, FOR JAMESBURY ST-1200, MODEL 'C' OPERATOR ON
CEX915N	352	WASHER	WASHER, FLAT, QA 0, #10, STAINLESS STEEL, ROUND
BYD833F	12	WASHER	WASHER, TYPICAL, QA 0, CARBON STEEL, BLACK, ** FOR TYPE 'A' DOOR ON SURGE BIN ELEVATOR
ABD806G	3	WASHER	WASHER, TYPICAL, QA 0, WASHER, CRANE; BAKELITE, FOR JIB CRANE, UNIT 3 (52) ***
BTC552M	12	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; COPPER (JOINT), REF 38 AND 41, FOR JACKING OIL PUMP
BTC554H	12	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; COPPER (JOINT), REF 56, FOR JACKING OIL PUMP, TYPE D6/4
AQT502H	2	WASHER	WASHER, FLAT, QA 0, WASHER, VALVE; FLAT, STEEL, 1.25 X 0.562 IN, FOR PRIMING VALVE ***
ARE457J	25	WASHER	WASHER, LOCKING, QA 0, PANTLEG, 1-1/2 IN, 0.781 IN, 0.063 IN, ** LOCK, 2.375 IN LONG, FOR MOTOR AND/OR GENERATOR, S/N 81P840
ALG801K	41	WASHER	WASHER, FLAT, QA 0, WASHER, FAUCET; NON-METALLIC, (BIBB) FAUCET, HARD RUBBER, FLAT 1/4 IN
AJB195H	2	WASHER	WASHER, LOCKING, QA 0, BEARING, 1.5831 IN, 2 IN, 0.053 IN, CS, W-08, BEARING LOCKWASHER WITH INTERNAL KEY
AJB197D	2	WASHER	WASHER, LOCKING, QA 0, STEEL, W-24, *** KEY
AJB697Q	1	WASHER	WASHER, LOCKING, QA 0, 5.5118 IN, STEEL, W-28, *** KEY
AGT724F	17	WASHER	WASHER, TYPICAL, QA 0, INSULATING, MICARTA, DWG 5D1833, ITEM 16, GROUP 37, FOR GENERATOR,
BVH958Q	4	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #10, SS, AISI 18-8, STANDARD MILL FINISH, B18.21.1
BYW826Y	4	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #8, SS, AISI 18-8, STANDARD MILL FINISH, B18.21.1
BRN923Y	44	WASHER	WASHER, LOCKING, QA 3, LOCKWASHER, PUMP; FOR RWCU PUMP INGERSOLL RAND MODEL 1 1/2 X 11A
AXC081E	1	WASHER	WASHER, FLAT, QA 0, 1/2 IN, STEEL, ** FOR SEWAGE LIFTPUMP, 400 PSIG AT 85 FEET, CATALOG NUMBER
ARD031H	1	WASHER	WASHER, FLAT, QA 0, WASHER, FLAT; ALUMINIUM, 0.312 INCH, FOR TRANE AIR COMPRESSOR, MODEL
BYR770T	27	WASHER	WASHER, FLAT, QA 3, #10, 1/2 IN, 0.219 IN, 0.049 IN, SS, ROUND, AISI 18-8, PLAIN, A, B18.22.1
BJW140P	10	WASHER	WASHER, FLAT, QA 3, 1/2 IN, CS, CIRCULAR, ASTM F436, 1, HARDENED, SUPPLEMENTARY REQUIREMENT S1 APPLIES
BLQ389D	40	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; ITEM 8, FOR INTEGRATOR, PNEUMATIC, MODEL 14A-EP. ***
BGR071P	8	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - HI COLLAR, 5/16 IN, CS, PLAIN, B18.21.1
BKR518X	70	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING, 3/8 IN, CS, B18.21.1

BAG153J	6	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; BEARING, SERIES W, 1.5748 IN BORE 15 TANGS ***
BJA757Y	8	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; STEEL, LOCK, BEARING ***
AXV986T	7	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; STEEL, LOCK, BEARING ***
AJD836T	83	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; COMP. FOR UNIT MODEL NC-175-3B COMPRESSOR MODEL
BVG481P	21	WASHER	WASHER, SEALING, QA 3, PACKING, SINGLE RING, SPARE PA; THREDEAL, ETHYLENE-PROPYLENE, WITH
BBQ816C	200	WASHER	WASHER, SPRING, QA 3, 3/8 IN, CS, PLAIN, WASHER, LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 00.375000 (
CBV387J	8	WASHER	WASHER, THRUST, QA 2, WASHER, CHILLER; THRUST WASHER, GEAR MOUNT ASSEMBLY, FIG 4.5, FOR USE
AWB965V	4	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; IMPELLER, REF 246, FOR MOISTURE SEPARATOR DRAIN PUMP
ACJ055R	31	WASHER	WASHER, TYPICAL, QA 2, WASHER, VALVE; VALVE, FOR PNEUMATIC ACTUATED BELLOWS SEALED VALVE
AKE369L	2	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; IMPELLER NUT, REF 207, FOR CLOSED COOLING WATER PUMP
BVW463V	4	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; REF 23, WORTHINGTON DIFFUSER PUMP, CRDS, MODEL
BVL910H	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; THREADED, 0.375 IN, ADJUSTING NUT, FOR INGERSOL RAND
BWA804K	92	WASHER	WASHER, TYPICAL, QA 3, WASHER, THERMOCOUPLE; REACTOR FEED PUMP INBOARD BEARING, THERMOCOUPLE
BWR668J	7	WASHER	WASHER, SPRING, QA 3, WASHER, VALVE; SPRING, FOR CROSBY SAFETY RELIEF VALVE, SIZE 000,750
BJL662N	1236	WASHER	WASHER, FLAT, QA 0, CARBON STEEL, ***
BYQ888W	100	WASHER	WASHER, FLAT, QA 3, #4, 3/8 IN, 1/8 IN, 0.040 IN, SS, ROUND/REGULAR, STANDARD MILL FINISH, B, B18.22.1
BVD168B	1342	WASHER	WASHER, FLAT, QA 3, #6, 5/16 IN, 5/32 IN, 0.032 IN, CS, ROUND/NARROW, STANDARD MILL FINISH, B, B18.22.1
BYW764T	100	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #4, SS, AISI 18-8, STANDARD MILL FINISH, B18.21.1
BWR401W	75	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/8 IN, CS, STANDARD MILL FINISH, B18.21.1
CAF938B	90	WASHER	WASHER, TYPICAL, QA 3, SS, WASHER, REACTOR PRESS VESSEL; MATERIAL: STAINLESS STEEL, TYPE A, FOR
CAC030J	167	WASHER	WASHER, LOCKING, QA 3, , DIESEL ENGINE, 0.625 IN I.D., FOR DIESEL ENGINE, MODEL 20-645-E4
BTH098E	2	WASHER	WASHER, BELLEVILLE, QA 3, SS, SPRING, BELLEVILLE; LIVE LOAD, WASHER, STAINLESS STEEL (17-7 PH), ASTM
BTH100C	2	WASHER	WASHER, BELLEVILLE, QA 3, SS, SPRING, BELLEVILLE; LIVE LOAD, WASHER, STAINLESS STEEL (17-7 PH), ASTM
BGP614Y	2	WASHER	WASHER, FLAT, QA 0, 17/32 IN, 13/16 IN, COPPER, ROUND, *** INSIDE DIAMETER: 0.531 IN (17/32)
ARF650Y	5	WASHER	WASHER, FLAT, QA 0, 5/8 IN, 1-1/8 IN, 1/4 IN, *** INSIDE DIAMETER: 0.625 IN (5/8)
BYQ911W	100	WASHER	WASHER, FLAT, QA 3, #5, 13/32 IN, 0.141 IN, 0.040 IN, CS, ROUND/REGULAR, STANDARD MILL FINISH, B, B18.22.1
CEM155L	34	WASHER	WASHER, FLAT, QA 3, 1-1/4 IN, CS, ROUND, ASTM F436
BVA397B	100	WASHER	WASHER, FLAT, QA 3, 3/4 IN, 1-15/32 IN, 13/16 IN, 0.134 IN, BRASS, ROUND/NARROW, STANDARD MILL FINISH, A, B18.22.1
BVA394H	200	WASHER	WASHER, FLAT, QA 3, 9/16 IN, 1-5/32 IN, 19/32 IN, 0.095 IN, BRASS, ROUND/NARROW, STANDARD MILL FINISH, A, B18.22.1
BHW641V	957	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, ZINC PLATED, 0.375 ID X 0.875 IN OD, FOR
BRR688Y	1	WASHER	WASHER, FLAT, QA 3, WASHER, RECORDER; 001.250 IN DIAMETER, FOR RECORDER, SPEEDOMAX MODEL W
BVJ056K	14	WASHER	WASHER, FLAT, QA 3, WASHER, RECORDER; SPARE PART FOR LEEDS AND NORTHRUP SERIES 100
AJA715N	4	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; JAM NUT, INNER, FOR AXLE, SERIES C, 020.000 IN, WHEEL
BNB598T	2	WASHER	WASHER, LOCKING, QA 0, WASHER, PUMP; CLAMP, FOR PUMP, MODEL 43-200 ***
BGC447G	74	WASHER	WASHER, LOCKING, QA 1, LOCKWASHER, ACTUATOR; MOTOR BOLT, FOR VALVE ACTUATOR TYPE SMB-000
BVA430K	98	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/4 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1
CFL695J	6	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 3/4 IN, SS, AISI 316, STANDARD MILL FINISH, B18.21.1
BVA427W	197	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 9/16 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1
BRL361R	10	WASHER	WASHER, SEALING, QA 0, WASHER, COMPRESSOR; SEAL WASHER, FOR H.P. CONNECTING ROD ***
AEV179M	4	WASHER	WASHER, SPRING, QA 0, WASHER, SPRING TENSION; CARBON STEEL-PL, FOR CONTROLLER, POSITIONER
BVW729F	145	WASHER	WASHER, SPRING, QA 3, WASHER, CRANE; WASHER, LOCK, SPIRAL, CARBON STEEL, .312 IN. DIA., FOR
BVW731W	6	WASHER	WASHER, SPRING, QA 3, WASHER, CRANE; WASHER, SPRING TENSION, WAVE, CARBON STEEL, .25 IN. FOR
AJW477F	7	WASHER	WASHER, THRUST, QA 3, WASHER, ; STAINLESS STEEL, THRUST, FOR MULTIPOINT RECORDER, AND/OR
BXD127D	1	WASHER	WASHER, TYPICAL, QA 0, *** FOR HEATER DRAIN LEVEL CONTROL VALVE, POSITION TYPE 3560.
ARN514P	45	WASHER	WASHER, TYPICAL, QA 0, *** FOR REACTOR RECIRCULATING MOTOR-GENERATOR SETS
CBK405M	2	WASHER	WASHER, TYPICAL, QA 0, PUMP, *** IMPELLER, FOR MOISTURE SEPARATOR DRAIN PUMP. MODEL NO. 4X11A AND
BBH029Y	146	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; REF 4, FOR RECORDER, CONSOTROL, ON REACTOR WATER CLEANUP ***
CBF773B	122	WASHER	WASHER, TYPICAL, QA 0, WASHER, CIRCUIT BREAKER; THREADED, FIG 17, REF 11, FOR TYPE
BXL546L	51	WASHER	WASHER, TYPICAL, QA 0, WASHER, MOTOR-GENERATOR; CUP, FOR TIP DRIVE MOTOR, 1/2 HP, 60 HZ, 3
BWE661R	37	WASHER	WASHER, TYPICAL, QA 3, WASHER, COMPRESSOR; WASHER PLAIN, INGERSOLL-RAND COMPRESSOR, MODEL
BTV720Q	80	WASHER	WASHER, TYPICAL, QA 3, WASHER, DIESEL ENGINE; WASHER, DIESEL ENGINE, FOR ROTOR POLE MOUNTING
ADW745F	8	WASHER	WASHER, TYPICAL, QA 3, WASHER, RECORDER; 000.128 IN ID, FOR SPEEDOMAX H RECORDER ***
CBY159G	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, SWITCHGEAR; FOR 4KV TYPE MC-4.76 SWITCHGEAR AUXILIARY SWITCH
BPV842H	3	WASHER	WASHER, FLAT, QA 1, WASHER, PUMP; FLAT, 0.5 IN. DIAMETER NOMINAL, ITEM NO. 10-21-1, FOR
BPV837A	38	WASHER	WASHER, SPRING, QA 1, WASHER, PUMP; LOCK, HELICAL SPRING, SEAL FLANGE 1.125 REG, ITEM NO.
AWD860B	3	WASHER	WASHER, BEVEL, QA 0, 7/16 IN X 1/2 IN, CARBON STEEL, ROUND, WASHER, BEVEL; MATERIAL: CARBON STEEL, BOLT DIAMETER: 00.437500 (
BVA395F	158	WASHER	WASHER, FLAT, QA 3, 5/8 IN, 1-5/16 IN, 21/32 IN, 0.095 IN, BRASS, ROUND, A, B18.22.1
BVA391P	500	WASHER	WASHER, FLAT, QA 3, 7/16 IN, 59/64 IN, 15/32 IN, 0.065 IN, BRASS, ROUND/NARROW, STANDARD MILL FINISH, A, B18.22.1
CAN203Q	192	WASHER	WASHER, FLAT, QA 3, WASHER, DIESEL ENGINE; MULTI-USE PLAIN 1/2' FLAT WASHER, APPEARS ON

BWF350H	18	WASHER	WASHER, FLAT, QA 3, WASHER, VALVE; NYLON FLAT WASHER, GPE CONTROLS, MODEL BD-0240-0030
BBF480D	328	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #12, BRASS, PLAIN, B18.21.1
BDP967F	1000	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #12, SILICON BRONZE, PLAIN, B18.21.1
BDP972N	705	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #4, SILICON BRONZE, B18.21.1
BDP958G	96	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 1 IN, SILICON BRONZE, PLAIN, B18.21.1
BAN539W	100	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 1-1/4 IN, SS, B18.21.1
BDP965K	1937	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 5/16 IN, SILICON BRONZE, B18.21.1
BVA428T	294	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 5/8 IN, SILICON BRONZE, STANDARD MILL FINISH, B18.21.1
BWL463Y	6	WASHER	WASHER, LOCKING, QA 3, WASHER, VALVE; FOR REACTOR MAIN STEAM SAFETY RELIEF VALVE, PILOT OPER-
CBV798W	26	WASHER	WASHER, SEALING, QA 1, WASHER, VALVE; ROD SEAL, FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION
BVG481P	50	WASHER	WASHER, SEALING, QA 3, PACKING, SINGLE RING, SPARE PA; THREDSEAL, ETHYLENE-PROPYLENE, WITH
ARM278E	6	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; SPRING STEEL, FOR KLINGER BALL VALVE, SIZE 4 INCH ***
ARM279C	6	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; SPRING STEEL, FOR KLINGER BALL VALVE, SIZE 4 INCH ***
BXR003R	8	WASHER	WASHER, TYPICAL, QA 0, *** FOR GE RECORDER, MULTIPLE PURPOSE, TYPE HG, MODEL 8HG1A20924, S/N
AEF109A	16	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; CASE STUD, FOR 16 IN X HVCN REACTOR FEEDWATER PUMP ***
CAN202T	37	WASHER	WASHER, TYPICAL, QA 3, WASHER, DIESEL ENGINE; F/IDLER SHAFT LOCKING BOLT ON PISTON COOLING
CBY159G	1	WASHER	WASHER, TYPICAL, QA 3, WASHER, SWITCHGEAR; FOR 4KV TYPE MC-4.76 SWITCHGEAR AUXILIARY SWITCH
ARB314Q	168	WASHER	WASHER, SEALING, QA 0, WASHER, ; STAT-O-SEAL SEALING, STEEL RETAINER, CADMIUM PLATE FINISH
BLM322X	1023	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, CARBON STEEL, ASTM F844, CADMIUM PLATED, NOM SIZE
AQB256J	19	WASHER	WASHER, TYPICAL, QA 0, 1.5 IN, FOR NO 1 HP BLADE RING, GENERATOR END,
CEG010B	24	WASHER	WASHER, TYPICAL, QA 0, WASHER, GENERATOR; FR. .780'ID X 1.12'OD, ITEM 4, DWG 521A834 ***
BPX259E	243	WASHER	WASHER, TYPICAL, QA 3, WASHER, REACTOR INSTRUMENTS; C, FOR INCORE INSTR. SYSTEM, SEAL TABLE
BAA743V	6	WASHER	WASHER, BEVEL, QA 3, WASHER, BEVEL; RUBBER, STOP COLLAR, 0.5 OD X 0.1875 ID X 0.25 IN THK
BBF470G	22246	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, BRASS, SIZE .112 IN, 100 PER BOX ***
BPX821F	2	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; STEEL, SPRING, FOR ACTUATOR, SIZE SMC-04, VALVE NO
BXP023W	4	WASHER	WASHER, THRUST, QA 1, SS, FOR 24-INCH BUTTERFLY VALVE, DRAWING 12408, PIECE NUMBER
AAT557D	62	WASHER	WASHER, FLAT, QA 1, WASHER, FLAT; STAINLESS STEEL, ROUND, NOMINAL DIA .316 IN, FOR
ALW972Q	5	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; FOR RECORDER ***
AJW078L	9	WASHER	WASHER, TYPICAL, QA 3, WASHER, KEY; FOR RECORDER, MODEL W, TYPICAL S/N C69-26544-1-2 ***
BXD041E	1	WASHER	WASHER, THRUST, QA 3, WASHER, VALVE; STEEL, THRUST.FOR 4 IN GLOBE THROTTLE TRIP VALVE MODEL
BBN212P	15	WASHER	WASHER, TYPICAL, QA 0, WASHER, PUMP; STEEL, IMPELLER, REF 246, FOR CENTRIFUGAL PUMP, CAT
CBJ747W	7	WASHER	WASHER, TYPICAL, QA 3, WASHER, DOOR HARDWARE; 10 GA, A 606, SIZE: 2-1/4 INCH, ITEM 5 DWG E108
BXN103E	2	WASHER	WASHER, THRUST, QA 3, WASHER, VALVE; NOT STANDARD, THRUST, BRONZE, B144 ALLY 3 B, ITEM 11
BRG576Q	10	WASHER	WASHER, TYPICAL, QA 1, WASHER, NONITOR, CONDUCTIVITY; FIBER ***
BVM941M	10	WASHER	WASHER, FLAT, QA 1, WASHER, FACEPIECE; FLATE WASHER, CF STEEL, CHROMATE PLATE, #10, FOR
BWB561D	900	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: NYLON, NOMINAL DIAMETER: 0.172 IN, WASHER
BWB560T	900	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: NYLON, NOMINAL DIAMETER: 0.177 IN, WASHER
ARV013B	4	WASHER	WASHER, SPRING, QA 2, WASHER, SPRING TENSION; KIT, BRONZE, FOR COMPRESSOR, MODEL 408 DHF AND
ARV012D	12	WASHER	WASHER, SPRING, QA 2, WASHER, SPRING TENSION; WAVY, STEEL, FOR COMPRESSOR MODEL 509 DHFQ AND
AXG185N	29	WASHER	WASHER, SPRING, QA 3, WASHER, LOCK; CARBON STEEL, NUMBER SIZE 6, PLAIN, HELICAL SPRING, REG
BWY128R	1	WASHER	WASHER, TYPICAL, QA 0, VALVE, *** DISC, FOR A 2.00' ANCHOR-DARLING SWING CHECK VALVE MODEL NO. 1878
BLE613N	8	WASHER	WASHER, SPRING, QA 0, WASHER, VALVE; BOTTOM, SPRING, FOR SAFETY RELIEF VALVE, 6 IN, TYPE
BMD950E	5	WASHER	WASHER, FLAT, QA 0, 1.0 IN, STEEL, CADMIUM PLATED, ***
BNF382X	450	WASHER	WASHER, FLAT, QA 1, WASHER, FLAT; SPACER, STRUT SIZE 6, FOR BP 1001 END ATTACHMENT ***
BCA408Y	16	WASHER	WASHER, FLAT, QA 3, 1/4 IN, 47/64 IN, 5/16 IN, 0.065 IN, CS, ROUND/WIDE, ASTM F844, ZINC PLATED, A, B18.22.1
BNA131H	1	WASHER	WASHER, FLAT, QA 0, 3/16 IN, 13/16 IN, 1/8 IN, ***
BWH769M	273	WASHER	WASHER, LOCKING, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D
BWQ679J	60	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
BWQ694N	111	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
BWQ698E	144	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
BPW992Q	143	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; LOCK, FOR POWER CIRCUIT BREAKER, TYPE
BWQ621J	20	WASHER	WASHER, LOCKING, QA 0, WASHER, CIRCUIT BREAKER; WASHER LOCK, FOR CIRCUIT BREAKER, TYPE
BWQ462C	42	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
BWQ687K	167	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPE DR36SC1750D
BWQ460V	7	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR CIRCUIT BREAKER, TYPEDR36SC1750D
BRE560X	117	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR POWER CIRCUIT BREAKER, TYPE
BRE903F	10	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR POWER CIRCUIT BREAKER, TYPE
BWH774W	12	WASHER	WASHER, SPRING, QA 0, WASHER, CIRCUIT BREAKER; SPRING, FOR POWER CIRCUIT BREAKER, TYPE
BPX000V	14	WASHER	WASHER, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D

BWH777N	23	WASHER	WASHER, TYPICAL, QA 0, *** FOR POWER CIRCUIT BREAKER, TYPE DR36SC1750D
BPD684H	100	WASHER	WASHER, FLAT, QA 0, 3/16 IN, ***
BVL907V	111	WASHER	WASHER, FLAT, QA 3, 1/2 IN, CS, ROUND, ASTM F436, STANDARD MILL FINISH, 1
BNV322J	2	WASHER	WASHER, TYPICAL, QA 0, 1 IN, *** 1195E52, WAT-902, WAT-CNHDL, WHO-5508
BNJ307X	6	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; WASHER 387A997-003, TG00183. ***
CDX031T	100	WASHER	WASHER, FLAT, QA 1, WASHER, FLAT; MATERIAL: STEEL, NOMINAL DIAMETER: 1.500 IN (1 1/2)
BLA235H	100	WASHER	WASHER, FLAT, QA 3, 1-1/4 IN, CS, ROUND, ASTM F436, ZINC COATED/MECH DEPOSIT, B18.22.1, , WASHER TYPE: 1
BQA763Y	112	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.750 IN (
BVA198H	150	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.875 IN (
BNA132F	53	WASHER	WASHER, FLAT, QA 0, 13/16 IN, 13/16 IN, 1/8 IN, ***
BLY297K	1	WASHER	WASHER, FLAT, QA 2, WASHER, FLAT; ROUND, CADMIUM, 0.5 IN ***
BEX062G	2	WATER	WATER, DISTILLED, QA 0, WATER BATH, ELECTRIC; MUTIPURPOSE, 13 LONG X 9 WIDE X 13 IN DEEP
BTN390D	2	WEATHERHEAD	WEATHERHEAD, ELECTRICAL, QA 0, ENTRANCE CAP, ELECTRICAL; TRADE SIZE: 02.000000 (2), MATERIAL: IRON
BGT054J	9	WEATHERHEAD	WEATHERHEAD, ELECTRICAL, QA 0, ENTRANCE CAP, ELECTRICAL; TRADE SIZE: 02.000000 (2), MATERIAL:
BJP828Y	10	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GROUNDING; 0.75 IN, WITH 2 SCREWS, FOR CONDUIT BUSHINGS ***
BJP829W	10	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GROUNDING; SIZE: 01.000000 (1) ***
BJW557A	9	WEDGE	WEDGE, TYPICAL, QA 3, WEDGE, DOOR; ALLOY 544, ASTM B139, DWG 3037-3, REV 2 ***
CLG470C	1	WEDGE	WEDGE, TYPICAL, QA 3, ALLOY STEEL, FOR 8' GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321,
BEA800X	10	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, VIBRATING SCREEN; 40 IN X 60 IN DIA CHEM STEEL WEDGES FOR
BDG596W	911	WEDGE	WEDGE, TYPICAL, QA 0, VIBRATING SCREEN; WOOD, 1.625 THK X 9 IN LONG, BANDED IN
AVN031N	1	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GENERATOR; SLIDE, COMPLETE SET, 3, 290 PER SET, 10 IN LONG, FOR
AVN032L	1	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, ; CENTER, COMPLETE SET, 75 PER SET, 5 IN LONG ***
BFK860M	1	WEDGE	WEDGE, TYPICAL, QA 0, 16 IN X 14 IN X 16 IN VALVE, STELLITE, UPPER & LOWER WEDGE SET, GATE, A216-WCB WEDGE VALVE, UPPER DWG D11086,
AMG476W	3	WEDGE	WEDGE, TYPICAL, QA 0, REF 8, FOR HIGH PRESSURE WATER STRAINER, TYPE 12-AH,
AVN033J	1	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, ; END, COMPLETE SET, WITH LOCKING PINS, 130 PER SET, NO
AVN027D	1	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GENERATOR; END, 8 IN LG, COMPLETE SET, 179 EACH PER SET
AVN028B	1	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, GENERATOR; SLIDE, 10 IN LG, COMPLETE SET, 3329 EACH PER SET
ATW789A	2144	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, STEAM TURBINE; LOCKING, CENTER, SLOTTED, REF 2, 005.750 IN
ATW791P	614	WEDGE	WEDGE, TYPICAL, QA 0, WEDGE, STEAM TURBINE; LOCKING, CENTER, SLOTTED, REF 3, 005.750 IN
BGP008A	1	WEIGHT	WEIGHT, TYPICAL, QA 0, WEIGHT ASSY, SCALE; MODULE, FOR UNIT NO 1 COAL SCALE ***
BPW148W	2	WEIGHT	WEIGHT, TYPICAL, QA 0, WEIGHT, SILICA ANALYZER; WEIGHT, TUBE, FOR POLYMETRON SILICA ANALYZER
BKX891J	2	WEIGHT	WEIGHT, TYPICAL, QA 0, UMBRELLA, FOLDING, FOR INDICATOR, LIQUID QUANTITY, MODEL FMM 760
BGL859F	1	WEIGHT	WEIGHT, TYPICAL, QA 0, WEIGHT, BALANCE; COUNTER, REF 40, FOR ROTARY VACUUM PUMP, MODEL
BWM330Q	1	WEIGHT	WEIGHT, TYPICAL, QA 3, WEIGHT, CONTROLLER/POSITIONE; WEIGHT SYSTEM (W/QD AND LOAD CELL CABLE
BMB233A	95	WEIGHT	WEIGHT, TYPICAL, QA 0, WEIGHT ASSY, ; COMPLETE WITH PLASTIC BAG AND CHAIN, DWG 1677C37G01
CED680M	2	WELL	WELL, PIPE, QA 1, THERMOWELL, THERMOCOUPLE; DIMENSION A: 6, DIMENSION B: 4, WELL TYPE:
ANX301Q	4	WELL	WELL, TYPICAL, QA 0, WELL ASSY, INDICATOR; SPIRAL, LH, REF 8, FOR INDICATOR, SIGHT, LIQUID
AYD446X	1	WELL	WELL, PIPE, QA 0, 18-1/2 IN, 1-1/4 IN, STAINLESS STEEL, THERMOWELL, THERMOCOUPLE; STAINLESS STEEL, 1.25 DIA X 18.50 IN LONG
BCY876L	6	WELL	WELL, PIPE, QA 0, THERMOWELL, THERMOCOUPLE; 316 STAINLESS STEEL, FOR SWITCH
BNP734F	3	WELL	WELL, PIPE, QA 2, THERMOWELL, THERMOCOUPLE; SEPARABLE WELL, CARBON STEEL, 2.5 IN LAGGING
BXL241B	1	WELL	WELL, PIPE, QA 1, CLASS 2, THERMOWELL, RESISTANCE TEMP DECT; STAINLESS STEEL, ASME SA 479 TP 316
ARC628V	7	WELL	WELL, PIPE, QA 2, THERMOWELL, THERMOCOUPLE; THERMOMETER, STAINLESS STEEL, 002.750 IN
AQV654K	3	WHEEL	WHEEL, TYPICAL, QA 0, STAR WHEEL, SWITCH; STEEL, FOR 200.000 TON OVERHEAD TURBINE BUILDING
AVN422G	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; ALUMINUM, FOR INDUSTRIAL FAN, SIZE 504 CI, STYLE PHY
AWC897D	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; STEEL, CODE, CHARACTER, FOR BUFFERED CHAIN PRINTER
AWC898B	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; STEEL, CODE, FOR BUFFERED CHAIN PRINTER, MODEL 4330 ***
BLA668H	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, BRAKE, ELECTRIC; CLUTCH, FOR 2 HORSE POWER MOTOR OPERATED DOOR
BAD875T	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; STEEL, PLAIN, FOR HOIST, 460 VAC, 3 PH, 5 TONS, MODEL
BAR273R	1	WHEEL	WHEEL, TYPICAL, QA 3, CHAINWHEEL, ACTUATOR; WITH GUIDE, NO 284547, 9.125 IN DIA, REF 29, FOR
CDT028Y	8	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; AXLE AND AND BUSHING ASSEMBLY, ITEM 13, LOUDEN PART #
CBC927R	1	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, CRANE; BRIDGE WHEEL - DRIVER, 30 IN DIA WHEEL, DWG B-10226
AWW209C	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, CRANE; METAL, 21 IN, DOUBLE FLANGED, SHT SYMBOL E, FOR BARGE
AEF088D	3	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, FAN; CENTRIFUGAL, CLOCKWISE ROTATION, FOR SIZE 2412-PFD, 1-7/8
AVX562V	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, SCALE; HAND, REF C75, FOR COAL SCALE, MOD J-39, S/N 38261 ***
BET536M	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, COAL SAMPLER; CAST IRON, FLANGED, 3 IN, WITHSHAFT, FOR
BEV741F	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, COAL SAMPLER; CAST IRON, W/SHAFT, FLANGED, 6 IN ***
BFF993B	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, COAL SAMPLER; STEEL, THRUST, 3 IN, W/ BEARING & SHAFT, FOR
BDT384Q	1	WHEEL	WHEEL, TYPICAL, QA 0, BULLWHEEL ASSY FOR WESTRONICS RECORDER, MULTIPLE PURPOSE, MODEL D4E2
BJL685A	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, CONVEYOR; 6 IN DIA, FLANGED, FOR COAL SAMPLER ***

BJL692D	2	WHEEL	WHEEL, TYPICAL, QA 0, 5 IN, CONVEYOR, THRUST, FOR COAL SAMPLER
BJL690W	4	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, CONVEYOR; 3 IN DIA, FLANGED, W/AXLE, FOR COAL SAMPLER ***
BJL691F	2	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, CONVEYOR; 3 IN DIA, FLAT THREAD, W/ 0.75IN AXLE ***
AGX912Y	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, COUNTER; TOTALIZER, FOR BROOKS COUNTER, TYPE 17410-100 ***
AGX512F	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, COUNTER; TOTALIZER, FOR BROOKS COUNTER, TYPE 17410-400 ***
AGX612B	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, COUNTER; TOTALIZER, FOR BROOKS COUNTER, TYPE 17410-400 ***
AHD301A	1	WHEEL	WHEEL, TYPICAL, QA 0, WINDING WHEEL & PIN, FOR EATON CORP CADILLAC (LITTLE MULE) CABLE
ALF455G	3	WHEEL	WHEEL, TYPICAL, QA 0, TRIP, W/SCR, OLD IR-M47D, FOR DIAMOND POWERTYPE IR-2A SOOTBLOWER
APD501W	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, BRAKE,ELECTRIC; BRAKE, FOR 020.000 IN MAGNETIC BRAKE
AMD930V	1	WHEEL	WHEEL, TYPICAL, QA 0, FLYWHEEL, CHILLER; JACK SHAFT ASSY, FOR UNIT NC-175, MODEL NCX900053V
BLH628R	18	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, ; CONVEYOR CAR, STAINLESS STEEL, 1.50' WIDE X 6.00' DIA, WITH
BLH629P	12	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, ; SIDE, ROLLER, BRASS/BRONZE, 0.750' WIDE X 2.00' DIA, WITH
AWG979N	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; LIFT, FOR 1-1/2 TON COME-ALONG, MODEL B ***
AWG978Q	1	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; LIFT, FOR 3/4 TON COME-ALONG, MODEL B ***
AYA975H	2	WHEEL	WHEEL, TYPICAL, QA 3, CHAINWHEEL, ACTUATOR; ALUMINUM, REF 34, FOR ACTUATORMODEL MDT-3, ON 12
BAR274P	1	WHEEL	WHEEL, TYPICAL, QA 3, CHAINWHEEL, ACTUATOR; WITH GUIDE, NO 283464, 9.125 IN DIA, REF 34, FOR
BXL195P	2	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL ASSY, FAN; CONSISTING OF 1 HUB AND 9 BLADES, FOR BUFFALO FORGE
ADD697D	3	WICK	WICK, TYPICAL, QA 0, WICK, ; THRUST FACE, REF 9P, FOR WATERCIRCULATING PUMP, MODEL 60, SIZE
ADD597H	1	WICK	WICK, TYPICAL, QA 0, WICK, ; OIL, 2 PER SET, REF 9S, FOR HOT WATER TANK PUMP, MODEL 60
AJE070Q	1	WICK	WICK, TYPICAL, QA 0, WICK, ; OIL, FOR HOT WATER CIRCULATING PUMP, MODEL 102189FL ***
BGB580Y	1	WINCH	WINCH, ELECTRICAL, QA 0, WINCH, DRUM POWER OPERATED; FUEL TRANSFER ***
AFR392R	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; MOTOR FIELD, FOR WH MOTOR, 75 HP, TYPE CS, FRAME
AMR688Y	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; STATOR, C/O 60 STATOR COILS, 60 TUBES, 24
BPG767X	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; COMPLETE SET OF 126 COILS, WITH TWO EXTRA COILS
BPG759W	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; COMPLETE SET OF 72 COILS WITH ONE EACH EXTRA
BPG768V	1	WINDING	WINDING, ELECTRICAL, QA 0, WINDING, MOTOR FIELD; COMPLETE SET OF 90 COILS, WITH ONE EACH EXTRA
BTT731D	1	WINDING	WINDING, ELECTRICAL, QA 3, WINDING, MOTOR FIELD; MAIN, FOR EDERER CRANES, 125/180 TONS ***
BTT739W	1	WINDING	WINDING, ELECTRICAL, QA 3, WINDING, MOTOR FIELD; MAIN, FOR EDERER CRANES, 125/180 TONS ***
AYN722H	6	WINDOW	WINDOW, INSPECTION, QA 0, FLAT/REFLEX, 1 IN, 18 IN, 9/16 IN, WINDOW, OBSERVATION; REFLEX, FLAT, 0.5625 THICK X 1 WIDE X 18 IN LONG
BBJ066K	4	WINDOW	WINDOW, INSPECTION, QA 0, REFLEX, 1 IN, 20 IN, GLASS, WINDOW, OBSERVATION; GLASS, REFLEX, 1 IN WIDE X 20 IN LONG, SIZE 12
BBL019J	4	WINDOW	WINDOW, INSPECTION, QA 0, TEMPERED/CIRCULAR, 6 IN, 3/4 IN, PYREX, 180 PSI/500 DEG F, WINDOW, OBSERVATION; PYREX, TEMPERED, SIZE 3 0.75 IN TH
BEK714V	3	WINDOW	WINDOW, INSPECTION, QA 0, TEMPERED/CLEAR/RECT, 4-3/4 IN, 14-1/4 IN, 1 IN, PYREX, WINDOW, OBSERVATION; PYREX, GLASS, CLEAR, TEMPERED,GROUND A
AHY870L	1	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; GLASS, SAFETY, FOR RECORDER ***
AYX161V	1	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; PLEXIGLASS, 5.5 IN DIA, REF 3,DWG AM08-1001, FOR
AKY676Q	5	WINDOW	WINDOW, INSPECTION, QA 2, WINDOW, OBSERVATION; PYREX GLASS, FLAT, 0.375 X 1.75 IN, FOR
BFV958F	8	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; VIEWING, FOR HORIZONTAL PEAK SHOCK RECORDER WITH
APX898J	4	WINDOW	WINDOW, INSPECTION, QA 0, 3 IN, 1/4 IN, PYREX, WINDOW, OBSERVATION; PYREX GLASS, FLAT, 0.25 IN THICK X 3 IN DIAMETER
AHW000D	8	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; MICROMIL, 003.000 IN DIA, 3 PER SET, RING
ACF504G	4	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; SIGHT, FOR SIGHTFLOW BOX 1-1/2 IN, ON REACTOR
AGW403T	1	WINDOW	WINDOW, INSPECTION, QA 0, DIAL, 6 IN, GLASS, WINDOW, DIAL; GLASS, CURVE, 6 IN, FOR TRIDENT 1-1/2 IN COLD WATER
AMX290K	7	WINDOW	WINDOW, INSPECTION, QA 0, 2-13/32 IN, 3/16 IN, PYREX, WINDOW, OBSERVATION; PYREX GLASS, 0.187 IN THICK X 2.406 IN, FOR
BJQ416H	4	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; DETECTOR, 80 MGM/CM(2), FOR ALPHA/BETA COUNTER
BFV958F	8	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; VIEWING, FOR HORIZONTAL PEAK SHOCK RECORDER WITH
BDY791N	5	WINDOW	WINDOW, INSPECTION, QA 0, BLANK, OBSERVATION, FOR RA-3800 RECORDER
BDA783W	1	WINDOW	WINDOW, INSPECTION, QA 0, ROUND/ANNEALED, 2-5/8 IN, 1/4 IN, PYREX, WINDOW, OBSERVATION; PYREX, GLASS, SIGHT, ROUND, ANNEALED, 0.25 THK X
AMX094Y	5	WINDOW	WINDOW, INSPECTION, QA 0, ANNULAR EDGE/CIRCULAR, 3/4 IN, 5 IN, TEMPERED GLASS, 500 DEG F/300 PSI, WINDOW, OBSERVATION; CLEAR PYREX GLASS, CI
AMX393X	3	WINDOW	WINDOW, INSPECTION, QA 0, CIRCULAR, 6 IN, 1/4 IN, GLASS, WINDOW, OBSERVATION; GLASS, 0.25 X 6 IN, CIRCULAR, FOR COAL FLOW
AHX002Q	4	WINDOW	WINDOW, INSPECTION, QA 0, OBSERVATION, 15/16 IN, 20 IN, 9/16 IN, TEMPERED GLASS
AYY944M	2	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; DWG KS-81720-6, CONSISTING OF WINDOW FRAME, BASE
APD691V	2	WINDOW	WINDOW, TYPICAL, QA 0, OBSERVATION, WINDOW, OBSERVATION; GLASS, FOR EMERGENCY BREAKOVER SWITCH, ON
AND798F	1	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; GLASS DISK, INSPECTION BOX, FOR CENTRIFUGE OIL
AXY755Y	3	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; PLASTIC, REF 41, FOR BUTTERFLYVALVE, 20 IN, CAST
AKW555F	4	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; PLASTIC, FOR RECORDER, MODEL 51-4202BL ***
BVD437A	4	WINDOW	WINDOW, TYPICAL, QA 0, WINDOW, RECORDER; STD, FOR RECORDER, SERIES E3 MINIATURE STRIP CHART
BDA783W	1	WINDOW	WINDOW, INSPECTION, QA 0, ROUND/ANNEALED, 2-5/8 IN, 1/4 IN, PYREX, WINDOW, OBSERVATION; PYREX, GLASS, SIGHT, ROUND, ANNEALED, 0.25 THK X
ANW071A	2	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; 0.5 IN X 3 IN, FOR TURBIDIMETER, INCLINE, MODEL
BYF290W	1	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; GLASS, ROUND, FOR SWITCH,MODEL 581 ***
BTK716D	5	WINDOW	WINDOW, INSPECTION, QA 3, WINDOW, OBSERVATION; GLASS, FOR RECORDER, MULTIPLE PURPOSE, MODEL
BJQ416H	5	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; DETECTOR, 80 MGM/CM(2), FOR ALPHA/BETA COUNTER

BQT529L	1	WINDOW	WINDOW, TYPICAL, QA 0, OBSERVATION/FRONT, KIT COMPLETE WITH BUSHING,
BEK714V	6	WINDOW	WINDOW, INSPECTION, QA 0, TEMPERED/CLEAR/RECT, 4-3/4 IN, 14-1/4 IN, 1 IN, PYREX, WINDOW, OBSERVATION; PYREX, GLASS, CLEAR, TEMPERED, GROUND A
BEK715R	8	WINDOW	WINDOW, INSPECTION, QA 0, TEMPERED/CLEAR/CORNING, 3-5/16 IN, 3/8 IN, GLASS, 200 PSI, WINDOW, OBSERVATION; GLASS, CLEAR, CORNING, TEMPERED, 0
BAA514B	1	WIPER	WIPER, TYPICAL, QA 0, WIPER, CRANE; WINDOW, W/SWITCH, FOR PETTIBONE PEDESTAL CRANE MODEL
AXD029B	7	WIPER	WIPER, TYPICAL, QA 0, WIPER, BELT, CONVEYOR; 005.000 WIDE X 000.437 THICK X 015.750 IN LONG
AQW189F	21	WIPER	WIPER, TYPICAL, QA 0, WIPER, ELEVATOR; FOR SHEAVE ROLLER A, REF 2-E, NO 2 OPERATORS ***
ANF226K	8	WIPER	WIPER, TYPICAL, QA 0, WIPER, DAMPER; SHAFT, FOR OHIO OSCILLATOR CO DAMPER ACTUATOR, NEW
BMX336X	8	WIPER	WIPER, TYPICAL, QA 0, WIPER, INDICATOR; PLATE, STEEL, FOR INDICATOR, LIQUID QUANTITY, MODEL
BMX658C	3	WIPER	WIPER, TYPICAL, QA 0, BLOCK, POLYAMID, FOR INDICATOR, LIQUID QUANTITY,
AJV187X	2	WIPER	WIPER, TYPICAL, QA 0, WIPER ASSY, HEIGHT ANALYZER; FOR X-Y PLOTTER ON HEWLETT-PACKARD PULSE
BXM777V	5	WIPER	WIPER, TYPICAL, QA 0, WIPER, VALVE; UPPER, FELT SAE FE, FOR 000.500 IN STEM ON PRESSURE
CAC554D	1	WIPER	WIPER, TYPICAL, QA 3, WIPER, CYLINDER; FOR TOMKINS JOHNSON MODEL SH-1DE MAIN HOIST EQUALIZER
AJW233C	2	WIPER	WIPER, TYPICAL, QA 3, WIPER, RECORDER; DUAL ARM POTENTIOMETER CONTACTS, FOR RECORDER
BWW451W	5	WIPER	WIPER, TYPICAL, QA 3, WIPER, VALVE; ROD, SHEFFER MODEL 2-1/2ASL7ASWY, 2-1/2 IN. BORE, 5/8
CBR412Q	11	WIPER	WIPER, TYPICAL, QA 3, ROD, , FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION ACTUATOR, 26 IN VALVE @
CBN452V	18	WIRE	WIRE, WELDING, QA 1, CLASS 1, BARE, 0.035 IN, SS, AWS A5.9/ASME SFA-5.9, 10 LB, , PF-5004, LATEST REVISION, CLASS: ER316
BHR920J	3	WIRE	WIRE, TYPICAL, QA 3, WIRE, ; LOCK, 0.047 IN DIA X 500 FT LONG, FOR DIESEL ENGINE, MODEL
ABD481H	41	WIRE	WIRE, TYPICAL, QA 3, WIRE, COMPRESSOR; LOCKING, FOR MODEL 4 IN ESV-NL, TYPE ESV-1P-NL, SN
BKN552D	12	WIRE	WIRE, TYPICAL, QA 3, WIRE, ICE MAKER; BINDING, METAL, SOLID, FOR MODEL BRC-61-W RIBBON ICE
AEK564V	1	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:
AEK261E	1	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:
AEK661X	3	WIRE	WIRE, MUSIC, QA 0, 0.035 IN, ALLOY STEEL, 15 GAUGE
AEK862K	2	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:
AEK863H	1	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH: 0.094
AEK861M	2	WIRE	WIRE, TIE, QA 0, SOLID, 18 GA, ALLOY STEEL, 0.041 IN DIA
BLM025T	1	WIRE	WIRE, MUSIC, QA 0, 3/8 IN, SS, WIRE, NONELECTRICAL; MATERIAL: STAINLESS STEEL, CROSS SECTION WIDTH:
AVK947T	400	WIRE	WIRE, WELDING, QA 1, BARE, 0.045 IN, SS, AWS A5.9/ASME SFA-5.9, 2.5 LB, ELECTRODE, WELDING; STAINLESS STEEL, BARE WIRE, 0.045 IN OD, 2.5 LBS
AFK488B	6	WIRE	WIRE, TYPICAL, QA 0, FENCE, GALVANIZED, 150 FT, 1 IN X 36 IN X 20 GA, ROLL, WOVEN
AHK066G	1	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION SHAPE: ROUND
ADK569P	2	WIRE	WIRE, MUSIC, QA 0, 0.010 IN, ALLOY STEEL, 1 LB ROLL
ABT562E	2	WIRE	WIRE, TYPICAL, QA 0, 22 AWG MAGNET WIRE, SOLID, POLYTERMA INSULATION:
AFK488B	6	WIRE	WIRE, TYPICAL, QA 0, FENCE, GALVANIZED, 150 FT, 1 IN X 36 IN X 20 GA, ROLL, WOVEN
BAG867A	2	WIRE	WIRE, TYPICAL, QA 0, FENCE, SS, 100 FT, 0.028 IN, ROLL, FENCING, WIRE; STAINLESS STEEL, 1 X 1 IN HEX MESH, 0.028 IN WIRE, 48
ALD658C	6	WIRE	WIRE, TYPICAL, QA 0, WIRE, COMPRESSOR; LOCKING, SIZE 14-1/2 X 8-1/4 X6 PHE2NL2 ***
AEK662V	1	WIRE	WIRE, MUSIC, QA 0, 0.055 IN, ALLOY STEEL, (24 GA)
AGW200L	1	WIRE	WIRE, CLEANING, QA 0, WIRE CLEANER, ; FOR CONTROLLER, NULLMATIC, 3 TO 15 PSIG, S/N 8640-955
AEK269X	45	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: STAINLESS STEEL, CROSS SECTION WIDTH:
AJK968A	93	WIRE	WIRE, TIE, QA 3, NONELECTRICAL, 18 GA, SS, , ROUND
APB509N	22	WIRE	WIRE, TIE, QA 0, WIRE, STEAM TURBINE; TIE, L-1 STAGE, FOR TURBINE, S/N 170X374 (5600)
BEC040X	1440	WIRE	WIRE, MUSIC, QA 0, 18 GA, SS, WIRE, NONELECTRICAL; MATERIAL: STAINLESS STEEL, CROSS SECTION SHAPE:
AVV770A	1	WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM SHAFT, GEAR REDUCER; STEEL, DWG ITEM E5, FOR ICE MACHINE GEAR
BHG940T	1	WORMSHAFT	WORMSHAFT, TYPICAL, QA 1, SHAFT, ACTUATOR; WORM, REF 5, FOR VALVE ACTUATOR, TYPE H, SIZE 1B-C
ATQ691G	1	WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM SHAFT, GEAR REDUCER; HIGH SPEED SIDE, FOR GEAR REDUCER MODEL
AWA023D	1	WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM AND SHAFT, ; STEEL, SHAFT SIZE 002.250 DIA X 028.250 IN LG, FOR
BAC240P	1	WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM WHEEL ASSY, STEAM TURBINE; C/O WORM SHAFT 19003, WORM WHEEL
BTR283K	1	WORMSHAFT	WORMSHAFT, TYPICAL, QA 0, WORM SHAFT, ACTUATOR; FOR LIMITORQUE VALVE OPERATOR, TYPE PB-2, DWG
CFV842V	149	WRAP	WRAP, TYPICAL, QA 0, PREFILTER, ** FOR GENERAL ELECTRIC PG7121(EA) COMBUSTION TURBINE UNITS.
BNM618V	2	WRENCH	WRENCH, TYPICAL, QA 0, WRENCH, ; BASKET, BOLT AND NUT ***
AMW165G	1	WRENCH	WRENCH, HEX KEY, QA 0, 3/16 IN, WRENCH, ; HEX TEE, 0.187 IN, FOR CALIBRATORS, PRESSURE. ***
ATP270R	4	WRENCH	WRENCH, ADJUSTABLE, QA 0, WRENCH, ; SLIP, 1.250 IN, FOR ADJUSTING LENS ON UNDERWATER TV CAMERA, NO
BKM877M	30	WRENCH	WRENCH, TYPICAL, QA 3, WRENCH, ; OFFSET SPRINKLER, FOR INSTALLATION OF NATURAL BRASS OR
AYA291G	1	WRENCH	WRENCH, TYPICAL, QA 0, VALVE, 2 SQ IN, 36 IN, MALLEABLE IRON, SIZE B-36, WRENCH, VALVE; MALLEABLE IRON, SIZE B-36, 36 LG X 2 SQ IN, FOR PLUG
AYK122R	2	WRENCH	WRENCH, TYPICAL, QA 0, VALVE, ALUMINUM, SIZE B-18, WRENCH, VALVE; ALUMINUM, SIZE B-18, FOR PLUG VALVE, MANUAL OPERATED
BJL747E	1	WRENCH	WRENCH, TYPICAL, QA 3, WRENCH, VALVE; STEEL, COLD ROLLED, 0.75 DIA X 24 IN LONG, PAINTED, REF
BBR051W	33	WRENCH	WRENCH, SPANNER, QA 0, HYDRANT, 18-1/2 IN, MANG BRONZE/CHR PLT STEEL, HEAD MADE OF MANGANESE
BDJ523E	2	WYE	WYE, PIPE, QA 0, 1-1/2 IN, FNPT, IRON, GALVANIZED, WYE, TRUE PIPE; NOMINAL SIZE: 01.500 IN (1 1/2), MATERIAL: MALLEABLE
BYY990J	1	WYE	WYE, PIPE, QA 3, WYE, FIRE PROTECTION; 10 INCH RUN 10 INCH BRANCH, DUCTILE IRON, INSIDE
BJN840R	1	YOKE	YOKE, TYPICAL, QA 0, YOKE ASSEMBLY, ; C/O YOKE, REF 11, BUSHING AND GLAND BOLTS, REF 12
BLH367V	1	YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; STEEL, FOR SAFETY RELIEF VALVE 6 IN, TYPE 19060/PI-1 ***

BRJ065Y	1	YOKE	YOKE, TYPICAL, QA 3, YOKE, BRAKE,ELECTRIC; STEEL,WITH BUSHING,LEFT OR RIGHT,REF 68, FOR
BTF998W	1	YOKE	YOKE, TYPICAL, QA 3, YOKE, VALVE; NUT, YOKE FOR 10' 600# WALWORTH GATE VALVE, ITEM CODE
CHG891T	1	YOKE	YOKE, TYPICAL, QA 3, VALVE, YOKESLEEVE FOR 10' GLOBE VALVE, PACIFIC FIG. NO. 160-U-WE
AJH046T	1	YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; E201, FOR 002.000 IN VALVE, TYPE AD, S/N 70-2523 TYPE AD
BJP863W	2	YOKE	YOKE, TYPICAL, QA 0, STEEL, FOR CONTROL VALVE, 201,WITH 471-5 ACTUATOR, SIZE
AJH246V	2	YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; FOR 002.500 IN PRESSURE REGULATING VALVE, TYPE 86-R
AFC659E	6	YOKE	YOKE, TYPICAL, QA 0, YOKE, PULVERIZER; 1-8 UNGZA THD, SYM H, DWG 100372A, FOR AUTOMATIC
AHH652N	1	YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; U-6, FOR LIST 303-A, 006.000 IN GLOBE VALVE ***
BLB682J	3	YOKE	YOKE, TYPICAL, QA 0, YOKE ASSY, RECORDER; ITEM 12, FOR RECORDER, MULTIPLE PURPOSE, MODEL
BXD715V	3	YOKE	YOKE, TYPICAL, QA 0, YOKE ASSY, VALVE; NO. 5 105, FOR CONVAL Y-TYPE GLOBE VALVE, 1 IN.
BTG268X	1	YOKE	YOKE, TYPICAL, QA 3, YOKE, VALVE; NUT, YOKE FOR 3' 600# WALWORTH GATE VALVE, ITEM CODE
BTF944L	1	YOKE	YOKE, TYPICAL, QA 3, YOKE, VALVE; NUT, YOKE FOR 8' 600# WALWORTH GATE VALVE, ITEM CODE
BBJ940M	2	YOKE	YOKE, TYPICAL, QA 1, YOKE, VALVE; CARBON STEEL ASME SA105 GR 2, 2580 PSIG AT 650 DEG F, REF
BAV355D	1	YOKE	YOKE, TYPICAL, QA 1, YOKE, VALVE; METALLIC, FOR GATE VALVE, 0.75IN, 600 PSIG AT 910 DEG F
BAV423N	1	YOKE	YOKE, TYPICAL, QA 1, YOKE, VALVE; STEEL, FOR GATE VALVE, MODEL 950, SIZE 1.5 IN, DWG
BLT892R	1	YOKE	YOKE, TYPICAL, QA 3, YOKE, CIRCUIT BREAKER; LIFTING, REF BOOKLET REF 1B-9.1.7-6, FIGURE 1